


Arts and Crafts Horeca

Lighting Catalogue

P&M

design
furniture
interiors





Design your own Light

24V Lighting System Plug and Play

Explore more on page: 530


48V Magnetic Linear System

Explore more on page: 506



A great variety of units to choose from to compose the suitable luminaire for every space.







48V Soft Track Linear System


Explore more on page: 524








Power 32W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2880Lm
 Cri 90
 Dimensions L: 60cm W: 60cm
 Base L: 25cm W: 5cm H: 8cm
 Non Dimmable
 Material Metal - Aluminium - Diffuser
 Special Feature Movable Tube Ø: 2.4cm
 Color Sandy Black / **Code 20331**
 Color Sandy White / **Code 20330**



Power 53W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4770Lm
 Cri 90
 Dimensions L: 100cm W: 100cm
 Base L: 25cm W: 5cm H: 8cm
 Non Dimmable
 Material Metal - Aluminium - Diffuser
 Special Feature Movable Tube Ø: 2.4cm
 Color Sandy Black / **Code 20333**
 Color Sandy White / **Code 20332**




Power 80W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 7200Lm
 Cri 90
 Dimensions L: 150cm W: 150cm
 Base L: 32cm W: 5cm H: 8cm
 Non Dimmable
 Material Metal - Aluminium - Diffuser
 Special Feature Movable Tube Ø: 2.4cm
 Color Sandy Black / **Code 20335**
 Color Sandy White / **Code 20334**

Design your Own Lighting


Create the ultimate style by combining the different colors and models available.
 Available colors: Black / White

Shopping Guide


- A** Code 20334 - 20335
- B** Code 20333 - 20332
- C** Code 20331 - 20330



A






B





C


Our Suggestion

Become an artist and make your combination
 Use your imagination to create your masterpiece with our limitless options.






Power 48W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 3600Lm
 Cri 80
 Dimensions L: 80+160cm H: 200cm
 Base Ø: 16cm H: 3.5cm
 Dimmable 
 Material Aluminium - Acrylic
 Special Feature Step Dimming 10%-40%-100%
 Profile 2x3cm
 Color White Matt / **Code 20129**




Power 48W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 3600Lm
 Cri 80
 Dimensions L: 80+160cm H: 200cm
 Base Ø: 16cm H: 3.5cm
 Dimmable 
 Material Aluminium - Acrylic
 Special Feature Step Dimming 10%-40%-100%
 Profile 2x3cm
 Color Black Matt / **Code 20130**





Power 48W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3600Lm
Cri 80
Dimensions Ø: 55.5cm L: 122cm H: 205cm
Base Ø: 16cm H: 3.5cm
Dimmable 
Material Aluminium - Acrylic
Special Feature Step Dimming 10%-40%-100%
Profile Ø: 2cm
Color Black / **Code 20128**






Power 49W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 3920Lm
 Cri 80
 Dimensions L: 90cm W: 50cm H: 90cm
 Base Ø: 20cm H: 6cm
 Dimmable Triac
 Material Aluminium - Silicon
 Special Feature Profile 42cm, Ø: 2cm
 Color Sandy Black - Gold Matt / **Code 2070**
 Color Gold Matt / **Code 2071**







Power	68W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	5440Lm
Cri	80
Dimensions	L: 120cm W: 50cm H: 100cm
Base	Ø: 20cm H: 6cm
Dimmable Triac	○
Material	Aluminium - Silicon
Special Feature	Profile 42cm , Ø: 2cm
Color	Sandy Black - Gold Matt / Code 2072
Color	Gold Matt / Code 2073





Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	960Lm
Cri	80
Dimensions	Ø: 1.6cm H: 80cm
Base	Ø: 5.5cm H: 15cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Aluminium - Acrylic
Special Feature	150cm Cable Adjustable
Color	Black Matt / Code 20121
Color	Gold Matt / Code 20122



Power 20W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1600Lm
Cri 80
Dimensions Ø: 1.6cm L: 140cm H: 150cm
Base Ø: 5.5cm H: 15cm
Non Dimmable
Material Aluminium - Acrylic
Special Feature 135cm Cable Adjustable
Color Black Matt / **Code 20119**
Color Gold Matt / **Code 20120**




Design your Own Lighting

Create the ultimate style by combining the different colors and models available.
Available colors: Black Matt / Gold Matt

Shopping Guide

A Code 20119 - 20120



B Code 20121 - 20122



Our Suggestion

Become an artist and make your combination.
Use your imagination to create your masterpiece
with our limitless options.
Minimal design for luxury lighting


Tip Use gold or black color,
as well as different
elevations for a
grand effect.



Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	560Lm
Cri	90
Dimensions	Ø: 1cm Ø: 3.2cm H: 60cm
Base	Ø: 8cm H: 3.2cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Aluminium
Beam Angle	18°
Special Feature	100cm Cable Adjustable
Color	Brass - Black Matt / Code 20143
Color	Black Matt / Code 20142





Suggested Trimless Canopy **Code 20144**




Power 22W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1760Lm
Cri 80
Dimensions Ø: 1.6cm H: 119cm H: 300cm
Base Ø: 5.5cm H: 12cm
Non Dimmable ☒
Material Aluminium - Acrylic
Color Black Matt / Code 20184






Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 Dimensions Ø: 1.6cm L: 17cm H: 60cm
 Non Dimmable ☒
 Material Aluminium - Acrylic
 Color Black Matt / **Code 20114**
 Color Gold Matt / **Code 20115**



Power 20W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1600Lm
 Cri 80
 Dimensions Ø: 1.6cm L: 17cm H: 100cm
 Non Dimmable ☒
 Material Aluminium - Acrylic
 Color Black Matt / **Code 20116**
 Color Gold Matt / **Code 20117**




Power 8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 640Lm
 Cri 80
 Dimensions Ø: 1.6cm H: 46cm
 Base Ø: 12cm H: 0.5cm
 Non Dimmable ☒
 Material Metal - Aluminium - Acrylic
 Color Black Matt / **Code 20118**




Power 20W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1600Lm
 Cri 80
 Dimensions Ø: 1.6cm H: 150cm
 Base Ø: 16cm H: 0.5cm
 Non Dimmable ☒
 Material Metal - Aluminium - Acrylic
 Color Black Matt / **Code 20123**



Indoor Led Lighting




Power 40W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 3200Lm
 Cri 80
 Dimensions Ø: 56cm H: 12.5cm
 Base W: 58.5cm H: 3.5cm
 Non Dimmable ☒
 Material Metal - Aluminium - Acrylic
 Special Feature Acrylic Ø: 56cm THK: 1cm
 Color Sandy Black / Code 20162




Power 70W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 5600Lm
 Cri 80
 Dimensions L: 117cm W: 2cm H: 230cm
 Base L: 117cm W: 2cm H: 3cm
 Non Dimmable ☒
 Material Metal - Aluminium - Acrylic
 Special Feature 200cm Cable Adjustable, Acrylic Ø: 56cm THK: 1cm, Acrylic Ø: 42cm THK: 1cm
 Color Sandy Black / Code 20161






Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 560Lm
 Cri 80
 Dimensions L: 24cm W: 7.5cm H: 39cm
 Base L: 26cm W: 6cm H: 4.5cm
 Non Dimmable
 Material Metal - Aluminium - Acrylic
 Special Feature 210cm Cable Adjustable
 Acrylic THK: 0.6cm
 Color Black Matt / **Code 20181**





Power 25W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1875Lm
 Cri 80
 Dimensions L: 51cm W: 29cm H: 105cm
 Non Dimmable
 Material Metal - Aluminium - Acrylic
 Special Feature 120cm Cable Available
 Acrylic THK: 0.6cm
 Color Black Matt / **Code 20182**




Indoor Led Lighting




Power 35W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2900Lm
 Cri 80
 Dimensions Ø: 15cm W: 117cm H: 165cm
 Base L: 25.5cm W: 5cm H: 5cm
 Non Dimmable
 Material Aluminium - Clear Plexiglass
 Special Feature 150cm Cable Adjustable
 Color Black Matt / **Code 19112**



Power 52W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4160Lm
 Cri 80
 Dimensions L: 99cm W: 32cm H: 21cm
 Base L: 72.5cm W: 21.5cm H: 3.5cm
 Non Dimmable
 Material Aluminium - Iron - Acrylic
 Special Feature 200cm Cable Adjustable
 Profile 1x3cm
 Color Gold Matt / **Code 20160**




Power 18W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1440Lm
 Cri 80
 Dimensions L: 110cm H: 205cm
 Base Ø: 13cm H: 3.2cm
 Dimmable
 Material Metal - Opal Glass
 Special Feature Step Dimming 10%-40%-100%
 Glass Ø: 16cm
 Glass Ø: 11cm
 Color Black Matt / **Code 20131**




Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 Dimensions H: 78cm
 Non Dimmable
 Material Metal - Opal Glass
 Special Feature 140cm Cable Adjustable
 Glass Ø: 16cm
 Glass Ø: 11cm
 Color Black Matt / **Code 20132**






Power 7.5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 600Lm
 Cri 80
 Dimensions L: 13.5cm H: 37cm
 Base Ø: 8cm L: 3.5cm
 Non Dimmable ☒
 Material Metal - Opal Glass
 Special Feature Glass Ø: 11cm
 Color Black Matt / **Code 20133**




Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 80
 Dimensions H: 42cm
 Base Ø: 14cm H: 0.5cm
 Non Dimmable ☒
 Material Metal - Opal Glass
 Special Feature 100cm Cable Available
 Glass Ø: 11cm
 Color Black Matt / **Code 20134**




Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 Dimensions H: 160cm
 Base Ø: 22cm H: 0.5cm
 Non Dimmable ☒
 Material Metal - Opal Glass
 Special Feature 200cm Cable Available
 Glass Ø: 16cm
 Glass Ø: 11cm
 Color Black Matt / **Code 20135**






Power	5.6W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	400Lm
Cri	80
Dimensions	L: 15.5cm W: 20cm H: 12cm
Base	L: 2.5cm W: 20cm H: 6cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Metal - Acrylic
Special Feature	Switch On-Off
Color	White Matt / Code 20167
Color	Grey / Code 20168







Power 5.6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 400Lm
Cri 80
Dimensions Ø: 13cm H: 16.5cm
Base Ø: 6.5cm H: 5.5cm
Non Dimmable ☒
Material Metal - Acrylic
Color White Matt / **Code 20169**
Color Grey / **Code 20170**




Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 560Lm
Cri 80
Dimensions Ø: 19cm H: 22.5cm
Base Ø: 6.5cm H: 6.5cm
Non Dimmable ☒
Material Metal - Acrylic
Color White Matt / **Code 20171**
Color Grey / **Code 20172**






Power 5.6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 400Lm
 Cri 80
 Dimensions Ø: 14cm H: 7.2cm
 Non Dimmable
 Material Metal - Acrylic
 Color White Matt / **Code 20173**
 Color Grey / **Code 20174**



Power 8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 560Lm
 Cri 80
 Dimensions Ø: 19cm H: 10.5cm
 Non Dimmable
 Material Metal - Acrylic
 Color White Matt / **Code 20175**
 Color Grey / **Code 20176**



Indoor Led Lighting




Power	38W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	3040Lm
Cri	80
Dimensions	L: 105cm W: 12.5cm H: 200cm
Base	L: 105cm W: 12.5cm H: 4.6cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Metal - Aluminium - Acrylic
Special Feature	150cm Cable Adjustable Movable Opal Balls Ø: 12.5cm
Color	Black Matt - Gold Matt / Code 2001







Top View




Power	45W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	3600Lm
Cri	80
Dimensions	Ø: 85cm H: 62cm
Base	Ø: 18.5cm H: 3.5cm
Non Dimmable	☒
Material	Metal - Aluminium - Acrylic
Special Feature	Movable Opal Balls Ø: 12.5cm
Color	Black Matt - Gold Matt / Code 2002






Power 8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 640Lm
 Cri 80
 Dimensions Ø: 12.5cm L: 15cm H: 42cm
 Base Ø: 12cm H: 3cm
 Non Dimmable
 Material Metal - Aluminium - Acrylic
 Special Feature Opal Ball Ø: 12.5cm
 Color Black Matt - Gold Matt / **Code 2003**



Power 8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 640Lm
 Cri 80
 Dimensions Ø: 12.5cm H: 42cm
 Base Ø: 15cm H: 0.5cm
 Non Dimmable
 Material Metal - Aluminium - Acrylic
 Special Feature Opal Ball Ø: 12.5cm
 Color Black Matt - Gold Matt / **Code 2004**






Power	5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	400Lm
Cri	80
Dimensions	L: 16.5cm W: 25cm H: 42.5
Base	Ø: 10cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Metal - Aluminium - Opal Glass
Special Feature	180cm Cable Adjustable
Color	Black Matt / Code 20254
Color	Gold Matt / Code 20255




Suggested Trimless Canopy **Code 20144**




Indoor Led Lighting



Power 5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 400Lm
 Cri 80
 Dimensions L: 13.5cm W: 16.5cm H: 25cm
 Base Ø: 10cm H: 3cm
 Non Dimmable
 Material Metal - Opal Glass
 Color White / **Code 20137**




Power 5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 400Lm
 Cri 80
 Dimensions L: 23.5cm W: 25cm H: 33cm
 Base Ø: 10cm H: 3cm
 Non Dimmable
 Material Metal - Opal Glass
 Color White / **Code 20136**




Power 5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 400Lm
 Cri 80
 Dimensions L: 11cm W: 19cm H: 20cm
 Base Ø: 10cm H: 3cm
 Non Dimmable
 Material Metal - Glass
 Color Smoked Grey / **Code 20138**




Indoor Led Lighting




Power 28W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2240Lm
 Cri 80
 Dimensions L: 110cm H: 102cm
 Base L: 24cm W: 6cm H: 3.5cm
 Non Dimmable
 Material Metal - Aluminium - Acrylic
 Special Feature Spot Ø: 7.5cm H: 8cm
 Spot Ø: 9.5cm H: 4cm
 Color Sandy Black - Gold Matt / **Code 2035**



Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 560Lm
 Cri 80
 Dimensions L: 47.5cm H: 102cm
 Base Ø: 12.5cm H: 3.5cm
 Non Dimmable
 Material Metal - Aluminium - Acrylic
 Special Feature Spot Ø: 7.5cm H: 8cm
 Color Sandy Black - Gold Matt / **Code 2033**
 Gold Matt / **Code 2034**






Power 28W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2520Lm
 Cri 90
 Dimensions Ø: 95cm H: 70cm
 Base Ø: 15cm H: 3cm
 Non Dimmable
 Material Aluminium - Acrylic - Brass
 Special Feature Movable Profile Ø: 2.4cm
 Color Sandy Black - Brushed Brass / **Code 20336**
 Color Sandy Black / **Code 20337**



Power 10W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 900Lm
 Cri 90
 Dimensions L: 10.5cm W: 25cm H: 80cm
 Base L: 8cm W: 25cm H: 5cm
 Non Dimmable
 Material Aluminium - Acrylic - Brass
 Special Feature Profile Ø: 2.4cm
 Color Sandy Black - Brushed Brass / **Code 20338**
 Color Sandy Black / **Code 20339**





Indoor Led Lighting




Power	6x7W
Input	220-240V, 50/60Hz
Color Temperature	3200K
Lumen	4620Lm
Cri	80
Dimensions	Ø: 7cm H: 10cm
Base	Ø: 14cm H: 4.5cm
Non Dimmable	☒
Material	Metal - Aluminium
Special Feature	Average Height 120cm
Color	Black Matt - Gold / Code 18151



Indoor Led Lighting





Power 4x4.5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1980Lm
 Cri 80
 Dimensions Ø: 70cm H: 170cm
 Base Ø: 20cm H: 6cm
 Non Dimmable
 Material Metal - Aluminium
 Beam Angle 38°
 Special Feature 170cm Cable Adjustable
 Color Sandy Black / **Code 1900**



Power 5x4.5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2200Lm
 Cri 80
 Dimensions L: 105cm W: 4cm H: 150cm
 Base L: 105cm W: 4cm H: 3cm
 Non Dimmable
 Material Metal - Aluminium
 Beam Angle 38°
 Special Feature 150cm Cable Adjustable
 Color Sandy Black / **Code 1909EXP**








Power	4.5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	495Lm
Cri	80
Dimensions	Ø: 4.8cm H: 4.8cm
Base	Ø: 8cm H: 3cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Metal - Aluminium
Beam Angle	38°
Special Feature	200cm Cable Adjustable
Color	Sandy Black / Code 1902
Color	Sandy White / Code 1901
Color	Copper - Sandy Black / Code 1903




Suggested Trimless Canopy **Code 20144**



Power	4.5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	495Lm
Cri	80
Dimensions	Ø: 4.8cm H: 8cm
Cutting Hole	Ø: 4.5cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Metal - Aluminium
Beam Angle	38°
Special Feature	Movable
Color	Sandy Black / Code 1907
Color	Sandy White / Code 1906




Power 48W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4800Lm
 Cri 80
 Dimensions Ø: 102cm H: 200cm
 Base Ø: 22cm H: 4.1cm
 Dimmable Triac
 Material Metal - Aluminium - Acrylic
 Special Feature 200cm Cable Adjustable Profile 1x3cm
 Color Black Matt / **Code 1947**




Power 85W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 8500Lm
 Cri 80
 Dimensions L: 163cm W: 44.5cm H: 200cm
 Base L: 56cm W: 5cm H: 4cm
 Dimmable Triac
 Material Metal - Aluminium - Acrylic
 Special Feature 200cm Cable Adjustable
 Color Black Matt / **Code 1948**



Indoor Led Lighting




Power 40W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 3600Lm
 Cri 80
 Dimensions L: 110cm W: 50cm H: 80cm
 Tube Ø: 2.4cm
 Base L: 50cm W: 5cm H: 8cm
 Non Dimmable ☒
 Material Metal - Aluminium - Diffuser
 Special Feature Movable Tube
 Profile Ø: 2.4cm
 200cm Cable Adjustable
 Color Sandy Black / **Code 19236**




Power 8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 720Lm
 Cri 80
 Dimensions L: 10cm H: 60cm
 Tube Ø: 2.4cm
 Non Dimmable ☒
 Material Metal - Aluminium - Diffuser
 Special Feature Movable Tube
 Profile Ø: 2.4cm
 Requires Remote Driver (Included)
 Color Sandy Black / **Code 19201**






Power 42W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 3360Lm
 Cri 80
 Dimensions Ø: 60cm H: 200cm
 Base Ø: 18cm H: 5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature 200cm Cable Adjustable
 Color Black Matt / **Code 20260**
 Color White Matt / **Code 20261**



Power 55W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4400Lm
 Cri 80
 Dimensions Ø: 80cm H: 200cm
 Base Ø: 25cm H: 5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature 200cm Cable Adjustable
 Color Black Matt / **Code 20262**
 Color White Matt / **Code 20263**



Power 84W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 6720Lm
 Cri 80
 Dimensions Ø: 120cm H: 200cm
 Base Ø: 28cm H: 5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature 200cm Cable Adjustable
 Color Black Matt / **Code 20264**
 Color White Matt / **Code 20265**






Design your Own Lighting

Create the preferred style by combining the different colors and models available.
Available colors: Black Matt / White Matt


Shopping Guide

- A** Code 20264 - 20265
- B** Code 20262 - 20263
- C** Code 20260 - 20261




Our Suggestion

Become an artist and make your combination.
Use your imagination to create your masterpiece with our limitless options.




Indoor Led Lighting

Power 30W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2400Lm
 Cri 80
 Dimensions Ø: 60cm H: 5cm
 Base Ø: 7cm H: 20cm
 Dimmable Triac
 Material Aluminium - Silicon
 Special Feature 200cm Cable Adjustable
 Profile 5x1.5cm
 Color Brushed Gold Matt / **Code 2010**
 Color Brushed Coffee / **Code 2011**




Power 40W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 3200Lm
 Cri 80
 Dimensions Ø: 80cm H: 5cm
 Base Ø: 7cm H: 20cm
 Dimmable Triac
 Material Aluminium - Silicon
 Special Feature 200cm Cable Adjustable
 Profile 5x1.5cm
 Color Brushed Gold Matt / **Code 2012**
 Color Brushed Coffee / **Code 2013**



Brushed Gold Matt




Brushed Coffee






Power 30W / 40W / 50W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 9600Lm
 Cri 80
 Dimensions Ø: 60cm / Ø: 80cm / Ø: 100cm H: 5cm
 Base Ø: 29cm H: 4.5cm
 Dimmable Triac
 Material Aluminium - Silicon
 Special Feature 200cm Cable Adjustable
 Profile 5x1.5cm
 Color Brushed Gold Matt / **Code 2014**
 Color Brushed Coffee / **Code 2015**






Indoor Led Lighting


Power 30W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2400Lm
 Cri 80
 Dimensions Ø: 40cm H: 5.5cm
 Base Ø: 16cm H: 3.5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature 200cm Cable Adjustable
 Color Sandy Black / **Code 2044**
 Color Sandy White / **Code 2045**
 Color Brushed Gold Matt / **Code 2046**
 Color Brushed Coffee / **Code 2047**



Power 50W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4000Lm
 Cri 80
 Dimensions Ø: 60cm H: 5.5cm
 Base Ø: 18cm H: 3.5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature 200cm Cable Adjustable
 Color Sandy Black / **Code 2052**
 Color Sandy White / **Code 2053**
 Color Brushed Gold Matt / **Code 2054**
 Color Brushed Coffee / **Code 2055**



Power 60W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4800Lm
 Cri 80
 Dimensions Ø: 80cm H: 5.5cm
 Base Ø: 18cm H: 3.5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature 200cm Cable Adjustable
 Color Sandy Black / **Code 2060**
 Color Sandy White / **Code 2061**
 Color Brushed Gold Matt / **Code 2062**
 Color Brushed Coffee / **Code 2063**



Model Finishing

Brushed Gold Matt



Brushed Coffee



Sandy White




Sandy Black







Indoor Led Lighting




Power 25W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2000Lm
 Cri 80
 Dimensions Ø: 40cm H: 4cm
 Base Ø: 7cm H: 20cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature 210cm Cable Adjustable
 Profile 4x2cm
 Color Brushed Gold Matt / **Code 2005**




Power 36W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2880Lm
 Cri 80
 Dimensions Ø: 60cm H: 4cm
 Base Ø: 7cm H: 20cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature 210cm Cable Adjustable
 Profile 4x2cm
 Color Brushed Gold Matt / **Code 2006**




Power 50W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4000Lm
 Cri 80
 Dimensions Ø: 80cm H: 4cm
 Base Ø: 7cm H: 20cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature 210cm Cable Adjustable
 Profile 4x2cm
 Color Brushed Gold Matt / **Code 2007**




Power 60W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4800Lm
 Cri 80
 Dimensions Ø: 110cm H: 4cm
 Base Ø: 7cm H: 20cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature 210cm Cable Adjustable
 Profile 4x2cm
 Color Brushed Gold Matt / **Code 2008**






Power 25W / 37W / 50W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 8960Lm
 Cri 80
 Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm H: 4cm
 Base Ø: 29cm H: 4.5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature 200cm Cable Adjustable
 Profile 4x2cm
 Color Brushed Gold Matt / **Code 2009**






Power 60W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 3600Lm
 Cri 80
 Dimensions Ø: 80cm H: 35cm
 Base Ø: 17cm H: 5cm
 Non Dimmable ☒
 Material Metal - Silicon
 Special Feature 360° Lighting Tube Ø: 2.4cm
 190cm Cable Adjustable
 Color Gold Matt / **Code 19261**




Power 60W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 3600Lm
 Cri 80
 Dimensions L: 120cm H: 40cm
 Base Ø: 17cm H: 5cm
 Non Dimmable ☒
 Material Metal - Silicon
 Special Feature 360° Lighting Tube Ø: 2.4cm
 220cm Cable Adjustable
 Color Gold Matt / **Code 19254**





Power 40W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2400Lm
 Cri 80
 Dimensions L: 35cm H: 70cm
 Base Ø: 15cm L: 11.5cm
 Non Dimmable ☒
 Material Metal - Silicon
 Special Feature 360° Lighting Tube Ø: 2.4cm
 Color Gold Matt / **Code 19255**






Power 135W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 9450Lm
 Cri 80
 Dimensions \varnothing : 40cm / \varnothing : 60cm / \varnothing : 80cm H: 2.4cm
 Base \varnothing : 24cm H: 5cm
 Non Dimmable
 Material Aluminium - Acrylic
 Special Feature 150cm Cable Adjustable , Profile 2.4x1.5cm
 Color Copper / **Code 180031**

Power 135W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 9450Lm
 Cri 80
 Dimensions \varnothing : 40cm / \varnothing : 60cm / \varnothing : 80cm H: 2.4cm
 Base \varnothing : 24cm H: 5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature 150cm Cable Adjustable , Profile 2.4x1.5cm
 Color Copper / **Code 180031-D**




Power 136W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 10.880Lm
 Cri 80
 Dimensions \varnothing : 40cm / \varnothing : 60cm / \varnothing : 80cm
 Base \varnothing : 25cm H: 5cm
 Non Dimmable
 Material Metal - Acrylic
 Special Feature 150cm Cable Adjustable
 Color Gold Matt / **Code 1956**

Power 136W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 10.880Lm
 Cri 80
 Dimensions \varnothing : 40cm / \varnothing : 60cm / \varnothing : 80cm
 Base \varnothing : 25cm H: 5cm
 Dimmable Triac
 Material Metal - Acrylic
 Special Feature 150cm Cable Adjustable
 Color Gold Matt / **Code 1956-D**




Power	45W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	3600Lm
Cri	80
Dimensions	Ø: 40cm / Ø: 60cm H: 2cm
Base	Ø: 18cm H: 3.5cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Aluminium - Silicon
Special Feature	155cm Cable Adjustable Profile 2x1.5cm
Color	Sandy Black / Code 2018
Color	Sandy White / Code 2019






Power 36W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2880Lm
 Cri 80
 Dimensions Ø: 80cm H: 2cm
 Base Ø: 16cm H: 3cm
 Non Dimmable ☒
 Material Aluminium - Silicon
 Special Feature 155cm Cable Adjustable
 Profile 2x1.5cm
 Color Sandy Black / **Code 2016**
 Color Sandy White / **Code 2017**






Power 75W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 5250Lm
 Cri 80
 Dimensions Ø: 40cm / Ø: 60cm H: 2.4cm
 Base Ø: 25cm H: 6.5cm
 Non Dimmable
 Material Aluminium - Acrylic
 Special Feature 150cm Cable Adjustable
 Profile 2.4x1.5cm
 Color White Matt / **Code 180032**




Power 135W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 9450Lm
 Cri 80
 Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm H: 2.4cm
 Base Ø: 24cm H: 5cm
 Non Dimmable
 Material Aluminium - Acrylic
 Special Feature 150cm Cable Adjustable
 Profile 2.4x1.5cm
 Color White Matt / **Code 180030**

Power 135W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 9450Lm
 Cri 80
 Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm H: 2.4cm
 Base Ø: 24cm H: 5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature 150cm Cable Adjustable
 Profile 2.4x1.5cm
 Color White Matt / **Code 180030-D**







Power 52W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4950Lm
 Cri 80
 Dimensions Ø: 60cm / Ø: 33cm H: 15cm
 Base Ø: 18cm H: 4.5cm
 Non Dimmable
 Material Aluminium - Silicon
 Special Feature 120cm Cable Adjustable
 Color White Matt / **Code 180055**




Power 46W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4140Lm
 Cri 80
 Dimensions Ø: 46cm H: 11cm
 Base Ø: 18cm H: 4.5cm
 Non Dimmable
 Material Aluminium - Silicon
 Color White Matt / **Code 180054**







Power 75W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4875Lm
 Cri 80
 Dimensions L: 138cm H: 30cm
 Base Ø: 21cm H: 5cm
 Non Dimmable ☒
 Material Metal - PC Diffuser
 Special Feature 150cm Cable Adjustable
 Tube Ø: 2cm
 Color Opal - Chrome / **Code 1954**



Power 84W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 5460Lm
 Cri 80
 Dimensions Ø: 40cm H: 95cm
 Base Ø: 23cm H: 5cm
 Non Dimmable ☒
 Material Metal - PC Diffuser
 Special Feature Tube Ø: 2cm
 Color Opal - Chrome / **Code 1952**




Power 90W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 5850Lm
 Cri 80
 Dimensions L: 80cm W: 40cm
 Base Ø: 21cm H: 5cm
 Non Dimmable ☒
 Material Metal - PC Diffuser
 Special Feature 160cm Cable Adjustable
 Tube Ø: 2cm
 Color Opal - Chrome / **Code 1953**




Power	64W
Input	220-240V, 50/60Hz
Color Temperature	3200K
Lumen	5120Lm
Cri	80
Dimensions	L: 105cm W: 80cm
Base	Ø: 20cm H: 4cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Metal - Aluminium - Acrylic
Special Feature	150cm Cable Adjustable Circle Ø: 15cm
Color	Black Matt / Code 18149



Indoor Led Lighting



Power 4x24W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 7680Lm
 Cri 80
 Dimensions Ø: 45cm
 Base L: 120cm W: 6.5cm H: 5cm
 Non Dimmable ☒
 Material Metal - Aluminium - Acrylic
 Special Feature 60cm Cable Adjustable
 Optional Dimming DALI
 Color Black Matt / **Code 18150**




Power 24W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1920Lm
 Cri 80
 Dimensions Ø: 45cm
 Base L: 20cm W: 6cm H: 5cm
 Non Dimmable ☒
 Material Metal - Aluminium - Acrylic
 Special Feature 60cm Cable Adjustable
 Optional Dimming DALI
 Color Black Matt / **Code 1612**




Power 60W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4800Lm
 Cri 80
 Dimensions Ø: 45cm / Ø: 60cm
 Base Ø: 24cm H: 4cm
 Dimmable Triac ☉
 Material Metal - Aluminium - Acrylic
 Special Feature 110cm Cable Adjustable
 Profile 2x3.5cm
 Color Black Matt / **Code 1616**






Power 20W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1000Lm
 Cri 80
 Dimensions Ø: 62cm H: 120cm
 Base Ø: 19cm H: 4cm
 Not Dimmable
 Material Aluminium - Steel / Crystal Diffuser
 Special Feature 120cm Cable Adjustable
 Color Black / **Code Z63054-A**




Power 40W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2000Lm
 Cri 80
 Dimensions Ø: 70cm H: 150cm
 Base Ø: 19cm H: 4cm
 Not Dimmable
 Material Aluminium - Steel / Crystal Diffuser
 Special Feature 150cm Cable Adjustable
 Color Black / **Code Z63054-B**



Indoor Led Lighting




Power 42W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 3360Lm
 Cri 80
 Dimensions L: 80cm W: 51cm H: 2.4cm
 Base Ø: 18cm H: 6cm
 Non Dimmable
 Material Metal - Aluminium - Silicon
 Special Feature 110cm Cable Adjustable
 Profile 1.5x2.4cm
 Color Black Matt / **Code 17003**




Power 56W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4480Lm
 Cri 80
 Dimensions Ø: 65cm H: 8cm
 Base Ø: 18cm H: 4.5cm
 Non Dimmable
 Material Metal - Acrylic
 Special Feature 150cm Cable Adjustable
 Color Black Matt / **Code 1618**






Power 90W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 7200Lm
 Cri 80
 Dimensions Ø: 55cm H: 14cm
 Base Ø: 17cm H: 6.5cm
 Non Dimmable
 Material Aluminium - Acrylic
 Special Feature 140cm Cable Adjustable
 Color White Matt / **Code 17001**
 Color Brown - Wood / **Code 17002**







Power 18W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1620Lm
 Cri 90
 Dimensions L: 120cm W: 35cm H: 25cm
 Base L: 28cm W: 5cm H: 7.8cm
 Non Dimmable
 Material Metal - Aluminium - Diffuser
 Special Feature 200cm Cable Adjustable
 Profile Ø: 2.4cm
 Color Sandy Black - Old Steel / **Code 19203**



Power 43W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2360Lm
 Cri 80
 Dimensions Ø: 60cm H: 9.5cm
 Base Ø: 18cm H: 6cm
 Dimmable Triac
 Material Metal - Aluminium
 Special Feature 200cm Cable Adjustable
 Color White Matt / **Code 1977**







Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1000Lm
Cri 80
Dimensions L: 76cm W: 40cm H: 17cm
Base Ø: 10cm H: 2.5cm
Non Dimmable ☒
Material Metal - Diffuser
Special Feature 200cm Cable Adjustable
Optional Dimming PhaseCut
Color White Matt / **Code 1976**
Color Black Matt / **Code 1975**



Indoor Led Lighting



Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 2700K
 Lumen 150Lm
 Cri 80
 Dimensions Ø: 1.8cm H: 50cm
 Base Ø: 8cm H: 3cm
 Non Dimmable
 Material Aluminium - Diffuser
 Beam Angle 36°
 Special Feature 130cm Cable Adjustable
 Color White Matt / **Code 17010**




Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 2700K
 Lumen 150Lm
 Cri 80
 Dimensions Ø: 1.8cm H: 28cm
 Base Ø: 8cm H: 3cm
 Non Dimmable
 Material Aluminium - Diffuser
 Beam Angle 36°
 Special Feature 130cm Cable Adjustable
 Color White Matt / **Code 17008**
 Black Matt / **Code 17009**



Suggested Trimless Canopy **Code 20144**







- | | |
|-------------------|---|
| Power | 6W |
| Input | 220-240V, 50/60Hz |
| Color Temperature | 3000K |
| Lumen | 660Lm |
| Cri | 80 |
| Dimensions | Ø: 12cm H: 7.5cm |
| Base | Ø: 8cm H: 3cm |
| Non Dimmable | ☒ |
| Material | Metal - Aluminium |
| Beam Angle | 18° |
| Special Feature | 200cm Cable Adjustable
Stick Ø: 2.7cm H: 6cm |
| Color | Black Matt - White / Code 1911 |
| Color | Coffee Matt - White - Black Base / Code 1912 |
| Color | White Matt / Code 1913 |



Indoor Led Lighting




Power 4.2W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 462Lm
 Cri 80
 Dimensions L: 15.8cm H: 57.5cm
 Base Ø: 8cm H: 4cm
 Non Dimmable ☒
 Material Metal - Aluminium
 Beam Angle 38°
 Special Feature Standard Length
 Stick Ø: 2.5cm H: 15.8cm
 Color Sandy Black / **Code 1921**
 Color Sandy White / **Code 1920**



Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 770Lm
 Cri 80
 Dimensions L: 6.5cm W: 4.5cm H: 118.5cm
 Base Ø: 8cm H: 4cm
 Non Dimmable ☒
 Material Metal - Aluminium
 Special Feature Standard Length
 Cube L: 6.5cm H: 4.5cm
 Color Sandy Black / **Code 1929**
 Color Sandy White / **Code 1930**






Power 2x5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 800Lm
Cri 80
Dimensions Ø: 5cm H: 80-107cm L: 24cm
Base Ø: 8cm H: 2.5cm
Non Dimmable
Material Metal
Beam Angle 45°
Color Black Matt / **Code 1617**




Indoor Led Lighting





Power	8W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	880Lm
Cri	80
Dimensions	Ø: 25cm H: 7cm
Base	Ø: 15cm H: 4.5cm
Non Dimmable	☒
Material	Metal - Wood
Special Feature	200cm Cable Adjustable
Color	Nature Wood - Black Matt / Code 19150






Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 840Lm
 Cri 80
 Dimensions Ø: 26cm H: 17cm
 Base Ø: 10cm H: 3.5cm
 Non Dimmable ☒
 Material Metal - Aluminium
 Special Feature 150cm Cable Adjustable
 Color Sandy Black / **Code 18139-B**
 Sandy White / **Code 18139-W**






Power 96W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 7680Lm
 Cri 80
 Dimensions L: 80cm W: 60cm H: 122cm
 Base Ø: 20cm H: 4cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Color Gold Matt / **Code 1933**




Power 80W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 6400Lm
 Cri 80
 Dimensions L: 60cm W: 40cm H: 110cm
 Base Ø: 18cm H: 3.5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Color Gold Matt / **Code 1931**
 Color Sandy Black / **Code 1932**


Indoor Led Lighting





Power 18W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1440Lm
 Cri 80
 Dimensions L: 17.5cm W: 7.5cm H: 60cm
 Base W: 7.5cm H: 20cm
 Dimmable Triac
 Material Metal - Aluminium - Acrylic
 Color Sandy Black / **Code 1936**
 Color Gold Matt / **Code 1935**



Power 80W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 6400Lm
 Cri 80
 Dimensions Ø: 60cm H: 71cm
 Dimmable Triac
 Material Metal - Aluminium - Acrylic
 Color Sandy Black / **Code 1951**
 Color Sandy White / **Code 1950**




Power	60W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	4800Lm
Cri	80
Dimensions	L: 103cm W: 60cm H: 22cm
Base	L: 6cm W: 6cm H: 22cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Metal - Aluminium - Silicon
Special Feature	Profile Ø: 1.5cm
Color	Grey / Code 20159



Power 60W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4800Lm
 Cri 80
 Dimensions L: 93cm W: 31cm H: 53.5cm
 Base L: 28cm W: 5cm H: 9.2cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature Profile 2x1.5cm
 Color Sandy Black / **Code 2079**
 Color Sandy White / **Code 2078**
 Color Gold Matt / **Code 2080**







Power	55W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	4400Lm
Cri	80
Dimensions	L: 90cm W: 67cm H: 8.5cm
Base	L: 18cm W: 18cm H: 8.5cm
Dimmable Triac	☉
Material	Aluminium - Acrylic
Special Feature	Profile 2x1.7cm
Color	Sandy Black / Code 2020
Color	Sandy White / Code 2021
Color	Gold Matt / Code 2022



Indoor Led Lighting





Power 42W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 3360Lm
 Cri 80
 Dimensions L: 56cm W: 56cm H: 8.5cm
 Base L: 14cm W: 14cm H: 8.5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature Profile 2x1.7cm
 Color Sandy Black / **Code 2023**
 Color Sandy White / **Code 2024**
 Color Gold Matt / **Code 2025**




Power 25W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2000Lm
 Cri 80
 Dimensions L: 46cm W: 46cm H: 6.5cm
 Base L: 14cm W: 14cm H: 6.5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature Profile 2x1.7cm
 Color Sandy Black / **Code 2026**
 Color Sandy White / **Code 2027**
 Color Gold Matt / **Code 2028**





Indoor Led Lighting




Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	960Lm
Cri	80
Dimensions	L: 32cm W: 32cm H: 5.5cm
Base	L: 12.5cm W: 12.5cm H: 3.5cm
Dimmable Triac	☐
Material	Aluminium - Acrylic
Special Feature	Profile 2x1.7cm
Color	Sandy Black / Code 2029
Color	Sandy White / Code 2030
Color	Gold Matt / Code 2031




Power	38W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	3040Lm
Cri	80
Dimensions	L: 51cm W: 41cm H: 12cm
Base	L: 21cm W: 5cm H: 4.5cm
Non Dimmable	☒
Material	Metal - Aluminium - Silicon
Color	Sandy Black / Code 2064
Color	Sandy White / Code 2065



Indoor Led Lighting



Power 25W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2000Lm
 Cri 80
 Dimensions Ø: 42.5cm H: 6cm
 Base L: 35cm W: 5cm H: 4cm
 Non Dimmable
 Material Metal - Aluminium - Silicon
 Color Sandy Black / **Code 2074**
 Color Sandy White / **Code 2075**




Power 31W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2480Lm
 Cri 80
 Dimensions Ø: 52.5cm H: 6cm
 Base L: 43cm W: 5cm H: 4cm
 Non Dimmable
 Material Metal - Aluminium - Silicon
 Color Sandy Black / **Code 2076**
 Color Sandy White / **Code 2077**





Indoor Led Lighting

Power 30W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2400Lm
 Cri 80
 Dimensions Ø: 40cm H: 8.5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Color Sandy Black / **Code 2040**
 Color Sandy White / **Code 2041**
 Color Brushed Gold Matt / **Code 2042**
 Color Brushed Coffee / **Code 2043**



Power 50W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4000Lm
 Cri 80
 Dimensions Ø: 60cm H: 8.5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Color Sandy Black / **Code 2048**
 Color Sandy White / **Code 2049**
 Color Brushed Gold Matt / **Code 2050**
 Color Brushed Coffee / **Code 2051**



Power 60W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4800Lm
 Cri 80
 Dimensions Ø: 80cm H: 8.5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Color Sandy Black / **Code 2056**
 Color Sandy White / **Code 2057**
 Color Brushed Gold Matt / **Code 2058**
 Color Brushed Coffee / **Code 2059**



Model Finishing


Brushed Gold Matt

Brushed Coffee


Sandy White

Sandy Black






Power 30W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1800Lm
 Cri 80
 Dimensions Ø: 37.5cm H: 5.7cm
 Non Dimmable
 Material Aluminium - Acrylic
 Color White / **Code Z62130L-W**
 Color Black / **Code Z62130L-B**




Power 48W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2880Lm
 Cri 80
 Dimensions Ø: 58cm H: 5.7cm
 Non Dimmable
 Material Aluminium - Acrylic
 Color White / **Code Z62148L-W**
 Color Black / **Code Z62148L-B**



Indoor Led Lighting




Power 50W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4000Lm
Cri 80
Dimensions Ø: 60cm H: 12.5cm
Base Ø: 6cm H: 16cm
Non Dimmable
Material Aluminium - Acrylic
Special Feature 200cm Cable Adjustable
Color Brushed Copper / **Code 1964**




Power 50W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4000Lm
Cri 80
Dimensions Ø: 60cm H: 12.5cm
Non Dimmable
Material Aluminium - Acrylic
Color Brushed Copper / **Code 1963**





Power 20W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1800Lm
 Cri 80
 Dimensions Ø: 40cm H: 8.5cm
 Non Dimmable ☒
 Material Metal - Acrylic
 Special Feature Optional Dimming PhaseCut
 Color Black - Copper / **Code 1957**
 Color Black - Golden Leaf / **Code 1961**



Power 28W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2520Lm
 Cri 80
 Dimensions Ø: 50cm H: 10cm
 Non Dimmable ☒
 Material Metal - Acrylic
 Color Black - Copper / **Code 1959**
 Color Black - Golden Leaf / **Code 1962**

Model Finishing




Black - Golden Leaf




Black - Copper






Power 30W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2400Lm
 Cri 80
 Dimensions L: 50cm W: 46cm H: 10.5cm
 Non Dimmable ☒
 Material Metal - Acrylic
 Color White Matt / **Code 17018**




Power 72W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 10.080Lm
 Cri 80
 Dimensions L: 63cm W: 63cm H: 8cm
 Non Dimmable ☒
 Material Aluminium - Acrylic
 Special Feature Optional Dimming DALI
 Color Sandy White / **Code 18148-W** 
 Color Sandy Black / **Code 18148-B** 






Power 20W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1600Lm
 Cri 80
 Dimensions L: 10cm W: 48cm H: 55cm
 Base W: 5.5cm H: 15.5cm
 Non Dimmable
 Material Metal - Aluminium - Acrylic
 Special Feature Profile 1x3cm
 Color Black Matt / **Code 1945**




Power 36W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2880Lm
 Cri 80
 Dimensions L: 10cm W: 68cm H: 78cm
 Base W: 5.5cm H: 18.5cm
 Non Dimmable
 Material Metal - Aluminium - Acrylic
 Special Feature Profile 1x3cm
 Color Black Matt / **Code 1946**

Indoor Led Lighting




Power 13W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1300Lm
 Cri 80
 Dimensions Ø: 35cm H: 38cm L: 11.7cm
 Non Dimmable
 Material Metal - Aluminium
 Special Feature Optional Dimming PhaseCut
 Color Sandy Black - White Matt / **Code 1910**



Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 Dimensions L: 6.3cm W: 30cm H: 122.5cm
 Base L: 5cm W: 30cm H: 4cm
 Non Dimmable
 Material Aluminium - Diffuser
 Special Feature Optional Dimming PhaseCut
 Color Sandy Black / **Code 19117**




Indoor Led Lighting




Slim 1.5 I


Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 694Lm
 Cri 80
 IP IP44
 Dimensions L: 10cm W: 46cm H: 1.5cm
 Non Dimmable
 Material Aluminium
 Color White / **Code 20141**




Power 13W
 Input 220V, 50/60Hz
 Color Temperature 3000K
 Lumen 1105Lm
 Cri 80
 Dimensions L: 5.5cm W: 30cm H: 7.5cm
 Non Dimmable
 Material Aluminium - Acrylic
 Special Feature Profile 3.4x8.5cm
 Color Sandy Black / **Code 20340**




Power 2x3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 660Lm
 Cri 80
 Dimensions L: 2.7cm W: 5.5cm H: 13.5cm
 Non Dimmable
 Material Aluminium - Diffuser
 Color Sandy White - Black / **Code 1923**



Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 330Lm
 Cri 80
 Dimensions L: 2.7cm W: 8.5cm H: 13.5cm
 Non Dimmable
 Material Aluminium - Diffuser
 Color Sandy White - Black / **Code 1922**




Bulb 2xG9 Led
Power MAX 7W
Input 220-240V, 50/60Hz
Dimensions L: 6cm W: 23cm H: 30cm
Material Metal - Marble
Color White Marble / **Code 18153-S**




Bulb 2xG9 Led
Power MAX 7W
Input 220-240V, 50/60Hz
Dimensions L: 8cm W: 20cm H: 36cm
Material Metal - Marble
Color White Marble / **Code 18153-B**







Power 10W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 700Lm
 Cri 80
 Dimensions Ø: 20cm W: 6cm
 Non Dimmable
 Material Metal - Mosaic - Acrylic
 Color Grey / **Code 1942**
 Color Pink / **Code 1943**
 Color White / **Code 1941**
 Color Blue / **Code 1944**




Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 420Lm
 Cri 80
 Dimensions Ø: 15cm W: 6cm
 Non Dimmable
 Material Metal - Mosaic - Acrylic
 Color Grey / **Code 1938**
 Color Pink / **Code 1939**
 Color White / **Code 1937**
 Color Blue / **Code 1940**

Model Finishing





Bulb 1xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions L: 16cm W: 14cm H: 13cm
 Material Metal - Opal Glass
 Special Feature Opal Glass Ø: 12cm
 Color Grey / **Code 20343-L**
 Color Black Matt / **Code 20344-L**




Bulb 1xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions L: 11cm W: 10cm H: 9cm
 Material Metal - Opal Glass
 Special Feature Opal Glass Ø: 8cm
 Color Grey / **Code 20343-S**
 Color Black Matt / **Code 20344-S**


Model Finishing

Grey




Black Matt





Bulb 1xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions L: 16cm W: 25cm H: 22cm
 Material Metal - Opal Glass
 Special Feature Opal Glass Ø: 12cm
 Color Grey / **Code 20347-L**
 Color Black Matt / **Code 20348-L**
 Color Yellow / **Code 20346-L**




Bulb 1xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions L: 10.5cm W: 16cm H: 14.5cm
 Material Metal - Opal Glass
 Special Feature Opal Glass Ø: 8cm
 Color Grey / **Code 20347-S**
 Color Black Matt / **Code 20348-S**
 Color Yellow / **Code 20346-S**

Model Finishing

Grey

Black Matt

Yellow




Design your Own Wall Lighting

Create the preferred style by combining the different colors and models available.
Available colors: Green / Blue / White



Shopping Guide

- A** Code 17024
- B** Code 17023







Our Suggestion

Become the designer of your home and make your combination.
Use your imagination to create your masterpiece with our limitless options. Lighting Art for your Wall.




Choose between three colors and two shapes.




Bulb 2xG9 Led
Power MAX 7W
Input 220-240V, 50/60Hz
Dimensions L: 4cm W: 21cm
Material Metal - Acrylic

Color White Matt / Code 17023-W
Color Blue Matt / Code 17023-BL
Color Green Matt / Code 17023-G




Bulb 2xG9 Led
Power MAX 7W
Input 220-240V, 50/60Hz
Dimensions L: 5cm W: 27cm
Material Metal - Acrylic

Color White Matt / Code 17024-W
Color Blue Matt / Code 17024-BL
Color Green Matt / Code 17024-G





Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 420Lm
Cri 80
Dimensions Ø: 18cm L: 6cm
Non Dimmable
Material Metal - Brass - Acrylic
Color Brushed Brass / **Code 20349**




Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 700Lm
Cri 80
Dimensions Ø: 24cm L: 6cm
Non Dimmable
Material Metal - Brass - Acrylic
Color Brushed Brass / **Code 20350**






Bulb 2xG9 Led
Power MAX 7W
Input 220-240V, 50/60Hz
Dimensions Ø: 21.5cm L: 5cm
Material Metal - Leather
Color Brown / **Code 1669** 



Bulb 2xG9 Led
Power MAX 7W
Input 220-240V, 50/60Hz
Dimensions Ø: 26.5cm L: 5cm
Material Metal - Leather
Color Brown / **Code 1668** 





Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 210Lm
 Dimensions Ø: 16cm L: 11cm H: 20cm
 Non Dimmable
 Material Metal - Marble
 Color White Marble - Sandy Black / **Code 18168**
 Color White Marble - Copper Rusty / **Code 18170**
 Color White Marble - Sandy White / **Code 18169**

Model Finishing



White Marble
Black Matt




White Marble
Copper Rusty




White Marble
White Mat






Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 420Lm
 Cri 80
 Dimensions L: 9cm W: 9cm H: 30cm
 Non Dimmable
 Material Metal
 Color White Matt / **Code 16155**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 14cm W: 27cm H: 15cm
 Material Metal
 Color White Matt / **Code 16158**





Bulb 3xE27
 Power MAX 20W
 Input 220-240V, 50/60Hz
 Base Ø: 15cm H: 3cm
 Material Metal - Glass
 Special Feature 120cm Cable Adjustable
 Opal Glass Ø: 20cm H: 25cm
 Glass Ø: 25cm H: 20cm
 Glass Ø: 25cm H: 20cm
 Color Black Matt / **Code 20269**




Bulb 1xE27
 Power MAX 20W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 25cm H: 36cm
 Material Metal - Concrete - Glass
 Special Feature 120cm Cable Available
 Color Black Matt / **Code 20270**



Bulb 1xE27
 Power MAX 20W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm H: 25cm
 Base Ø: 12cm H: 2cm
 Material Metal - Opal Glass
 Special Feature 120cm Cable Adjustable
 Color Black Matt / **Code 20268**




Bulb 1xE27
 Power MAX 20W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 25cm H: 20cm
 Base Ø: 12cm H: 2cm
 Material Metal - Glass
 Special Feature 120cm Cable Adjustable
 Color Black Matt / **Code 20267**




Bulb 1xE27
 Power MAX 20W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 25cm H: 20cm
 Base Ø: 12cm H: 2cm
 Material Metal - Glass
 Special Feature 120cm Cable Adjustable
 Color Black Matt / **Code 20266**






Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 30cm H: 25cm
Base Ø: 10cm H: 2.5cm
Material Metal - Opal Glass
Special Feature 200cm Cable Adjustable
Color Gold Matt / **Code 20124**
Color White Matt / **Code 20125**






Power 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1200Lm
 Cri 80
 Dimensions Ø: 20.5cm H: 43cm
 Base Ø: 13cm H: 5cm
 Dimmable Triac
 Material Aluminium - Opal Glass
 Special Feature 200cm Cable Adjustable
 Color Gold Matt / **Code 19101**




Power 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1200Lm
 Cri 80
 Dimensions Ø: 16cm H: 43.5cm
 Base Ø: 13cm H: 5cm
 Dimmable Triac
 Material Aluminium - Opal Glass
 Special Feature 200cm Cable Adjustable
 Color Gold Matt / **Code 19100**




Power 18W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1440Lm
 Cri 80
 Dimensions Ø: 16cm H: 54cm
 Base Ø: 13cm H: 5cm
 Dimmable Triac
 Material Aluminium - Opal Glass
 Special Feature 200cm Cable Adjustable
 Color Gold Matt / **Code 19102**







Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 13cm H: 44cm
 Base Ø: 12cm H: 2.5cm
 Material Glass - Metal
 Special Feature 150cm Cable Adjustable
 Color Grey - Antique Brass / **Code 19176**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 25cm H: 35cm
 Base Ø: 12cm H: 2.5cm
 Material Glass - Metal
 Special Feature 150cm Cable Adjustable
 Color Grey - Antique Brass / **Code 19177**




Bulb 2xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions L: 120cm W: 18cm H: 95cm
 Base Ø: 12cm H: 2.5cm
 Material Metal - Brass - Opal Glass
 Special Feature Standard Length
 Glass Ø: 18cm
 Glass Ø: 9cm
 Color Black Matt - Brushed Brass / **Code 20351**



Bulb 1xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions W: 20cm H: 50cm
 Base Ø: 8cm H: 2cm
 Material Metal - Opal Glass
 Special Feature 150cm Cable Adjustable
 Opal Glass Ø: 12cm
 Color Bronze / Code 18142-BR




Bulb 1xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions W: 11cm H: 23cm
 Base Ø: 8cm H: 2cm
 Material Metal - Opal Glass
 Special Feature 150cm Cable Adjustable
 Opal Glass Ø: 8cm
 Color Bronze / Code 18143







Bulb 1xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 12cm H: 22cm
 Base Ø: 8cm H: 2cm
 Material Metal - Brass - Opal Glass
 Special Feature 150cm Cable Adjustable
 Opal Glass Ø: 12cm
 Color Black - Brass / **Code 19207**





Bulb 1xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 12cm H: 22cm L: 25cm
 Base Ø: 8cm H: 2cm
 Material Metal - Brass - Opal Glass
 Special Feature 200cm Cable Adjustable
 Opal Glass Ø: 12cm
 Color Black Matt - Brass / **Code 19208**




Bulb 1xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 21cm L: 12cm
 Material Metal - Opal Glass
 Special Feature
 Color Gold Matt / **Code 19216**



Bulb 3xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions L: 110cm H: 60cm
 Base Ø: 8cm H: 2cm
 Material Metal - Opal Glass
 Special Feature 120cm Cable Adjustable
 Opal Glass Ø: 12cm / Ø: 8cm
 Color Black Matt / **Code 17101**




Bulb 1xE14 / 1xG9
Power MAX 15W
Input 220-240V, 50/60Hz
Dimensions L: 17.5cm W: 33cm H: 21cm
Base Ø: 8cm H: 3cm
Material Metal - Opal Glass
Special Feature Opal Glass Ø: 15cm / Ø: 10cm
Color Gold Matt / **Code 1995**




Bulb 1xE14
Power MAX 15W
Input 220-240V, 50/60Hz
Dimensions L: 17.5cm W: 23cm H: 20cm
Base Ø: 8cm H: 2cm
Material Metal - Opal Glass
Special Feature Opal Glass Ø: 15cm
Color Gold Matt / **Code 1996**






Bulb 5xE14
 Power MAX 15W
 Input 220-240V, 50/60Hz
 Dimensions L: 115cm W: 15cm H: 34cm
 Base Ø: 8cm H: 3cm
 Material Metal - Opal Glass
 Special Feature 200cm Cable Adjustable
 Opal Glass Ø: 15cm
 Color Gold Matt / **Code 1998**



Bulb 2xE27
 Power MAX 15W
 Input 220-240V, 50/60Hz
 Dimensions L: 50cm W: 25cm H: 34cm
 Base Ø: 8cm H: 3cm
 Material Metal - Opal Glass
 Special Feature 200cm Cable Adjustable
 Opal Glass Ø: 25cm / Ø: 20cm
 Color Gold Matt / **Code 1997**







Bulb	1xE27
Power	MAX 5W
Input	220-240V, 50/60Hz
Dimensions	Ø: 25cm H: 100-140cm
Material	Net - Opal Glass
Special Feature	Glass Ø: 25cm
Color	Black / Code 1969




Bulb 1xE27
 Power MAX 15W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 29cm H: 33cm
 Base Ø: 12cm H: 2.5cm
 Material Metal - Acrylic
 Special Feature 200cm Cable Adjustable
 Color Black Matt / **Code 2037**




Bulb 1xE27
 Power MAX 15W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 29cm W: 64cm H: 170cm
 Material Metal - Acrylic
 Special Feature 200cm Cable Available
 Color Black Matt / **Code 2038**






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 25cm H: 36cm
 Base Ø: 10cm H: 2cm
 Material Metal - Glass
 Special Feature 200cm Cable Adjustable
 Color Black Matt - Smoked Grey / **Code 20126**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 25cm H: 42cm
 Base Ø: 10cm H: 2cm
 Material Metal - Glass
 Special Feature 200cm Cable Adjustable
 Color Gold Matt - Champagne / **Code 20127**






Bulb 1xE14
 Power MAX 15W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm H: 30cm
 Base Ø: 10cm H: 2cm
 Material Metal - Glass
 Special Feature 200cm Cable Adjustable
 Color Champagne - Chrome / **Code 1982**
 Color White - Chrome / **Code 1980**
 Color Smoked Grey - Chrome / **Code 1981**



Bulb 4xE14
 Power MAX 15W
 Input 220-240V, 50/60Hz
 Dimensions L: 105cm W: 20cm H: 150cm
 Base L: 105cm W: 6.5cm H: 2.7cm
 Material Metal - Glass
 Special Feature 120cm Cable Adjustable
 Color Smoked Grey - Black / **Code 19243**







Power 5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 450Lm
 Cri 80
 Dimensions Ø: 14cm H: 35cm
 Base Ø: 12cm H: 2.5cm
 Non Dimmable
 Material Aluminium - Glass - Acrylic
 Special Feature 150cm Cable Adjustable
 Color Gold Matt - Clear Glass / **Code 1966**
 Color Black Matt - Smoked Grey / **Code 1965**



Suggested Trimless Canopy **Code 20144**




Power 3x5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1350Lm
 Cri 80
 Dimensions L: 105cm W: 14cm H: 135cm
 Base L: 105cm W: 6.5cm H: 2.7cm
 Non Dimmable
 Material Aluminium - Glass - Acrylic
 Special Feature 100cm Cable Adjustable
 Color Black Matt - Smoked Grey / **Code 1970**




Power	5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	450Lm
Cri	80
Dimensions	Ø: 14.5cm H: 22cm
Base	Ø: 12cm H: 2.5cm
Non Dimmable	☒
Material	Aluminium - Glass - Acrylic
Special Feature	150cm Cable Adjustable
Color	Black Matt - Smoked Grey / Code 1967
Color	Gold Matt - Clear Glass / Code 1968




Suggested Trimless Canopy **Code 20144**



Power	3x5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1350Lm
Cri	80
Dimensions	Ø: 38cm H: 150cm
Base	Ø: 38cm H: 2.5cm
Non Dimmable	☒
Material	Aluminium - Glass - Acrylic
Special Feature	125cm Cable Adjustable
Color	Black Matt - Smoked Grey / Code 1971




Bulb 1xGU10 Led
 Power MAX 5W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 7cm H: 33.5cm
 Base Ø: 10cm H: 3.5cm
 Material Metal - Aluminium - Glass
 Special Feature 150cm Cable Adjustable
 Color Black Matt - Smoked Glass / **Code 18121**




Bulb 1xGU10 Led
 Power MAX 5W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 7cm L: 16cm W: 7cm H: 48cm
 Base L: 2.5cm W: 7cm H: 48cm
 Material Metal - Aluminium - Glass
 Color Black Matt - Smoked Glass / **Code 18123**





Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 19cm H: 30cm
 Base Ø: 10cm H: 2.5cm
 Material Glass
 Special Feature 150cm Cable Adjustable
 Color Smoked Grey / **Code 14101**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 24cm H: 22cm
 Base Ø: 10cm H: 2.5cm
 Material Glass
 Special Feature 150cm Cable Adjustable
 Color Smoked Grey / **Code 14102**




Bulb 1xGU10 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 12.5cm H: 19cm
 Base Ø: 8cm H: 2.5cm
 Material Metal - Aluminium - Glass
 Special Feature 200cm Cable Adjustable
 Color Light Yellow - Sandy Black / **Code 19122**
 Color Light Blue - Sandy Black / **Code 19121**
 Color Light Grey - Sandy Black / **Code 19120**


 Suggested Trimless Canopy **Code 20144**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 24cm H: 28cm
 Base Ø: 12cm H: 2.5cm
 Material Metal - Glass
 Special Feature 200cm Cable Adjustable
 Color Ink Blue - Brass - Black Matt / **Code 19175**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm H: 30cm
 Base Ø: 12cm H: 2.5cm
 Material Metal - Glass
 Special Feature 200cm Cable Adjustable
 Color Clear Glass - Brass - Black Matt / **Code 19125**




Bulb 3xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 105cm W: 20cm H: 150cm
 Base L: 105cm W: 6.5cm H: 2.7cm
 Material Metal - Glass
 Special Feature 120cm Cable Adjustable
 Color Clear Glass - Brass - Black Matt / **Code 19242**






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 17cm H: 32cm
 Base Ø: 10cm H: 2cm
 Material Metal - Glass
 Special Feature 200cm Cable Adjustable
 Color Chrome - Smoked Grey / **Code 1987**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 29cm H: 42cm
 Base Ø: 10cm H: 2cm
 Material Metal - Glass
 Special Feature 200cm Cable Adjustable
 Color Chrome - Smoked Grey / **Code 1985**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 23cm H: 50cm
 Base Ø: 10cm H: 2cm
 Material Metal - Glass
 Special Feature 200cm Cable Adjustable
 Color Chrome - Smoked Grey / **Code 1986**






Bulb 4xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 105cm H: 170cm
Base L: 105cm W: 6.5cm H: 2.7cm
Material Metal - Glass
Special Feature 120cm Cable Adjustable
Color Black Matt - Smoked Grey / **Code 19240**




Bulb 3xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 50cm H: 170cm
Base Ø: 50cm H: 3cm
Material Metal - Glass
Special Feature 120cm Cable Adjustable
Color Black Matt - Smoked Grey / **Code 19241**





Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 25cm H: 30cm
 Base Ø: 10cm H: 2cm
 Material Metal - Glass
 Special Feature 150cm Cable Adjustable
 Color Chrome Glass / **Code 17053**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 17cm H: 31cm
 Base Ø: 10cm H: 2cm
 Material Metal - Glass
 Special Feature 150cm Cable Adjustable
 Color Chrome Glass / **Code 17055**


 Suggested Trimless Canopy **Code 20144**




Indoor Lighting | Glass Collection




Bulb 4xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 105cm H: 120cm
 Base L: 105cm W: 6.5cm H: 2.7cm
 Material Metal - Glass
 Special Feature 90cm Cable Adjustable
 Color Black Matt - Chrome Glass / **Code 17151**




Bulb 5xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Base Ø: 12cm H: 2.5cm
 Material Metal - Glass
 Special Feature 150cm Cable Adjustable
 Color Black Matt - Chrome Glass / **Code 17150**



Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm H: 37cm
 Base Ø: 10cm H: 2cm
 Material Metal - Glass
 Special Feature 200cm Cable Adjustable
 Color Clear Glass - Chrome / **Code 17039**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 15cm H: 30cm
 Base Ø: 10cm H: 2cm
 Material Metal - Glass
 Special Feature 200cm Cable Adjustable
 Color Clear Glass - Chrome / **Code 17040**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 15cm H: 43cm
 Base Ø: 10cm H: 2cm
 Material Metal - Glass
 Special Feature 200cm Cable Adjustable
 Color Clear Glass - Chrome / **Code 17038**







Bulb 2xE14
 Power MAX 8W
 Input 220-240V, 50/60Hz
 Dimensions W: 26cm H: 35cm
 Material Aluminium - Crystal Glass
 Color Brass / **Code Z60132**




Bulb 8xE14
 Power MAX 8W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 55cm H: 120cm
 Material Aluminium - Crystal Glass
 Special Feature 80cm Cable Adjustable
 Color Brass / **Code Z63132P**



Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 13cm H: 29cm
 Base Ø: 10cm H: 2cm
 Material Glass
 Special Feature 150cm Cable Adjustable
 Color Black Matt - Champagne / **Code 1515**





Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 18cm H: 30cm
 Base Ø: 10cm H: 2cm
 Material Glass
 Special Feature 150cm Cable Adjustable
 Color Black Matt - Champagne / **Code 1517**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 24cm H: 23cm
 Base Ø: 10cm H: 2cm
 Material Glass
 Special Feature 150cm Cable Adjustable
 Color Black Matt - Champagne / **Code 1516**






Bulb	8xG9 Led
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	L: 120cm H: 65-85cm
Base	Ø: 10cm
Material	Metal- Clear Glass
Special Feature	Clear Glass Ø: 12cm
Color	Bronze / Code 18132-BR 




Bulb 3xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 80cm W: 70cm H: 80cm
Base Ø: 12cm H: 2.5cm
Material Metal - Glass
Color Black Matt - Transparent Glass / **Code 1697**




Bulb 5xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 112cm W: 95cm H: 80cm
Base Ø: 12cm H: 2.5cm
Material Metal - Glass
Color Black Matt - Transparent Glass / **Code 1696**








Bulb 1xG9 Led
Power MAX 9W
Input 220-240V, 50/60Hz
Dimensions Ø: 5cm L: 13cm H: 39cm
Base Ø: 8cm H: 2cm
Material Metal - Marble - Glass
Color Gold Matt / Code 20352









Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 4.5cm H: 6.5cm
 Base Ø: 6cm H: 4cm
 Material Metal
 Special Feature 150cm Cable Adjustable
 Color Black / **Code 14108-B** 
 Color Red / **Code 14108-R** 

 Suggested Trimless Canopy **Code 20144**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 31cm H: 43cm
 Base Ø: 12cm H: 2.5cm
 Material Metal - Glass
 Special Feature 200cm Cable / Chain Adjustable
 Color Bronze / **Code 16106**







Bulb 1xE27
 Power MAX 15W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 45cm H: 65cm
 Base Ø: 10cm H: 2cm
 Material Metal - Rattan
 Special Feature 200cm Cable Adjustable
 Color Black / **Code 20155**



Bulb 1xE27
 Power MAX 15W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 50cm H: 40cm
 Base Ø: 10cm H: 2cm
 Material Metal - Rattan
 Special Feature 200cm Cable Adjustable
 Color Black / **Code 20153**



Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 30cm H: 45cm
 Base Ø: 10cm H: 2cm
 Material Metal - Bamboo
 Special Feature 200cm Cable Adjustable
 Color Natural / **Code 20152**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 23cm H: 60cm
 Base Ø: 10cm H: 2cm
 Material Metal - Bamboo
 Special Feature 200cm Cable Adjustable
 Color Natural / **Code 20154**

 Suggested Trimless Canaby **Code 20144**







Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 80cm W: 60cm H: 30cm
 Base Ø: 10cm H: 2cm
 Material Metal - Bamboo
 Special Feature 200cm Cable Adjustable
 Color Natural Bamboo / **Code 19103**
 Color Black / **Code 19108**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 80cm W: 60cm H: 37cm
 Base Ø: 10cm H: 2cm
 Material Metal - Bamboo
 Color Black / **Code 19109**






Bulb	1xE27
Power	MAX 10W
Input	220-240V, 50/60Hz
Dimensions	Ø: 45cm H: 35cm
Base	Ø: 8cm H: 2cm
Material	Polyester
Special Feature	150cm Cable Adjustable
Color	Black Matt / Code 20353 






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 80cm H: 1.5cm
 Base Ø: 10cm H: 2cm
 Material Metal - Bamboo
 Special Feature 150cm Cable Adjustable
 Color White - Natural Bamboo / **Code 19106**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 60cm H: 1.5cm
 Base Ø: 10cm H: 2cm
 Material Metal - Bamboo
 Special Feature 150cm Cable Adjustable
 Color Black - Natural Bamboo / **Code 19104**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 40cm H: 1.5cm
 Base Ø: 10cm H: 2cm
 Material Metal - Bamboo
 Special Feature 150cm Cable Adjustable
 Color White - Natural Bamboo / **Code 19107**
 Color Black - Natural Bamboo / **Code 19105**







Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 80cm L: 8cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Color White - Natural Bamboo / **Code 19250**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 60cm L: 8cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Color Black - Natural Bamboo / **Code 19252**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 40cm L: 8cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Color White - Natural Bamboo / **Code 19251**
Black - Natural Bamboo / **Code 19253**







Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 40cm H: 40cm
 Base Ø: 10cm H: 2cm
 Material Metal - Rattan
 Special Feature 200cm Cable Adjustable
 Color Natural / **Code 20233**




Bulb 1xE14
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm H: 39cm
 Material Metal - Rattan
 Special Feature 120cm Cable Available
 Color Natural / **Code 20231**



Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 50cm H: 50cm
 Base Ø: 10cm H: 2cm
 Material Metal - Rattan
 Special Feature 200cm Cable Adjustable
 Color Natural / **Code 20230**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 40cm H: 40cm
 Base Ø: 10cm H: 2cm
 Material Metal - Paper Rope
 Special Feature 200cm Cable Adjustable
 Color Brown / **Code 20236**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 48cm H: 35cm
 Base Ø: 10cm H: 2cm
 Material Metal - Paper Rope
 Special Feature 200cm Cable Adjustable
 Color Natural / **Code 20237**

 Suggested Trimless Canopy **Code 20144**







Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 72cm W: 40cm H: 10cm
 Base Ø: 10cm H: 2cm
 Material Metal - Bamboo
 Special Feature 200cm Cable Adjustable
 Color Natural / **Code 20241**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 40cm H: 8cm
 Base Ø: 10cm H: 2cm
 Material Metal - Bamboo
 Special Feature 200cm Cable Adjustable
 Color Natural / **Code 20242**



Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 30cm H: 30cm
 Base Ø: 10cm H: 2cm
 Material Metal - Rattan
 Special Feature 200cm Cable Adjustable
 Color Natural / **Code 20234**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 30cm H: 50cm
 Material Metal - Thread String Cord - Fabric
 Special Feature 120cm Cable Available
 Shade Ø: 30cm H: 20cm
 Color Light Beige / **Code 20235**




Bulb 1xE14
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 23cm H: 28cm
 Material Metal - Rattan
 Special Feature 120cm Cable Available
 Color Black Matt - Natural / **Code 20232**







Led 3W
 Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Dimensions L: 25cm W: 15.5cm H: 28cm
 Base Ø: 12cm H: 2.5cm
 Switch 2/Switch On-Off
 Material Metal - Bush
 Special Feature Shade Ø: 15.5cm H: 15cm
 Stick Ø: 2.8cm L: 36cm
 Color Black Matt - Natural / **Code 20355**





Bulb 1xE27
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 40cm H: 40cm
 Base Ø: 8cm H: 2cm
 Material Metal - Bush - Burlap
 Special Feature 150cm Cable Adjustable
 Color Natural / **Code 20354**






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 55cm H: 70cm
 Base Ø: 8cm H: 2cm
 Material Rattan
 Special Feature 150cm Cable Adjustable
 Color Natural / **Code 18181** 




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 60cm H: 100cm
 Base Ø: 8cm H: 2cm
 Material Metal - Straw
 Special Feature 50cm Chain Adjustable
 Color Natural Straw / **Code 17129** 




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 23cm H: 40cm
 Base Ø: 10cm H: 2.5cm
 Material Bamboo
 Special Feature 200cm Cable Adjustable
 Color Natural / **Code 17132**







Bulb 1xE27
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions L: 11cm W: 16cm H: 28cm
 Material Metal- Bush
 Color Natural / **Code 17137**




Bulb 1xE27
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions L: 12cm W: 22cm H: 30cm
 Material Metal- Bush - Fabric
 Color Natural - White - Black / **Code 20356**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 25cm H: 30cm
 Base Ø: 10cm H: 2.5cm
 Material Wood
 Special Feature 100cm Cable Adjustable
 Color Wood - Chrome / **Code 17059**



Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions W: 33cm H: 33cm
 Base Ø: 12cm H: 2.5cm
 Material Wood
 Special Feature 150cm Cable Adjustable
 Color Wood / **Code 1652**


 Suggested Trimless Canopy **Code 20144**






Bulb	1xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	Ø: 32cm H: 50cm
Base	Ø: 8cm H: 2cm
Material	Metal - Fabric Shade
Special Feature	150cm Cable Adjustable
Color	Gold Matt - White / Code 20358 
Color	Black Matt - White / Code 20357 







Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 28cm H: 27cm
 Base Ø: 8cm H: 2cm
 Material Clay
 Special Feature 100cm Cable Adjustable
 Color Natural / **Code 1664**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 13cm H: 27cm
 Base Ø: 8cm H: 2cm
 Material Clay
 Special Feature 100cm Cable Adjustable
 Color Natural / **Code 1665**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 18cm H: 27cm
 Base Ø: 8cm H: 2cm
 Material Clay
 Special Feature 100cm Cable Adjustable
 Color Natural / **Code 1663**






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 20cm W: 12cm H: 18cm
 Base Ø: 8cm H: 2cm
 Material Metal - Clay
 Color White - Copper Rusty / **Code 17067**





Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 12cm H: 18cm
 Base Ø: 8cm H: 2cm
 Material Metal - Clay
 Special Feature 100cm Cable Adjustable
 Color White - Copper Rusty / **Code 17065**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 8cm H: 12cm
 Base Ø: 8cm H: 2cm
 Material Metal - Clay
 Color White - Copper Rusty / **Code 17068**






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 25cm H: 16cm
 Base Ø: 10cm H: 2.5cm
 Material Concrete
 Special Feature 100cm Cable Adjustable
 Color Concrete - Chrome Base / **Code 1655**




Bulb 3xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 105cm H: 100cm
 Base W: 105cm W: 6.5cm H: 2.7cm
 Material Concrete
 Special Feature 85cm Cable Adjustable
 Color Concrete - Black Matt Base / **Code 1653**






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 14cm H: 29cm
 Base Ø: 10cm H: 2.5cm
 Material Concrete
 Special Feature 120cm Cable Adjustable
 Color Concrete - Chrome Base / **Code 18110**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 13cm H: 24cm
 Base Ø: 10cm H: 2.5cm
 Material Concrete
 Special Feature 120cm Cable Adjustable
 Color Concrete - Chrome Base / **Code 18112**




 Suggested Trimless Canopy **Code 20144**



Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 17cm H: 23cm
 Base Ø: 10cm H: 2.5cm
 Material Concrete
 Special Feature 120cm Cable Adjustable
 Color Concrete - Chrome Base / **Code 1580**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 14.5cm H: 26cm
 Base Ø: 10cm H: 2.5cm
 Material Concrete
 Special Feature 120cm Cable Adjustable
 Color Concrete - Chrome Base / **Code 1582**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 13cm H: 30cm
 Base Ø: 10cm H: 2.5cm
 Material Concrete
 Special Feature 120cm Cable Adjustable
 Color Concrete - Chrome Base / **Code 1581**






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 15cm W: 15cm H: 13.5cm
 Base Ø: 10cm H: 2.5cm
 Material Concrete
 Special Feature 100cm Cable Adjustable
 Color Concrete - Chrome Base / **Code 1658**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 26cm W: 14.5cm H: 36cm
 Base L: 2.5cm W: 10cm H: 30cm
 Material Metal - Concrete
 Color Concrete - Black Matt Base / **Code 1585**







Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 12cm H: 36cm
 Base Ø: 10cm H: 2.5cm
 Material Metal - Concrete
 Special Feature 100cm Cable Adjustable
 Color Concrete - Chrome Base / **Code 1660**




Bulb 3xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 38cm H: 115cm
 Base Ø: 38cm H: 2.5cm
 Material Metal - Concrete
 Special Feature 80cm Cable Adjustable
 Color Concrete - Black Matt Base / **Code 1662**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 33cm W: 12cm H: 41cm
 Base L: 2.5cm W: 10cm H: 30cm
 Material Metal - Concrete
 Color Concrete - Black Matt Base / **Code 1661**



Bulb 4xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 105cm W: 12cm H: 100cm
 Base L: 105cm W: 6.5cm H: 2.7cm
 Material Metal - Concrete
 Special Feature 70cm Cable Adjustable
 Color Concrete - Black Matt Base / **Code 1659**



Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 5cm H: 8cm
 Base Ø: 10cm H: 2.5cm
 Material Concrete
 Special Feature 120cm Cable Adjustable
 Color Concrete - Chrome Base / **Code 1657**





Bulb 1xGU10
 Power MAX 35W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 7cm H: 40cm
 Base Ø: 12cm H: 2.5cm
 Material Concrete
 Special Feature 100cm Cable Adjustable
 Color Concrete - Black Matt Base / **Code 180024**




Suggested Trimless Canopy **Code 20144**






Bulb 1xGU10
 Power MAX 35W
 Input 220-240V, 50/60Hz
 Dimensions L: 15cm
 Base Ø: 12cm H: 2cm
 Material Metal - Concrete
 Special Feature 200cm Cable Adjustable
 Tube Ø: 7cm H: 40cm
 Color Concrete - Black Matt Base / **Code 18162** 




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 16cm W: 5cm H: 10cm
 Base L: 2.7cm W: 8.3cm H: 8.3cm
 Material Metal - Concrete
 Special Feature 120cm Cable Adjustable
 Color Concrete - Black Matt Base / **Code 18161** 







Bulb 2xGU10
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions L: 7.5cm W: 7cm H: 16cm
 Material Concrete
 Color Concrete / **Code 180022**




Bulb 1xG9
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions L: 11.5cm W: 11.5cm H: 11.5cm
 Material Concrete
 Color Concrete / **Code 180023**



Bulb 1xG9
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions L: 13cm W: 13cm H: 15cm
 Material Concrete
 Color Concrete / **Code 180021**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 12cm W: 30cm H: 17cm
 Material Concrete
 Color Concrete / **Code 180020**



Power 45W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 6300Lm
 Cri 80
 Dimensions Ø: 5.3cm L: 141cm
 Base Ø: 8cm H: 2cm
 Non Dimmable ☒
 Material Aluminium - PC Diffuser
 Special Feature 200cm Cable Adjustable
 Optional Dimming DALI


Color Old Steel / **Code 19210-OS**
 Color Sandy Black / **Code 19210-B**
 Color Sandy White / **Code 19210-W**




Power 50W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 5500Lm
 Cri 90
 Dimensions Ø: 5.3cm L: 141cm
 Base Ø: 8cm H: 2cm
 Non Dimmable ☒
 Material Aluminium - ABS
 Special Feature 200cm Cable Adjustable
 Optional Dimming DALI

Color Copper Rusty - Sandy Black / **Code 19211-CB**
 Color Sandy White - Sandy Black / **Code 19211-WB**







Power 45W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 6300Lm
 Cri 80
 Dimensions L: 142cm W: 4.8cm H: 7.8cm
 Base Ø: 8cm H: 2cm
 Non Dimmable ☒
 Material Aluminium - PC Diffuser
 Special Feature 200cm Cable Adjustable
 Optional Dimming DALI
 Color Old Steel / **Code 17210**




Power 18W + 36W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 7560Lm
 Cri 80
 Dimensions L: 142cm W: 4.8cm H: 7.8cm
 Base Ø: 8cm H: 2cm
 Non Dimmable ☒
 Material Aluminium
 Special Feature 200cm Cable Adjustable
 Optional Dimming DALI
 Color Copper Rusty - Sandy Black / **Code 17211-CB**
 Old Steel - Gold Matt / **Code 17211-OG**







Bulb 5xGU10
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Base Ø: 8cm H: 2cm
 Material Metal - Leather
 Color Black Matt - Copper Rusty / **Code 16121**





Power 45W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 6300Lm
 Cri 80
 Dimensions L: 142cm W: 4.8cm H: 7.8cm
 Base Ø: 8cm H: 2cm
 Non Dimmable
 Material Aluminium - PC Deffuser - Leather
 Special Feature 100cm Cable Adjustable
 Optional Dimming DALI
 Color Old Steel / **Code 18144**




Bulb	3xGU10
Power	MAX 25W
Input	220-240V, 50/60Hz
Dimensions	L: 100cm W: 6cm H: 60cm
Base	Ø: 8cm H: 2cm
Material	Metal
Special Feature	120cm Cable Adjustable
Color	Black Matt - Brass / Code 19213
Color	Black Matt - Copper Rusty / Code 17109




Bulb 1 x GU10
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions L: 38cm W: 8.3cm H: 25cm
 Base L: 2.7cm W: 8.3cm H: 12cm
 Material Metal - Brass
 Color Black Matt - Brass / **Code 19215** 




Bulb 2xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions L: 12.5cm W: 22cm H: 14.5cm
 Material Metal
 Color Black Matt - Gold Matt / **Code 17093** 





Bulb 2xGU10 , 1xG9 Led
 Power MAX 25W , MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions L: 120cm W: 8cm H: 100cm
 Material Metal - Brass - Opal Glass
 Special Feature Standard Length
 Opal Glass Ø: 8cm
 Color Black Matt - Brass / **Code 18130** 






Bulb 1xGU10
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 6cm H: 118cm
 Base Ø: 8cm H: 2cm
 Material Metal
 Color Copper Rusty / **Code 17106** 





Bulb 1xGU10
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions H: 18cm
 Base Ø: 5cm H: 2cm
 Material Metal
 Color Old Steel / **Code 17107** 






Bulb 5xGU10
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions L: 100cm W: 70cm H: 30cm
Base Ø: 8cm H: 2cm
Material Metal - Leather
Color Copper Rusty / **Code 17108** 
Color Old Steel / **Code 19230** 







Bulb 3xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 110cm W: 18cm H: 130cm
 Metal Shade Ø: 18cm
 Material Metal - Leather
 Special Feature 150cm Cable Adjustable
 Color Copper Rusty / **Code 16119**





Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 48cm W: 25cm H: 60cm
 Metal Shade Ø: 25cm
 Base L: 2.7cm W: 8.3cm H: 12cm
 Material Metal
 Special Feature 100cm Cable Adjustable
 Color Copper Rusty / **Code 16120**







Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 50cm H: 25cm
 Base Ø: 8cm H: 2cm
 Material Metal
 Special Feature 120cm Cable Adjustable
 Color Old Steel / **Code 16122** 
 Color Copper Rusty - Brown Twist Cable / **Code 16123** 




Bulb 4xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 115cm W: 18cm H: 31cm
 Base Ø: 8cm H: 2cm
 Material Metal - Wood
 Special Feature 120cm Cable Adjustable
 Color Copper Rusty - Old Steel / **Code 16124** 




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 43cm H: 70-90cm
 Base Ø: 8cm H: 2cm
 Material Metal
 Special Feature 120cm Cable Adjustable
 Movable
 Color Old Steel / **Code 20360**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 46cm H: 29cm
 Base Ø: 8cm H: 2cm
 Material Metal
 Special Feature 200cm Cable Adjustable
 Color Old Steel / **Code 16129**





Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 46cm H: 29cm H: 110cm
 Base Ø: 8cm H: 2cm
 Material Metal - Leather
 Special Feature 100cm Cable Adjustable
 Color Old Steel / **Code 16132**





Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 33cm L: 15cm
 Base Ø: 8cm H: 2cm
 Material Metal
 Color Copper Rusty / **Code 1484**




Bulb 1xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions L: 11cm W: 40cm H: 40cm
 Material Metal - Opal Glass
 Special Feature Opal Glass Ø: 8cm
 Color Black Matt - Copper Rusty / **Code 18136**




Bulb 1xE14
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 8cm L: 14cm
 Material Metal
 Color Old Steel / **Code 16153**




Bulb 1xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 26cm L: 11cm
 Material Metal - Opal Glass
 Special Feature Opal Glass Ø: 8cm
 Color Copper Rusty / **Code 17105**
 Color Black Matt / **Code 17104**




Bulb 3xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions L: 24cm H: 63cm
 Base Ø: 10cm H: 2cm
 Material Metal - Opal Glass
 Special Feature Opal Glass Ø: 8cm
 Color Black / **Code 18134-B**





Bulb 1xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 22cm L: 16cm H: 30cm
 Material Metal - Brass - Opal Glass
 Special Feature Opal Glass Ø: 12cm
 Color Old Steel - Brass / **Code 19217**




Bulb 1xE14
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 32cm W: 15cm H: 42cm
 Base W: 8.3cm H: 12cm
 Material Metal - Aluminium
 Color Black Matt - Copper Mat / **Code 18135**



Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 22cm H: 40cm
 Base Ø: 8cm H: 2cm
 Material Metal
 Color Copper Rusty / Code 16161




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 22cm L: 47cm H: 25cm
 Base L: 2.5cm W: 8cm H: 16cm
 Material Brass
 Color Rusty Bronze / Code 1590




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 6cm H: 15cm
 Base Ø: 12cm H: 2cm
 Material Marble
 Special Feature 100cm Cable Adjustable
 Color White Marble / **Code 17157**
 Color Black Marble / **Code 17158**




Suggested Trimless Canopy **Code 20144**



Bulb 1xE14
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 17.5cm H: 19cm
 Base Ø: 12cm H: 2cm
 Material Marble - Metal
 Special Feature 100cm Cable Adjustable
 Color Black Marble - Pink / **Code 18164**
 Color Black Marble - Rusty Bronze / **Code 18165**
 Color White Marble - Blue / **Code 18166**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 15cm H: 27cm
 Base Ø: 12cm H: 2cm
 Material Aluminium - Leather
 Special Feature 100cm Cable Adjustable
 Color Black Matt / **Code 17072**




Bulb 5xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Base Ø: 12cm H: 2cm
 Material Aluminium - Leather
 Special Feature 100cm Cable Adjustable
 Color Black Matt / **Code 17154**






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm H: 26cm
 Base Ø: 10cm H: 4.5cm
 Material Metal - Aluminium - Wood
 Special Feature 150cm Cable Adjustable
 Color Green Matt / **Code 180065**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 25cm H: 20cm
 Base Ø: 10cm H: 4.5cm
 Material Metal - Aluminium - Wood
 Special Feature 150cm Cable Adjustable
 Color White Matt / **Code 180066**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 28cm H: 22cm
 Base Ø: 10cm H: 4.5cm
 Material Metal - Aluminium - Wood
 Special Feature 150cm Cable Adjustable
 Color Blue Matt / **Code 180067**

 Suggested Trimless Canopy **Code 20144**






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 16cm H: 31cm
 Base Ø: 10cm H: 2cm
 Material Metal - Aluminium
 Special Feature 150cm Cable Adjustable
 Color Black Matt / **Code 18192**
 Color White Matt / **Code 18193**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 23.5cm H: 25cm
 Base Ø: 10cm H: 2cm
 Material Metal - Aluminium
 Special Feature 150cm Cable Adjustable
 Color Black Matt / **Code 18191**
 Color White Matt / **Code 18190**




Indoor Lighting




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 35cm H: 34cm
 Base Ø: 10cm H: 2cm
 Material Aluminium
 Special Feature 150cm Cable Adjustable
 Color Saumon Matt - White Matt / **Code 180050**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 23cm H: 25cm
 Base Ø: 10cm H: 2cm
 Material Aluminium
 Special Feature 150cm Cable Adjustable
 Color Black Matt - White Matt / **Code 180052**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 25cm H: 23cm
 Base Ø: 10cm H: 2cm
 Material Aluminium
 Special Feature 150cm Cable Adjustable
 Color White Matt - Saumon Matt / **Code 180053**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 12cm H: 24cm
 Base Ø: 10cm H: 2cm
 Material Aluminium
 Special Feature 150cm Cable Adjustable
 Color Saumon Matt - Bronze / **Code 180051**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm H: 16.5cm
 Base Ø: 10cm H: 2cm
 Material Aluminium
 Special Feature 150cm Cable Adjustable
 Color White Matt - Copper / **Code 180080**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 40cm H: 25cm
 Base Ø: 10cm H: 4.5cm
 Material Aluminium
 Special Feature 150cm Cable Adjustable
 Color Grey Matt / **Code 180075**
 Color Pink Matt / **Code 180076**



Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 34cm H: 36cm
 Base Ø: 10cm H: 2cm
 Material Metal - Aluminium - Wood
 Special Feature 150cm Cable Adjustable
 Color White Matt / **Code 1511-W**
 Color Black Matt / **Code 1511-B**
 Color Blue Matt / **Code 1511-BL**
 Color Light Green / **Code 1511-LG**



Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 34cm H: 32cm
 Base Ø: 10cm H: 2cm
 Material Metal - Aluminium - Wood
 Special Feature 150cm Cable Adjustable
 Color White Matt / **Code 1512-W**
 Color Black Matt / **Code 1512-B**
 Color Blue Matt / **Code 1512-BL**
 Color Light Green / **Code 1512-LG**



Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 24cm H: 41cm
 Base Ø: 10cm H: 2cm
 Material Metal - Aluminium - Wood
 Special Feature 150cm Cable Adjustable
 Color White Matt / **Code 1513-W**
 Color Black Matt / **Code 1513-B**
 Color Blue Matt / **Code 1513-BL**
 Color Light Green / **Code 1513-LG**

Model Finishing




White Blue Light Green Black




Suggested Trimless Canopy **Code 20144**




Indoor Lighting



Bulb 4xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm L: 105cm H: 170cm
 Base L: 105cm W: 6.5cm H: 2.7cm
 Material Metal - Leather - Wood
 Special Feature 150cm Cable Adjustable
 Color Black Matt / **Code 1993-B**
 Color White Matt / **Code 1993-W**




Bulb 3xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 38cm H: 170cm
 Base Ø: 38cm H: 2.5cm
 Material Metal - Leather - Wood
 Special Feature 150cm Cable Adjustable
 Color Black Matt / **Code 1994-B**
 Color White Matt / **Code 1994-W**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm H: 22cm
 Base Ø: 10cm H: 2cm
 Material Metal - Leather - Wood
 Special Feature 200cm Cable Adjustable
 Color Black Matt / **Code 1990**
 Color Grey Matt / **Code 1991**
 Color White Matt / **Code 1992**







Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 33cm H: 23cm
 Base Ø: 10cm H: 4.5cm
 Material Aluminium - Wood
 Special Feature 150cm Cable Adjustable
 Color Black Matt / **Code 180085**





Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 30cm H: 23cm
 Base Ø: 10cm H: 4.5cm
 Material Aluminium - Wood
 Special Feature 150cm Cable Adjustable
 Color White Matt / **Code 180090**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 23cm H: 28cm
 Base Ø: 10cm H: 4.5cm
 Material Aluminium - Wood
 Special Feature 150cm Cable Adjustable
 Color Black Matt / **Code 180088**
 Color White Matt / **Code 180086**

 Suggested Trimless Canopy **Code 20144**






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 21.5cm H: 24cm
 Base Ø: 12cm H: 2.5cm
 Material Metal - Aluminium
 Special Feature 150cm Cable Adjustable
 Color Black Matt - Copper / **Code 180100**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 31cm W: 21.5cm H: 35cm
 Base Ø: 12cm H: 2cm
 Material Metal - Aluminium
 Color Black Matt - Copper / **Code 18127**



Bulb 1xE27
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 35cm H: 38cm
 Base Ø: 12cm H: 2cm
 Material Metal - Acrylic
 Special Feature 200cm Cable Adjustable
 Color Black Matt / **Code 1644**






Bulb	1xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	Ø: 46cm H: 35cm
Base	Ø: 8cm H: 2cm
Material	Metal
Special Feature	150cm Cable Adjustable
Color	Black Matt / Code 19245
Color	Yellow / Code 1642




Indoor Lighting



Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 16cm W: 16cm H: 16cm
 Base Ø: 10cm H: 2cm
 Material Metal
 Special Feature 150cm Cable Adjustable
 Color Black Matt / **Code 1679**




Bulb 3xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 105cm W: 16cm H: 120cm
 Base L: 105cm W: 6.5cm H: 2.7cm
 Material Metal
 Special Feature 100cm Cable Adjustable
 Color Black Matt / **Code 1681**




Bulb 4xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions W: 40cm H: 40cm
 Base Ø: 12cm H: 2cm
 Material Metal
 Special Feature 150cm Cable Adjustable
 Color Black Matt / **Code 1678**







Bulb 3xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 70cm H: 14cm
 Material Metal - Opal Glass
 Color Black Matt / **Code 1546**



Bulb 3xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 65cm H: 22cm
 Base Ø: 12cm H: 2.5cm
 Material Metal - Opal Glass
 Special Feature 120cm Cable Adjustable
 Color Black Matt / **Code 1545**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 45cm H: 68cm
 Base Ø: 12cm H: 2cm
 Material Metal
 Special Feature 120cm Cable Adjustable
 Color White Matt - Gold / **Code 1637**



Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 45cm H: 68cm
 Base Ø: 12cm H: 2cm
 Material Metal
 Special Feature 120cm Cable Adjustable
 Color White Matt / **Code 1638**




Indoor Lighting




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 25cm H: 25cm
 Base Ø: 10cm H: 2.5cm
 Material Metal - Stainless Steel
 Special Feature 150cm Cable Adjustable
 Color Gold - Black Matt Base / **Code 1683**
 Color Copper - Black Matt Base / **Code 1684**

Model Finishing



Gold


Copper




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 25cm H: 31cm
 Base Ø: 10cm H: 2cm
 Material Metal
 Special Feature 200cm Cable Adjustable
 Color Black Matt / **Code 1505**
 Color Gold / **Code 20361**




Suggested Trimless Canopy **Code 20144**



Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 36cm H: 35cm
 Base Ø: 10cm H: 2cm
 Material Metal - Aluminium
 Special Feature 150cm Cable Adjustable
 Color Black Matt - White / **Code 1548**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 15cm H: 23cm
 Base Ø: 10cm H: 2cm
 Material Metal
 Special Feature 150cm Cable Adjustable
 Color Black Matt - Bronze / **Code 1454**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 21cm H: 25cm
 Base Ø: 12cm H: 2cm
 Material Metal - Glass
 Special Feature 150cm Cable Adjustable
 Color Black Matt - Bronze / **Code 16118**

 Suggested Trimless Canopy **Code 20144**






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 29cm H: 16.5cm
 Base Ø: 10cm H: 2cm
 Material Metal
 Special Feature 120cm Cable Adjustable
 Color Black Matt / **Code 1676**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 35cm W: 29cm H: 28cm
 Base Ø: 10cm H: 2cm
 Material Metal
 Color Black Matt / **Code 1677**



Indoor Lighting




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 22cm H: 14cm
Base Ø: 12cm H: 2cm
Material Metal
Special Feature 150cm Cable Adjustable
Color Black Matt - Bronze / **Code 1464** 




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 34cm W: 22cm H: 24cm
Base Ø: 12cm H: 2cm
Material Metal
Special Feature Shade Ø: 22cm H: 9cm
Color Black Matt - Bronze / **Code 1465** 







Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 36cm H: 21cm
 Base Ø: 10cm H: 2cm
 Material Aluminium
 Special Feature 150cm Cable Adjustable
 Color Black Matt - White / **Code 1495**



Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 130cm W: 25cm H: 55cm
 Base L: 2.7cm W: 8cm H: 30cm
 Material Metal
 Special Feature Shade Ø: 25cm
 Color Black Matt / **Code 19231**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 20cm H: 80-110cm
Base Ø: 9cm H: 2cm
Material Metal - Aluminium
Color Black Matt - White / **Code 19219**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 60-100cm W: 20cm H: 85cm
Base Ø: 8cm H: 2cm
Material Metal - Aluminium
Special Feature Shade Ø: 20cm
Color Black Matt - White / **Code 19218**






∅ 64

Bulb 1xGU10
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions ∅: 6cm H: 80cm
 Material Aluminium
 Color White Matt / **Code 1566-W**
 Color Black Matt / **Code 1566-B**




∅ 64

Bulb 1xGU10
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions ∅: 6cm H: 40cm
 Material Aluminium
 Color White Matt / **Code 1567-W**
 Color Black Matt / **Code 1567-B**



∅ 64

Bulb 1xGU10
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions ∅: 6cm H: 25cm
 Material Aluminium
 Color White Matt / **Code 1568-W**
 Color Black Matt / **Code 1568-B**



∅ 64

Bulb 1xGU10
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions ∅: 6cm H: 16cm
 Material Aluminium
 Special Feature Angle 30°
 Color White Matt / **Code 1569-W**
 Color Black Matt / **Code 1569-B**







Model Finishing




White




Black




Floor-Table Collection




Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1200Lm
Cri 80
Dimensions H: 125cm
Base L: 15cm W: 15cm H: 5cm
Non Dimmable
Material Aluminium - Wood
Special Feature 120cm Cable Available
Movable
Color Black - Wooden Base / **Code 20147**







Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 420Lm
 Cri 80
 Dimensions Ø: 10cm H: 50cm
 Base Ø: 14cm H: 1cm
 Non Dimmable
 Material Metal - Aluminium
 Color Sandy Black / **Code 20112**



Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 80
 Dimensions L: 39cm W: 13cm H: 47cm
 Base L: 21cm W: 13cm
 Non Dimmable
 Material Metal - Aluminium
 Special Feature Profile 1.5x2x33cm Movable
 Color Sandy Black / **Code 20110**




Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 630Lm
 Cri 80
 Dimensions Ø: 12cm H: 155cm
 Base Ø: 21cm H: 1cm
 Non Dimmable
 Material Metal - Aluminium
 Special Feature 150cm Cable Available
 Color Sandy Black / **Code 20113**





Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 80
 Dimensions L: 49cm W: 18cm H: 164cm
 Base L: 28cm W: 18cm
 Non Dimmable
 Material Metal - Aluminium
 Special Feature 150cm Cable Available Profile 1.5x2x33cm Movable
 Color Sandy Black / **Code 20111**






Power 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 400Lm
Cri 80
Dimensions Ø: 21cm H: 155cm
Base Ø: 21cm H: 1cm
Non Dimmable ☒
Material Metal - Aluminium
Special Feature 150cm Cable Available
Lamp Ø: 6.5cm
Movable
Color Sandy Black / **Code 20109**






Power 20W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1600Lm
 Cri 80
 Dimensions Ø: 1.6cm H: 150cm
 Base Ø: 16cm H: 0.5cm
 Non Dimmable
 Material Metal - Aluminium - Acrylic
 Special Feature 150cm Cable Available
 Color Black Matt / **Code 20123**

Power 8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 640Lm
 Cri 80
 Dimensions Ø: 1.6cm H: 46cm
 Base Ø: 12cm H: 0.5cm
 Non Dimmable
 Material Metal - Aluminium - Acrylic
 Color Black Matt / **Code 20118**




Bulb 3xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions H: 156cm
 Base L: 15cm W: 15cm H: 15cm
 Material Metal - Marble - Opal Glass
 Special Feature 150cm Cable Available
 Opal Glass Ø: 8cm

Color White Marble - Gold Matt / **Code 18179**
 Color Black Marble - Black Matt / **Code 20362**




Bulb 1xE27
Power MAX 15W
Input 220-240V, 50/60Hz
Dimensions Ø: 29cm W: 64cm H: 170cm
Material Metal - Acrylic
Special Feature 200cm Cable Available
Color Black Matt / **Code 2038**






Bulb 1xE27
 Power MAX 40W
 Dimensions H: 150cm
 Base Ø: 25cm H: 2cm
 Material Metal - Wood - Fabric Shade
 Special Feature 150cm Cable Available
 Shade Ø: 36cm H: 24cm
 Color Black Matt / **Code 20213**
 Color White Matt / **Code 20212**




Bulb 1xE14
 Power MAX 40W
 Dimensions H: 37cm
 Base Ø: 16cm H: 0.5cm
 Material Metal - Wood - Fabric Shade
 Special Feature 120cm Cable Available
 Shade Ø: 23cm H: 16cm
 Color Black Matt / **Code 20214**
 Color White Matt / **Code 20215**







Bulb 3xE27
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions L: 90cm W: 68cm H: 190cm
 Material Metal - Wood - Fabric Shade
 Special Feature 150cm Cable Available
 Shade Ø: 55cm H: 15cm
 Color Natural Wood - Black Matt / **Code 1597**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 45cm H: 150cm
 Material Wood - Silk Shade
 Special Feature 150cm Cable Available
 Shade Ø: 41cm H: 26cm
 Color Natural Wood - White Shade / **Code 16179**




Bulb 1xE27
 Power MAX 40W
 Dimensions Ø: 70cm H: 180cm
 Material Wood - Fabric Shade
 Special Feature 130cm Cable Available
 Shade Ø: 50cm H: 20cm
 Color Natural Wood - Black Shade / **Code 1488**



Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 50cm H: 176cm
 Material Wood - Fabric Shade
 Special Feature 130cm Cable Available
 Shade Ø: 42cm H: 27cm
 Color Natural Wood - Beige Shade / **Code 16180**




Bulb 1xE14
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions L: 17cm H: 42cm
 Base Ø: 13cm H: 2cm
 Material Metal - Aluminium
 Special Feature 150cm Cable Available
 Color Black Matt - Gold Matt / **Code 20217**




Bulb 1xE27
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions L: 45cm H: 159cm
 Base Ø: 25cm H: 2.5cm
 Material Metal - Aluminium
 Special Feature 150cm Cable Available
 Color Black Matt - Gold Matt / **Code 20216**






Bulb	1xE27
Power	MAX 25W
Input	220-240V, 50/60Hz
Dimensions	Ø: 30cm H: 47cm
Base	Ø: 10cm H: 30cm
Material	Metal
Special Feature	150cm Cable Available
Color	Black Matt / Code 20210
Color	Gold Matt / Code 20211







Bulb 1xE27
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm H: 22cm
 Base Ø: 11cm H: 2.5cm
 Material Metal - Glass
 Special Feature 150cm Cable Available
 Color Transparent - Brushed Brass / **Code 20250**




Bulb 1xE27
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 17cm H: 21cm
 Base Ø: 11cm H: 2.5cm
 Material Metal - Glass
 Special Feature 150cm Cable Available
 Color Transparent - Brushed Brass / **Code 20251**




Bulb 1xE27
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm H: 40cm
 Base Ø: 14cm H: 0.5cm
 Material Metal - Glass
 Special Feature 150cm Cable Available
 Color White - Brushed Brass / **Code 20252**



Bulb 1xE27
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm H: 44cm
 Base Ø: 11cm H: 19cm
 Material Metal - Marble - Glass
 Special Feature 150cm Cable Available
 Color White Marble - Champagne - Brushed Brass / **Code 20253**




Bulb 1xE14
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions L: 18cm W: 11cm H: 18cm
 Base Ø: 12cm H: 2cm
 Material Metal - Aluminium
 Color White Matt - Gold Matt / **Code 20218**
 Color Gray Matt - Gold Matt / **Code 20219**




Bulb 1xE14
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions L: 24cm H: 44cm
 Base Ø: 13cm H: 2.5cm
 Material Metal - Aluminium
 Special Feature 150cm Cable Available
 Color White Matt - Gold Matt / **Code 20221**
 Color Gray Matt - Gold Matt / **Code 20220**








Bulb 1xE14
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions L: 21cm H: 49cm
 Base Ø: 18cm H: 1cm
 Material Metal - Aluminium
 Special Feature 120cm Cable Available
 Color Black Matt / **Code 20363** 




Bulb 1xE27
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions L: 27cm H: 44cm
 Base Ø: 15cm H: 2.5cm
 Material Metal - Aluminium
 Special Feature 150cm Cable Available
 Color White Matt - Gold Matt / **Code 20222**
 Black Matt - Gold Matt / **Code 20223**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 30cm H: 50cm
 Material Metal - Thread String Cord - Fabric
 Special Feature 120cm Cable Available
 Shade Ø: 30cm H: 20cm
 Color Light Beige / **Code 20235**




Bulb 1xE14
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 23cm H: 28cm
 Material Metal - Rattan
 Special Feature 120cm Cable Available
 Color Natural / **Code 20232**



Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 30cm H: 52cm
 Base Ø: 15cm H: 2cm
 Material Metal - Rattan
 Special Feature 120cm Cable Available
 Shade Ø: 30cm H: 20cm
 Color Black / **Code 20238**



Bulb 1xE14
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm H: 39cm
 Material Metal - Rattan
 Special Feature 120cm Cable Available
 Color Natural / **Code 20231**



Fans


HOW TO CHOOSE YOUR CEILING FAN

STEP 1 SIZE / DIMENSIONS

L
LARGE



17-28m²




≥∅ 132cm

M
MEDIUM



13-17m²




∅ 108-131cm

S
SMALL



<13m²



≤∅ 107cm


STEP 2 LIGHT



WITH LIGHT




ADJUSTABLE COLOR
TEMPERATURE



WITHOUT LIGHT

STEP 3 DESIGN / CONCEPT






Led Light Source 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K, 4000K, 6000K
 Lumen 1500Lm
 Cri 80
 dB 20
 Dimensions 52" Ø: 132cm H: 37.5-50cm
 Air Flow 147.4m³ min
 Night Mode Time Setting 1h / 2h / 4h / 8h
 Material Metal - Acrylic - Wood
 Special Feature 2 Down Rods 12.5-25cm
 Summer & Winter Function
 Motor Feature DC Motor 40W
 5 Speeds


Color Coffee Matt - Cherry Wood Blades / Code 20256






Led Light Source Without Light
Input 220-240V, 50/60Hz
dB 20
Dimensions 60" Ø: 152cm H: 32-44.5cm
Air Flow 211.7m³ min
Night Mode Time Setting 2h / 4h / 8h
Material Metal - Wood
Special Feature 2 Down Rods 12.5-25cm
Summer & Winter Function
Motor Feature DC Motor 55W
5 Speeds
Color Black Matt - Solid Wood Blades / Code 20259






Led Light Source Without Light
Input 220-240V, 50/60Hz
dB 20
Dimensions 54" Ø: 137cm H: 21cm
Air Flow 195m³ min
Night Mode Time Setting 1h / 2h / 4h / 8h
Material Metal - ABS
Special Feature TUYA WiFi Remote Control
Summer & Winter Function
Motor Feature DC Motor 40W
5 Speeds
Color Black Matt - ABS Blades / Code 20257






Led Light Source Without Light
Input 220-240V, 50/60Hz
dB 23
Dimensions 64" Ø: 163cm H: 37.5-50cm
Air Flow 178m³ min
Night Mode Time Setting 1h / 2h / 4h / 8h
Material Metal - ABS
Special Feature 2 Down Rods 12.5-25cm
Summer Function
Motor Feature AC Motor 70W
3 Speeds
Color Black Matt - Black Blades / **Code 20258**






Led Light Source Without Light
 Input 220-240V, 50/60Hz
 dB 23
 Dimensions 52" Ø: 132cm H: 32.5-45cm
 Air Flow 175.3m³ min
 Night Mode Time Setting 1h / 2h / 4h / 8h
 Material Metal - Wood
 Special Feature 2 Down Rods 12.5-25cm
 Summer Function
 Motor Feature AC Motor 57W
 3 Speeds
 Color Black Matt / Code 19136-B







Led Light Source Without Light
 Input 220-240V, 50/60Hz
 dB 23
 Dimensions 52" Ø: 132cm H: 32.5-45cm
 Air Flow 175.3m³ min
 Night Mode Time Setting 1h / 2h / 4h / 8h
 Material Metal - Wood
 Special Feature 2 Down Rods 12.5-25cm
 Summer Function
 Motor Feature AC Motor 57W
 3 Speeds
 Color Black Matt - Cherry Wood Blades / **Code 19136**



Led Light Source 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K, 4000K, 6000K
 Lumen 1500Lm
 Cri 80
 dB 23
 Dimensions 52" Ø: 132cm H: 37.5-50cm
 Air Flow 175.3m³ min
 Night Mode Time Setting 1h / 2h / 4h / 8h
 Material Metal - Polycarbonate - Wood
 Special Feature 2 Down Rods 12.5-25cm
 Summer Function
 Motor Feature AC Motor 57W
 3 Speeds
 Color Black Matt - Cherry Wood Blades / **Code 19135**






Led Light Source 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K, 4000K, 6000K
Lumen 1500Lm
Cri 80
dB 23
Dimensions 52" Ø: 132cm H: 30cm
Air Flow 141m³ min
Night Mode Time Setting 1h / 2h / 4h / 8h
Material Metal - Polycarbonate - Wood
Special Feature Summer Function
Motor Feature AC Motor 55W
3 Speeds

Color Black Matt - Cherry Wood Blades / Code 19144






Led Light Source 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K, 4000K, 6000K
 Lumen 1500Lm
 Cri 80
 dB 20
 Dimensions 52" Ø: 132cm H: 42.5-55cm
 Air Flow 156.3m³ min
 Night Mode Time Setting 1h / 2h / 4h / 8h
 Material Metal - Glass - Wood
 Special Feature 2 Down Rods 12.5-25cm
 Summer & Winter Function
 Motor Feature DC Motor 38W
 5 Speeds

Color White Matt - Natural Wood Blades / **Code 19140**
 Color Black Matt - Natural Wood Blades / **Code 19141**




Indoor Ceiling Fans



Led Light Source	Without Light
Input	220-240V, 50/60Hz
dB	23
Dimensions	52" Ø: 132cm H: 32.5-45cm
Air Flow	145.3m ³ / min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Wood
Special Feature	2 Down Rods 12.5-25cm Summer Function
Motor Feature	AC Motor 62W 3 Speeds
Color	Coffee Matt - Cherry Wood Blades / Code 19143
Color	Chrome Matt - Natural Wood Blades / Code 19142






Led Light Source	Without Light
Input	220-240V, 50/60Hz
dB	20
Dimensions	52" Ø: 132cm H: 32.5-45cm
Air Flow	134.6m ³ min
Night Mode	Time Setting 1h / 4h / 8h
Material	Metal - PaLm Leaf
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function
Motor Feature	DC Motor 48W 5 Speeds
Color	Coffee Matt - Natural PaLm Leaf Blades / Code 19139



Indoor Ceiling Fans




Led Light Source 18W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K, 4000K, 6000K
 Lumen 1800Lm
 Cri 80
 dB 23
 Dimensions 52" Ø: 132cm H: 42.5-55cm
 Air Flow 152m³ min
 Night Mode Time Setting 1h / 2h / 4h / 8h
 Material Metal - Glass - ABS Blades
 Special Feature 2 Down Rods 12.5-25cm
 Summer Function
 Motor Feature AC Motor 61W
 3 Speeds

Color White / **Code 19133**





Double Face Blades



Led Light Source 18W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K, 4000K, 6000K
 Lumen 1800Lm
 Cri 80
 dB 23
 Dimensions 42" Ø: 107cm H: 38-50.5cm
 Air Flow 144m³ min
 Night Mode Time Setting 1h / 2h / 4h / 8h
 Material Metal - Glass - Plywood (MDF)
 Special Feature 2 Down Rods 12.5-25cm
 Summer Function
 Motor Feature AC Motor 58W
 3 Speeds


Color Double Face White Matt - Maple Wood Blades
 White Matt - White Matt Blades / **Code 19132**





- Led Light Source 18W
- Input 220-240V, 50/60Hz
- Color Temperature 3000K, 4000K, 6000K
- Lumen 1800Lm
- Cri 80
- dB 20
- Dimensions 47" Ø: 120cm H: 37-49.5cm
- Air Flow 156.3m³ min
- Night Mode Time Setting 1h / 4h / 8h
- Material Metal - Polycarbonate - ABS
- Special Feature 2 Down Rods 12.5-25cm
Summer & Winter Function
- Motor Feature DC Motor 38W
5 Speeds
- Color White Matt - Maple Blades / **Code 19130**
- Color Chrome Matt - Maple Blades / **Code 19131**






Led Light Source 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K, 4000K, 6000K
 Lumen 1500Lm
 Cri 80
 dB 23
 Dimensions 52" Ø: 132cm H: 36-48.5cm
 Air Flow 164m³ min
 Night Mode Time Setting 1h / 2h / 4h / 8h
 Material Metal - Glass - Plywood (MDF)
 Special Feature 2 Down Rods 12.5-25cm
 Summer Function
 Motor Feature AC Motor 58W
 3 Speeds
 Color Chrome Matt - Silver / **Code 19134**



Indoor Ceiling Fans






Led Light Source 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K, 4000K, 6000K
 Lumen 1500Lm
 Cri 80
 dB 25
 Dimensions 49" Ø: 124cm H: 26cm
 Air Flow 168m³ min
 Night Mode Time Setting 1h / 2h / 4h / 8h
 Material Metal - Polycarbonate - Plywood (MDF)
 Special Feature Summer Function
 Motor Feature AC Motor 55W
 3 Speeds

 Color Double Face White Matt - Maple Wood Blades
 White Matt - White Blades / **Code 19137**
 Color Chrome Matt - Brown Wood Blades / **Code 19138**




Double Face Blades






Hotel Lighting




Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 Dimensions L: 40cm
 Non Dimmable
 Base Ø: 8cm H: 3cm
 Switch On/Off
 Material Metal - Aluminium - Silicon
 Special Feature Stick Ø: 2.9cm L: 9.5cm
 Color Brushed Brass / **Code H63**



Bulb 1xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions L: 12cm W: 10cm H: 30cm
 Base Ø: 8cm H: 2cm
 Material Metal - Opal Glass
 Color Gold Matt / **Code H64**




USB Charger



Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 Dimensions L: 4-12.5cm W: 7.8cm H: 18.3cm
 Depth 4.5cm
 Non Dimmable
 Switch On/Off
 Material Metal - Aluminium
 Cutting Hole 15.8x5.7cm
 Special Feature USB Charger
 Stick Ø: 2.8cm H: 11cm
 Color Black Matt / **Code H65**
 Color Chrome Matt / **Code H66**
 Color Brushed Brass / **Code H67**




Switch On/Off



Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 Dimensions L: 7cm-16cm W: 5.5cm H: 15cm
 Base L: 3cm W: 5.5cm H: 15cm
 Non Dimmable
 Switch On/Off
 Material Metal - Aluminium
 Special Feature Stick Ø: 2.8cm H: 10cm
 Color Brushed Brass / **Code H68**





Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 Dimensions Ø: 8cm H: 12cm
 Base Ø: 8cm H: 3cm
 Non Dimmable
 Switch On/Off
 Material Metal - Aluminium
 Special Feature Stick Ø: 3cm H: 12cm
 Color Black Matt / **Code H48-B**
 Color Chrome Matt / **Code H48-C**
 Color Copper / **Code H47**

Model Finishing



Copper




Black Matt




Chrome Matt






Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 Dimensions L: 34cm W: 4cm H: 12cm
 Depth 5cm
 Non Dimmable
 Switch On/Off
 Material Metal - Aluminium
 Cutting Hole 8.6x3.2cm
 Special Feature Stick Ø: 2.5cm H: 6cm
 Color Black / **Code H69**






Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 Dimensions L: 20-50cm
 Base Ø: 10cm H: 3cm
 Non Dimmable
 Switch On/Off
 Material Metal - Aluminium
 Special Feature USB Charger
 Stick Ø: 1.2cm H: 8cm
 Color Black / **Code H70**







Power 3W + 5W + 5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240+800Lm
 Cri 80
 Dimensions L: 7-16cm W: 35cm H: 6.3cm
 Non Dimmable
 Switch 2 Switch On/Off
 Material Metal - Aluminium - Acrylic
 Special Feature Up/Down Light
 Stick Ø: 2.8cm H: 10cm
 Color Black Matt / **Code H54**
 Color White Matt / **Code H52**



Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 Dimensions W: 8cm H: 19cm
 Depth 6.5cm
 Non Dimmable
 Switch On/Off
 Material Metal - Aluminium
 Cutting Hole 17x6cm
 Special Feature Stick W: 4cm H: 14cm
 Color Black Matt / **Code H43**
 Color Brushed Copper / **Code H44**




Power 3W + 5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240+350Lm
 Cri 80
 Dimensions L: 8-12cm W: 14cm H: 20cm
 Non Dimmable ☒
 Switch 2 Switch On/Off
 Material Metal - Aluminium
 Special Feature Back Light
 Stick Ø: 1.5cm H: 8cm
 Color Black Matt / **Code H41**



Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 2700K
 Lumen 150Lm
 Cri 80
 Dimensions Ø: 1.8cm H: 28cm
 Base Ø: 8cm H: 3cm
 Non Dimmable ☒
 Material Aluminium - Diffuser
 Special Feature 130cm Cable Adjustable
 Color Black Matt / **Code 17009**





Suggested Trimless Canopy **Code 20144**




USB Charger


Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 Dimensions L: 12.5-19cm W: 4cm H: 20cm
 Non Dimmable
 Switch On/Off
 Material Metal - Aluminium
 Special Feature USB Charger
 Color Black Matt / **Code H35**



Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 Non Dimmable
 Base L: 3cm W: 6cm H: 8cm
 Switch On/Off
 Material Metal - Aluminium
 Special Feature Flex 20cm
 Color White Matt / **Code H33**
 Black Matt / **Code H32**



Led 3W
 Bulb 1xG9
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 595Lm
 Cri 80
 Dimensions L: 15cm W: 29cm H: 19cm
 Non Dimmable ☒
 Material Metal - Aluminium
 Switch On/Off
 Color White Matt / **H34-W**




Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 595Lm
 Cri 80
 Dimensions L: 11cm W: 14cm H: 22cm
 Non Dimmable ☒
 Material Metal - Aluminium - Plastic
 Switch On/Off
 Special Feature USB Charger
 Shade Ø: 8.5cm H: 6.5cm
 Color Shandy White / **Code H60**






Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	255Lm
Cri	80
Dimensions	L: 16.4cm Ø: 13cm H: 13.5cm
Non Dimmable	<input checked="" type="checkbox"/>
Switch	On/Off
Material	Metal - Aluminium
Special Feature	USB Charger
	Stick Ø: 3cm H: 24cm
Color	White Matt / Code H58




Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	W: 12cm H: 12cm
Depth	8cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Aluminium
Cutting Hole	Ø: 7.5cm
Switch	On/Off
Color	White Matt / Code H45
Color	Black Matt / Code H46





Power	3W + 6W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	765Lm
Cri	80
Dimensions	Ø: 15cm L: 6.5cm
Non Dimmable	<input checked="" type="checkbox"/>
Switch	2 On/Off
Material	Metal - Aluminium - Acrylic
Special Feature	Back Light
	Stick Ø: 2.8cm H: 10cm
Color	White Matt / Code H56


Hotel Lighting | Wall Lamps



Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 Base Ø: 8cm L: 3cm
 Non Dimmable
 Switch On/Off
 Material Metal - Aluminium
 Special Feature Flex 20cm
 Color Chrome / **Code H30**




Led 3W
 Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 595Lm
 Cri 80
 Dimensions L: 25cm W: 24cm H: 28.2cm
 Base W: 15cm H: 8cm
 Non Dimmable
 Switch 2 On/Off
 Material Metal - Fabric Shade
 Special Feature Shade L: 16.4cm W: 24cm H: 13cm
 Stick Ø: 3x27cm
 Color Chrome - Light Beige / **Code H51**




Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 595Lm
Cri 80
Dimensions L: 12cm W: 6cm H: 16.2cm
Base L: 3cm W: 6cm H: 15cm
Non Dimmable
Switch On/Off
Material Metal - Aluminium
Special Feature Shade Ø: 8.5cm H: 6.5cm
Color Sandy White - Natural Wood / **Code H62**
Sandy Black - Brown Wood / **Code H61**



Hotel Lighting | Wall Lamps




Led 3W
 Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Dimensions L: 25cm W: 15.5cm H: 28cm
 Base Ø: 12cm H: 2.5cm
 Switch 2/Switch On-Off
 Material Metal - Bush
 Special Feature Shade Ø: 15.5cm H: 15cm
 Stick Ø: 2.8cm L: 36cm
 Color Black Matt - Natural / **Code 20355**




Bulb 1xE27
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 40cm H: 40cm
 Base Ø: 8cm H: 2cm
 Material Metal - Bush - Burlap
 Special Feature 150cm Cable Adjustable
 Color Natural / **Code 20354**






Led 3W
 Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Dimensions L: 25cm W: 17cm H: 28cm
 Base Ø: 12cm H: 2.5cm
 Non Dimmable ☒
 Switch 2/Switch On-Off
 Material Metal - Aluminium - Fabric Shade
 Special Feature Shade Ø: 17cm H: 14.5cm
 Stick Ø: 2.8cm L: 36cm
 Color Black Matt / **Code H57**




Led 3W
 Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 Dimensions L: 14.5cm W: 20cm H: 20cm
 Non Dimmable ☒
 Switch 2 On/Off
 Material Metal - Aluminium - Fabric Shade
 Special Feature USB Charger
 Shade L: 12cm W: 20cm H: 11cm
 Stick Ø: 2.8cm H: 8.5cm
 Color Black Matt / **Code H59**





Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 24-40cm W: 20cm H: 30cm
Base L: 2.5cm W: 11cm H: 14cm
Material Metal - Fabric Shade
Special Feature Shade Ø: 13-20cm H: 15cm
Color Chrome Matt - Black Shade / **Code H24-B**
Color Chrome Matt - Beige Shade / **Code H24-W**
Color Bronze - Black Shade / **Code H25-B**
Color Bronze - Beige Shade / **Code H25-W**





Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 17.8cm W: 20cm H: 21cm
Base L: 2.5cm W: 12cm H: 12cm
Material Metal - Fabric Shade
Special Feature Shade L: 13.5cm W: 20cm H: 14.5cm
Color Chrome - Light Beige Shade / **Code H15-W**
Chrome - Black Shade / **Code H15-B**




Chrome
Light Beige Shade



Chrome
Black Shade





- Led 3W
- Bulb 1xE27
- Power MAX 40W
- Input 220-240V, 50/60Hz
- Color Temperature 3000K
- Lumen 240Lm
- Cri 80
- Dimensions L: 24cm W: 19cm H: 34cm
- Base L: 3cm W: 12cm H: 16cm
- Non Dimmable
- Switch 2 On/Off
- Material Metal - Fabric Shade
- Special Feature Shade W: 13-19cm H: 20.5cm
- Color Chrome - Light Beige Shade / **Code H26-W**
- Color Chrome - Black Shade / **Code H26-B**




Chrome
Light Beige Shade



Chrome
Black Shade






Led Bulb 3W
 Power 1xE27
 Input MAX 40W
 Color Temperature 220-240V, 50/60Hz
 Lumen 3000K
 Cri 240Lm
 Dimensions 80
 Base L: 24cm W: 19cm H: 33cm
 Non Dimmable L: 3cm W: 12cm H: 15cm
 Switch
 Material On/Off
 Special Feature Metal - Fabric Shade
 Shade W: 13-19cm H: 20cm
 Color Chrome Matt - Light Beige Shade / **Code H07-WH**




Mirror




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 23cm W: 14cm H: 33cm
 Base L: 21cm W: 14cm H: 2.5cm
 Material Metal - Mirror - Fabric Shade
 Special Feature 120 Cable Available
 Shade L: 16cm W: 12cm H: 23cm
 Color Chrome Matt - Light Beige Shade / **Code H11-WH**




Hotel Lighting | Wall Lamps with Shade





Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 27-36cm W: 19cm H: 30cm
 Base L: 3cm W: 12cm H: 15cm
 Material Metal - Fabric Shade
 Special Feature Shade L: 13-19cm H: 20cm
 Color Chrome Matt - Light Beige Shade / **Code H08-WH**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 32-40cm W: 19cm H: 52cm
 Base L: 16cm W: 22cm H: 1cm
 Material Metal - Fabric Shade
 Special Feature 120cm Cable Available
 Shade L: 13-19cm H: 20cm
 Color Chrome Matt - Light Beige Shade / **Code H06-WH**







Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 11cm W: 7cm H: 10.5cm
 Base L: 2.5cm W: 11cm H: 7cm
 Material Aluminium
 Special Feature Cylinder Ø: 6cm H: 7cm
 Color White Matt / **Code 180105**




Bulb 1xGU10
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 13cm W: 7.5cm H: 12cm
 Base L: 3cm W: 7.5cm H: 12cm
 Material Aluminium
 Special Feature Cylinder Ø: 6.5cm H: 7cm
 Color Dark Grey / **Code 16185**




Bulb 4xGU10
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 21cm W: 21cm H: 13cm
 Base L: 21cm W: 21cm H: 3cm
 Material Aluminium
 Special Feature Cylinder Ø: 6.5cm H: 7cm
 Color Dark Grey / **Code 16186**




Bulb 3xGU10
 Power MAX 35W
 Input 220-240V, 50/60Hz
 Dimensions L: 45cm W: 6cm H: 11.8cm
 Base L: 45cm W: 6cm H: 3cm
 Material Metal - Aluminium
 Special Feature Cylinder Ø: 6cm L: 8.2cm
 Color Black Matt - Brushed Brass / **Code S107**
 Color Black Matt / **Code S106**




Bulb 1xGU10
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 8cm H: 17cm
 Base Ø: 8cm H: 2.5cm
 Material Metal
 Color Dark Brown / **Code 17141**




Bulb 2xGU10
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 33cm W: 12cm H: 20cm
 Base Ø: 12cm H: 3cm
 Material Metal
 Color Dark Brown / **Code 17140**




Bulb 1xGU10
 Power MAX 35W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 6cm H: 11.8cm
 Base Ø: 6cm H: 2.8cm
 Material Metal - Aluminium
 Special Feature Cylinder Ø: 6cm L: 8.2cm
 Color Black Matt - Brushed Brass / **Code S105**
 Color Black Matt / **Code S104**



Bulb 3xGU10
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 15cm W: 57cm H: 10cm
 Base L: 3cm W: 57cm H: 8cm
 Material Metal - Aluminium
 Color Nickel Matt - Chrome / **Code 16192**




Bulb 1xGU10
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 10cm L: 15cm H: 12cm
 Base Ø: 10cm H: 2cm
 Material Metal - Aluminium
 Color Nickel Matt - Chrome / **Code 16191**




Bulb 1xGU10
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 10cm L: 17cm H: 8cm
 Base Ø: 8cm H: 2.5cm
 Material Metal - Aluminium
 Color Black Matt - Chrome / **Code 16189**






Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 720Lm
 Cri 80
 Dimensions L: 7.2cm W: 60cm H: 6.2cm
 Base Ø: 6.2cm L: 7.2cm
 Non Dimmable ☒
 Material Aluminium
 Special Feature IP 44
 Profile Ø: 0.8cm
 Color Sandy Black / **Code 20145**




Power 13W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1040Lm
 Cri 80
 Dimensions L: 7.2cm W: 90cm H: 6.2cm
 Base Ø: 6.2cm L: 7.2cm
 Non Dimmable ☒
 Material Aluminium
 Special Feature IP 44
 Profile Ø: 0.8cm
 Color Sandy Black / **Code 20146**







Bulb 1xG9 Led
 Power MAX 7W
 Input 220-240V, 50/60Hz
 Dimensions L: 16.7cm W: 16cm H: 16.7cm
 Base L: 8cm W: 3cm H: 8cm
 Material Aluminium - Opal Glass
 Special Feature IP 44
 Color Brushed Brass / **Code 20149**




Power 16W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1280Lm
 Cri 80
 Dimensions L: 6cm W: 60cm H: 6cm
 Non Dimmable ☒
 Material Metal - Aluminium - Acrylic
 Special Feature IP 44
 Color Chrome / **Code 20150**




Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1100Lm
 Cri 80
 Dimensions L: 4cm W: 60cm H: 2cm
 Non Dimmable
 Material Stainless Steel - Acrylic
 Special Feature IP 44 - Click on Mirror
 Remote Driver Included
 Color Anodized Stainless Steel / **Code 20148**




Power 13W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1040Lm
 Cri 80
 Dimensions L: 6.8cm W: 47cm H: 7cm
 Non Dimmable
 Material Aluminium - Acrylic
 Special Feature IP 44
 Color Chrome / **Code 180042**




Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1100Lm
 Cri 80
 Dimensions L: 8cm W: 36cm H: 4cm
 Non Dimmable ☒
 Material Aluminium - Acrylic
 Special Feature IP 44
 Color Chrome / **Code 180043**




Power 16W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1280Lm
 Cri 80
 Dimensions L: 8cm W: 55cm H: 3.8cm
 Non Dimmable ☒
 Material Aluminium - Acrylic
 Special Feature IP 44
 Color Chrome / **Code 180041**



Architectural Lighting




4.8
VOLT
**MAGNETIC
SYSTEM**



COLOR VARIETY UPON REQUEST

SMART CONTROLS

SAVING ENERGY



SLIM LUMINAIRES

CUSTOMIZE
ARCHITECTURAL LIGHTING




EASY CHANGES



SMOOTH SNAP MOUNTING






Power 12W
 Input 48V
 Color Temperature 3000K
 Lumen 1320Lm
 Cri 80
 Dimensions L: 328mm W: 23mm H: 45mm
 Beam Angle 120°
 DALI Dimmable
 Material Aluminium - PC Diffuser
 Color Sandy Black / **Code 2087**
OSRAM

Power 12W
 Input 48V
 Color Temperature 3000K
 Lumen 1320Lm
 Cri 80
 Dimensions L: 328mm W: 23mm H: 45mm
 Beam Angle 120°
 Non Dimmable
 Material Aluminium - PC Diffuser
 Color Sandy Black / **Code 2086**
OSRAM




Power 20W
 Input 48V
 Color Temperature 3000K - 4000K
 Lumen 2200Lm
 Cri 80
 Dimensions L: 652mm W: 23mm H: 45mm
 Beam Angle 120°
 DALI Dimmable
 Material Aluminium - PC Diffuser
 Special Feature 4 Pole
 Color 3000K Sandy Black / **Code 2089**
 Color 4000K Sandy Black / **Code 2089-4B**
 Color 3000K Sandy White / **Code 2089-3W**
OSRAM

Power 20W
 Input 48V
 Color Temperature 3000K
 Lumen 2200Lm
 Cri 80
 Dimensions L: 652mm W: 23mm H: 45mm
 Beam Angle 120°
 Not Dimmable
 Material Aluminium - PC Diffuser
 Special Feature 4 Pole
 Color Sandy Black / **Code 2088**
OSRAM




Power 10W
 Input 48V
 Color Temperature 3000K
 Lumen 1100Lm
 Cri 80
 Dimensions L: 150mm W: 23mm H: 95mm
 Beam Angle Asymmetric 50°
 DALI Dimmable
 Material Aluminium - Acrylic
 Color Sandy Black / **Code 2092-D**
OSRAM

Power 10W
 Input 48V
 Color Temperature 3000K
 Lumen 1100Lm
 Cri 80
 Dimensions L: 150mm W: 23mm H: 95mm
 Beam Angle Asymmetric 50°
 Non Dimmable
 Material Aluminium - Acrylic
 Color Sandy Black / **Code 2092**
OSRAM



Power 8W
 Input 48V
 Color Temperature 3000K - 4000K
 Lumen 1020Lm
 Cri 80
 Dimensions L: 220mm W: 23mm H: 45mm
 Beam Angle 30°
 DALI Dimmable
 Material Aluminium - Acrylic
 Color 3000K Sandy Black / **Code 2091**
 Color 4000K Sandy Black / **Code 2091-4B**
 Color 3000K Sandy White / **Code 2091-3W**
OSRAM

Power 8W
 Input 48V
 Color Temperature 3000K
 Lumen 1020Lm
 Cri 80
 Dimensions L: 220mm W: 23mm H: 45mm
 Beam Angle 30°
 Non Dimmable
 Material Aluminium - Acrylic
 Color Sandy Black / **Code 2090**
OSRAM



Power 12W
 Input 48V
 Color Temperature 3000K
 Lumen 1320Lm
 Cri 80
 Dimensions L: 220mm W: 23mm H: 53mm
 Beam Angle 30°
 DALI Dimmable
 Material Aluminium - Acrylic
 Color Sandy Black / **Code 20291**
OSRAM


Power 12W
 Input 48V
 Color Temperature 3000K
 Lumen 1320Lm
 Cri 80
 Dimensions L: 220mm W: 23mm H: 53mm
 Beam Angle 30°
 Non Dimmable
 Material Aluminium - Acrylic
 Color Sandy Black / **Code 20290**
OSRAM




Power 7W
 Input 48V
 Color Temperature 3000K
 Lumen 770Lm
 Cri 80
 Dimensions \varnothing : 37mm H: 87mm
 Beam Angle 32°
 DALI Dimmable
 Material Aluminium
 Color Sandy Black / Code 20400BD
 Sandy White / Code 20401WD
CREE



Power 5W
 Input 48V
 Color Temperature 3000K
 Lumen 550Lm
 Cri 80
 Dimensions \varnothing : 27mm H: 145mm
 Beam Angle 24°
 Non Dimmable
 Material Aluminium
 Color Sandy Black / Code 20179
 Gold / Code 20180
OSRAM




Power 5W
 Input 48V
 Color Temperature 3000K
 Lumen 550Lm
 Cri 80
 Dimensions \varnothing : 26mm H: 125mm
 Beam Angle 24°
 DALI Dimmable
 Material Aluminium
 Color Sandy Black / Code 2094
CREE




Power 5W
 Input 48V
 Color Temperature 3000K
 Lumen 550Lm
 Cri 80
 Dimensions \varnothing : 26mm H: 125mm
 Beam Angle 24°
 Non Dimmable
 Material Aluminium
 Color Sandy Black / Code 2093
CREE




Power 12W
 Input 48V
 Color Temperature 3000K
 Lumen 1320Lm
 Cri 80
 Dimensions \varnothing : 120mm H: 110mm
 Beam Angle 38°
 Non Dimmable
 Material Aluminium
 Color Sandy Black / Code 20177
 Sandy White / Code 20178
OSRAM



Power 15W
 Input 48V
 Color Temperature 3000K
 Lumen 1650Lm
 Cri 80
 Dimensions \varnothing : 45mm H: 200mm
 Beam Angle 24°
 DALI Dimmable
 Material Aluminium
 Color Sandy Black / Code 2095-D
CREE



Power 15W
 Input 48V
 Color Temperature 3000K
 Lumen 1650Lm
 Cri 80
 Dimensions \varnothing : 45mm H: 200mm
 Beam Angle 24°
 Non Dimmable
 Material Aluminium
 Color Sandy Black / Code 2095
CREE



Power 7W
 Input 48V
 Color Temperature 3000K
 Lumen 770Lm
 Cri 80
 Dimensions Ø: 30mm H: 500mm
 Beam Angle 24°
 DALI Dimmable
 Material Aluminium
 Special Feature 100cm Cable Adjustable
 Color Sandy Black / Code 2081-D
CREE



Power 7W
 Input 48V
 Color Temperature 3000K
 Lumen 770Lm
 Cri 80
 Dimensions Ø: 30mm H: 500mm
 Beam Angle 24°
 Non Dimmable
 Material Aluminium
 Special Feature 100cm Cable Adjustable
 Color Sandy Black / Code 2081
CREE

CASAMBI READY wireless control for DALI luminaires

The Zambelis 48V tracks ara compatible with CASAMBI control system, which permits bidirectional communication between control device and luminaires, making it possible for the user to create scenes, regulate the system from smart devices, etc.

With the CASAMBI control system and its Control wireless variants, the user has total control over the installation, with all the features available in low voltage alternatives. The 48V system does not mean relinquishing the leading edge in control for architectural lighting.

Power by : **CASAMBI**
 Available App on :







TRIMLESS Track : 1m/2m/3m



CORNER 90° (c1)
Vertical Plane



CORNER 90° (c2)
Horizontal Plane




Track Code	Size	Color
2083B-1	1m	Sandy Black
2083W-1	1m	Sandy White
2083B-2	2m	Sandy Black
2083W-2	2m	Sandy White
2083B-3	3m	Sandy Black
2083W-3	3m	Sandy White


Corner Code	Plane	Color
2083B-C1	Vertical	Sandy Black
2083W-C1	Vertical	Sandy White
2083B-C2	Horizontal	Sandy Black
2083W-C2	Horizontal	Sandy White

Notice : For corners type C1 required also to order 20105 and for type C2 20104

Accessories




End Cap
Material Plastic
Color Black / Code 2099-B
Color White / Code 2099-W



PC Cover 3m
Material Plastic
Color Black Gloss / Code 20107





SURFACE Track : 1m/2m/3m



CORNER 90° (c1)
Vertical Plane



CORNER 90° (c2)
Horizontal Plane




Track Code	Size	Color
2082B-1	1m	Sandy Black
2082W-1	1m	Sandy White
2082B-2	2m	Sandy Black
2082W-2	2m	Sandy White
2082B-3	3m	Sandy Black
2082W-3	3m	Sandy White


Corner Code	Plane	Color
2082B-C1	Vertical	Sandy Black
2082W-C1	Vertical	Sandy White
2082B-C2	Horizontal	Sandy Black
2082W-C2	Horizontal	Sandy White

Notice : For corners type C1 required also to order 20105 and for type C2 20104


Accessories




End Cap
Material Metal
Color Black / Code 20100-B
Color White / Code 20100-W




End Cap
Material Plastic
Color Black / Code 2098-B
Color White / Code 2098-W




Surface Mounted Kit (2pcs)
Material Stainless Steel
Code 2082SP



PC Cover 3m
Material Plastic
Color Black Gloss / Code 20107



Suspension Kit (2pcs) / Adjustable Wire 2m
Material Aluminium
Code 20102-B



Straight Mechanic Connector
Material Aluminium
Code 2097-B





RECESSED Track : 1m/2m/3m



CORNER 90° (c1)
Vertical Plane



CORNER 90° (c2)
Horizontal Plane




Track Code	Size	Color
2084B-1	1m	Sandy Black
2084W-1	1m	Sandy White
2084B-2	2m	Sandy Black
2084W-2	2m	Sandy White
2084B-3	3m	Sandy Black
2084W-3	3m	Sandy White


Corner Code	Plane	Color
2084B-C1	Vertical	Sandy Black
2084W-C1	Vertical	Sandy White
2084B-C2	Horizontal	Sandy Black
2084W-C2	Horizontal	Sandy White

Notice : For corners type C1 required also to order 20105 and for type C2 20104


Accessories



End Cap
Material Metal
Color Black / **Code 20108-1B**
Color White / **Code 20108-1W**




End Cap
Material Metal
Color Black / **Code 20108-B**
Color White / **Code 20108-W**



Recessed Accessorie Kit (2pcs)
Material Stainless Steel
Code 20106





SURFACE SHORT Track : 1m/2m/3m



CORNER 90° (c1)
Vertical Plane



CORNER 90° (c2)
Horizontal Plane




Track Code	Size	Color
2085B-1	1m	Sandy Black
2085W-1	1m	Sandy White
2085B-2	2m	Sandy Black
2085W-2	2m	Sandy White
2085B-3	3m	Sandy Black
2085W-3	3m	Sandy White


Corner Code	Plane	Color
2085B-C1	Vertical	Sandy Black
2085W-C1	Vertical	Sandy White
2085B-C2	Horizontal	Sandy Black
2085W-C2	Horizontal	Sandy White

Notice : For corners type C1 required also to order 20105 and for type C2 20104


Accessories



End Cap
Material Plastic
Color Black / **Code 20101-B**
Color White / **Code 20101-W**




Suspension Kit (2pcs) / Adjustable Wire 2m
Material Aluminium
Code 20102




Straight Mechanic Connector
Material Aluminium
Code 2097

Accessories for All Tracks


Color : Black (RAL 9005)




Feeder for 48V Magnetic Tracks
Code 2096 / Color Black
Code 2096-W / Color White




Inner Connector for 48V Magnetic Tracks
Code 20103 / Color Black
Code 20103-W / Color White



Flex Connector with Cable for 48V Magnetic Tracks
Code 20105 / Color Black
Code 20105-W / Color White




Corner Connector for 48V Magnetic Tracks
Code 20104 / Color Black
Code 20104-W / Color White




Wireless Control for 48V Magnetic Tracks
 Bluetooth DALI
Code 20293

Power by :
CASAMBI
 Available App on :


Remote Drivers



Remote Driver 60W
 48V
 5Years Guarantee
 ON-OFF / **Code 20295**
 DALI KIT / **Code 20322**
 PUSH BUTTON KIT / **Code 20300**
 BLUETOOTH KIT / **Code 20303**




Remote Driver 100W
 48V
 5Years Guarantee
 ON-OFF / **Code 20296**
 DALI KIT / **Code 20298**
 PUSH BUTTON KIT / **Code 20301**
 BLUETOOTH KIT / **Code 20304**



Remote Driver 150W
 48V
 5Years Guarantee
 ON-OFF / **Code 20297**
 DALI KIT / **Code 20299**
 PUSH BUTTON KIT / **Code 20302**
 BLUETOOTH KIT / **Code 20305**

Ceiling Drivers



Surface Mount Base with Driver for Surface Magnetic Track

Power 75W
 Input 220-240 , 50-60Hz
 Output 48V
 Color Sandy Black
 Guarantee 5Years

ON-OFF / Code **20306-B**
 DALI KIT / Code **20308-B**
 PUSH BUTTON KIT / Code **20310-B**
 BLUETOOTH KIT / Code **20312-B**



Surface Mount Base with Driver for Surface Magnetic Track

Power 150W
 Input 220-240 , 50-60Hz
 Output 48V
 Color Sandy Black
 Guarantee 5Years


ON-OFF / Code **20307-B**
 DALI KIT / Code **20309-B**
 PUSH BUTTON KIT / Code **20311-B**
 BLUETOOTH KIT / Code **20313-B**



Surface Mount Base with Driver for Surface Magnetic Track

Power 75W
 Input 220-240 , 50-60Hz
 Output 48V
 Color Sandy White
 Guarantee 5Years

ON-OFF / Code **20306-W**
 DALI KIT / Code **20308-W**
 PUSH BUTTON KIT / Code **20310-W**
 BLUETOOTH KIT / Code **20312-W**




Surface Mount Base with Driver for Surface Magnetic Track

Power 150W
 Input 220-240 , 50-60Hz
 Output 48V
 Color Sandy White
 Guarantee 5Years

ON-OFF / Code **20307-W**
 DALI KIT / Code **20309-W**
 PUSH BUTTON KIT / Code **20311-W**
 BLUETOOTH KIT / Code **20313-W**



Pendant Drivers



Pendant Base with Driver for Surface Magnetic Track

Power 75W
 Input 220-240 , 50-60Hz
 Output 48V
 Special Feature 200cm Cable Available
 Color Sandy Black
 Guarantee 5Years

ON-OFF / Code **20314-B**
 DALI KIT / Code **20316-B**
 PUSH BUTTON KIT / Code **20318-B**
 BLUETOOTH KIT / Code **20320-B**



Pendant Base with Driver for Surface Magnetic Track

Power 150W
 Input 220-240 , 50-60Hz
 Output 48V
 Special Feature 200cm Cable Available
 Color Sandy Black
 Guarantee 5Years

ON-OFF / Code **20315-B**
 DALI KIT / Code **20317-B**
 PUSH BUTTON KIT / Code **20319-B**
 BLUETOOTH KIT / Code **20321-B**



Pendant Base with Driver for Surface Magnetic Track

Power 75W
 Input 220-240 , 50-60Hz
 Output 48V
 Special Feature 200cm Cable Available
 Color Sandy White
 Guarantee 5Years


ON-OFF / Code **20314-W**
 DALI KIT / Code **20316-W**
 PUSH BUTTON KIT / Code **20318-W**
 BLUETOOTH KIT / Code **20320-W**




Pendant Base with Driver for Surface Magnetic Track


Power 150W
 Input 220-240 , 50-60Hz
 Output 48V
 Special Feature 200cm Cable Available
 Color Sandy White
 Guarantee 5Years

ON-OFF / Code **20315-W**
 DALI KIT / Code **20317-W**
 PUSH BUTTON KIT / Code **20319-W**
 BLUETOOTH KIT / Code **20321-W**







48
VOLT
SOFT
TRACK



Power 9W
 Input 48V
 Color Temperature 3000K
 Lumen 990Lm
 Cri 90
 Dimensions L: 23.7cm W: 2.2cm H: 2.5cm
 Base W: 11.4cm H: 2.8cm L: 2.3cm
 Material Aluminium - Acrylic
 Color Sandy Black / Code 20276
OSRAM



Power 7W
 Input 48V
 Color Temperature 3000K
 Lumen 770Lm
 Cri 90
 Stick Ø: 3.5cm H: 9.5cm
 Base W: 11.4cm H: 2.8cm L: 2.3cm
 Beam Angle 24°
 Material Aluminium
 Special Feature Movable
 Color Sandy Black / Code 20275
OSRAM




LED Strip 2.5m

Power 14W/m
 Input 48V
 Color Temperature 3000K
 Lumen 1150Lm/m
 Cri 90
 Length 250cm
 Color Black Base / Code 20277
OSRAM

LED Strip 5m


Power 14W/m
 Input 48V
 Color Temperature 3000K
 Lumen 1150Lm/m
 Cri 90
 Length 500cm
 Color Black Base / Code 20278
OSRAM





Soft Track : 10m



Color Black / Code 20280



Ceiling Profile : 1m

Material Aluminium

Color Black / Code 20279




End Cap for 48V Soft Track

Dimensions L: 3.9cm W: 1.8cm H: 2.4cm

Material Plastic

Color Black / Code 20284




Corner Connector for 48V Soft Track

Dimensions L: 4.8cm W: 1.8cm H: 2.4cm

Material Plastic

Color Black / Code 20282



T Connector for 48V Soft Track

Dimensions L: 7.1cm W: 1.8cm H: 2.4cm

Material Plastic

Color Black / Code 20283



Adjustable Wire for 48V Soft Track with Accessories

Length 200cm

Material Metal

Color Sandy Black / Code 20286




Cover for 48V Soft Track

Dimensions L: 16.4cm W: 3.7cm H: 7.6cm

Material Plastic


Special Feature Rotate 360°

Color Black / Code 20285



Tooling for Cutting Soft Track

Code 20281



Surface Mount Base for 48V Soft Track System

Power 100W

Input 220-240V , 50/60Hz

Output 48V

Dimensions L: 32cm W: 6cm H: 4.2cm

Non Dimmable ☒

Guarantee 5Years

Color Sandy Black / Code 20292

Design your own Lighting



Power 3W
 Input 24V
 Color Temperature 3000K
 Lumen 285Lm
 Cri 80
 Dimensions Ø: 10cm H: 7.6cm
 Dimmable Triac
 Material Aluminium - PC Diffuser
 Special Feature Plug & Play With Jack System
 Color Sandy Black / **Code 19152**
 Sandy White / **Code 19151**

Ceiling / Wall Base for 24V Light System

Power 200W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions L: 25cm W: 12cm H: 7.6cm
 Non Dimmable
 Material Aluminium
 Driver Included
 Special Feature Plug & Play With Jack System
 Color Sandy Black / **Code 20139**



Ceiling / Wall Base for 24V Light System

Power 150W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions Ø: 15.5cm H: 7.6cm
 Non Dimmable
 Material Aluminium
 Driver Included
 Special Feature Plug & Play With Jack System
 Color Sandy Black / **Code 20140**



Ceiling / Wall Base for 24V Light System


Power 100W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions Ø: 15.5cm H: 7.6cm
 Non Dimmable
 Material Aluminium
 Driver Included
 Special Feature Plug & Play With Jack System
 Color Sandy Black / **Code 19154**
 Sandy White / **Code 19153**



Ceiling / Wall Base for 24V Light System

Power 100W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions Ø: 15.5cm H: 7.6cm
 Dimmable Triac
 Material Aluminium
 Driver Included
 Special Feature Plug & Play With Jack System
 Remote Control Included

Color Sandy Black / **Code 19156**
 Sandy White / **Code 19155**



Design your own Lighting



Power 5W
 Input 24V
 Color Temperature 3000K
 Lumen 475Lm
 Cri 80
 Dimensions Ø: 6cm H: 10cm
 Dimmable Triac
 Material Aluminium - PC Diffuser
 Special Feature Plug & Play With Jack System
 Color Sandy Black / **Code 19168**
 Sandy White / **Code 19167**



Power 20W
 Input 24V
 Color Temperature 3000K
 Lumen 1600Lm
 Cri 80
 Dimensions Ø: 22.3cm H: 3.8cm
 Non Dimmable
 Material Aluminium - Diffuser
 Special Feature Plug & Play With Jack System
 Color Sandy Black / **Code 19172**
 Sandy White / **Code 19171**




Power 7W
 Input 24V
 Color Temperature 3000K
 Lumen 560Lm
 Cri 80
 Dimensions Ø: 11cm H: 3.8cm
 Non Dimmable
 Material Aluminium - Diffuser
 Special Feature Plug & Play With Jack System
 Color Sandy Black / **Code 19170**
 Sandy White / **Code 19169**




Power		4W	10W	18W	24W	30W
Input	24V					
Color Temperature	3000K					
Lumen		280Lm	700Lm	1260Lm	1680Lm	2100Lm
Cri	80					
Dimensions	Ø: 1.5cm	27cm	57cm	97cm	127cm	157cm
Dimmable Triac	<input type="radio"/>					
Material	Aluminium - Diffuser					
Special Feature	Plug & Play With Jack System					
Color	Sandy Black / Code	19158	19160	19162	19164	19166
Color	Sandy White / Code	19157	19159	19161	19163	19165







48mm LED profile luminaire, made of an extruded aluminium, power-coated with fine sandy finish. Designed for ceiling/pendant/trim-less/recessed, providing direct light emission through a diffuser made either of satined polycarbonate for an almost homogeneous emission of light. Luminaire equipped with the latest generation of well known **LED** boards with small color tolerance.



34mm LED profile luminaire, made of an extruded aluminium, power-coated with fine sandy finish. Designed for ceiling/pendant/trim-less/recessed mounting, providing direct light emission through PMMA diffuser. Luminaire equipped with the latest generation of well known **LED** boards with small color tolerance.



In the following Electrical Table, you may find Watt and Lumen Output, High Efficiency (HE) 200Lm/W - 3357Lm/m, High Output (HO) 188Lm/W - 5640Lm/m according to the length of our LED profile

Set HO		Lumen		Set HE		Lumen	
Length (cm)	Watt	3000K	4000K	Length (cm)	Watt	3000K	4000K
58	18	2565	2700	58	10	1577	1660
86	27	3848	4050	86	15	2366	2490
114	36	5130	5400	114	20	3154	3320
142	45	6413	6750	142	25	3943	4150
170	54	7695	8100	170	30	4731	4980
198	63	8978	9450	198	35	5520	5810
226	72	10260	10800	226	40	6308	6640
254	81	11543	12150	254	45	7097	7470
282	90	12825	13500	282	50	7885	8300
310	99	14108	14850	310	55	8674	9130
338	108	15390	16200	338	60	9462	9960

Customize Architectural Lighting

- Different Dimming: On-Off, Dali, Bluetooth
- Different CCT: 2200K - 6500K
- Different Colors
- Different Levels of Lumen Output
- Different Dimension Upon Request









Fill in your code using the following items from the table.

Ceiling Profile

Code	Length	Driver	Kelvin	Set	Body Color
51	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
51	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
51	114 = 114cm				G = Sandy Grey
51	142 = 142cm				
51	170 = 170cm				
51	198 = 198cm				
51	226 = 226cm				
51	254 = 254cm				
51	282 = 282cm				
51	310 = 310cm				
51	338 = 338cm				

Guide to Create your Code by Choosing : 51 - Length - Driver - Kelvin - Set - Body Color







Fill in your code using the following items from the table.

Pendant Profile					
Code	Length	Driver	Kelvin	Set	Body Color
52	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
52	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
52	114 = 114cm				G = Sandy Grey
52	142 = 142cm				
52	170 = 170cm				
52	198 = 198cm				
52	226 = 226cm				
52	254 = 254cm				
52	282 = 282cm				
52	310 = 310cm				
52	338 = 338cm				

Guide to Create your Code by Choosing : 52 - Length - Driver - Kelvin - Set - Body Color








Fill in your code using the following items from the table.

Trimless Profile					
Code	Length	Driver	Kelvin	Set	Body Color
53	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
53	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
53	114 = 114cm				
53	142 = 142cm				
53	170 = 170cm				
53	198 = 198cm				
53	226 = 226cm				
53	254 = 254cm				
53	282 = 282cm				
53	310 = 310cm				
53	338 = 338cm				

Guide to Create your Code by Choosing : 53 - Length - Driver - Kelvin - Set - Body Color







Fill in your code using the following items from the table.

Recessed Profile					
Code	Length	Driver	Kelvin	Set	Body Color
54	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
54	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
54	114 = 114cm				
54	142 = 142cm				
54	170 = 170cm				
54	198 = 198cm				
54	226 = 226cm				
54	254 = 254cm				
54	282 = 282cm				
54	310 = 310cm				
54	338 = 338cm				

Guide to Create your Code by Choosing : 54 - Length - Driver - Kelvin - Set - Body Color





Fill in your code using the following items from the table.

Ceiling Profile					
Code	Length	Driver	Kelvin	Set	Body Color
31	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
31	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
31	114 = 114cm				
31	142 = 142cm				
31	170 = 170cm				
31	198 = 198cm				
31	226 = 226cm				


Guide to Create your Code by Choosing : 31 - Length - Driver - Kelvin - Set - Body Color

Fill in your code using the following items from the table.

Pendant Profile					
Code	Length	Driver	Kelvin	Set	Body Color
32	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
32	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
32	114 = 114cm				
32	142 = 142cm				
32	170 = 170cm				
32	198 = 198cm				
32	226 = 226cm				

Guide to Create your Code by Choosing : 32 - Length - Driver - Kelvin - Set - Body Color








Fill in your code using the following items from the table.

Trimless Profile					
Code	Length	Driver	Kelvin	Set	Body Color
33	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
33	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
33	114 = 114cm				
33	142 = 142cm				
33	170 = 170cm				
33	198 = 198cm				
33	226 = 226cm				
33	254 = 254cm				
33	282 = 282cm				
33	310 = 310cm				
33	338 = 338cm				

Guide to Create your Code by Choosing : 33 - Length - Driver - Kelvin - Set - Body Color





Fill in your code using the following items from the table.


Recessed Profile					
Code	Length	Driver	Kelvin	Set	Body Color
34	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
34	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
34	114 = 114cm				
34	142 = 142cm				
34	170 = 170cm				
34	198 = 198cm				
34	226 = 226cm				
34	254 = 254cm				
34	282 = 282cm				
34	310 = 310cm				
34	338 = 338cm				

Guide to Create your Code by Choosing : 34 - Length - Driver - Kelvin - Set - Body Color





LED circle luminaire, made of a curved extruded aluminium, power-coated with fine sandy finish. Designed for ceiling/pendant mounting, providing direct light emission through satined polycarbonate for an almost homogeneous emission of light. Luminaire equipped with the latest generation of well known LED boards. Driver ON/OFF



Fill in your code using the following items from the table.

Ceiling Circle			
Code	Diameter	Kelvin	Body Color
81	06 = 60cm	3 = 3000K	W = Sandy White
81	09 = 90cm	4 = 4000K	B = Sandy Black
81	12 = 120cm		
81	18 = 180cm		

Guide to Create your Code by Choosing : 81 - Diameter - Kelvin - Body Color

Pendant Circle			
Code	Diameter	Kelvin	Body Color
82	06 = 60cm	3 = 3000K	W = Sandy White
82	09 = 90cm	4 = 4000K	B = Sandy Black
82	12 = 120cm		
82	18 = 180cm		

Guide to Create your Code by Choosing : 82 - Diameter - Kelvin - Body Color

High Output			
Diameter (cm)	Watt	3000K (Lumen)	4000K (Lumen)
60	54	7267	7650
90	81	10858	11430
120	116	14449	15210
180	161	21660	22800



Architectural Lighting



Dimensions
Description L: 300cm W: 3.2cm H: 3.5cm
Square Track Surface 100-240V
Color Black / **Code 19400**
Color White / **Code 19401**



Dimensions
Description L: 200cm W: 3.2cm H: 3.5cm
Square Track Surface 100-240V
Color Black / **Code 19400-2M**
Color White / **Code 19401-2M**



Dimensions
Description L: 17cm W: 10cm H: 3.4cm
T Connector for 3 Circuit Lighting Track
100-240V
Color Black / **Code 19408**
Color White / **Code 19409**



Dimensions
Description L: 3.2cm H: 3.2cm
End Cap for 3 Circuit Lighting Track
100-240V
Color Black / **Code 19410**
Color White / **Code 19411**



Dimensions
Description L: 100cm W: 3.2cm H: 3.5cm
Square Track Surface 100-240V
Color Black / **Code 19400-1M**
Color White / **Code 19401-1M**



Dimensions
Description L: 10cm W: 10cm H: 3.4cm
Corner for 3 Circuit Lighting Track
100-240V
Special Feature Right Corner / Left Corner
Color Black-Right / **Code 19404-R**
Color Black-Left / **Code 19404-L**
Color White-Right / **Code 19405-R**
Color White-Left / **Code 19405-L**



Dimensions
Description Ø: 11.2cm H: 3.2cm
Surface Mount Base for Track Spots
100-240V
Color Black / **Code 19412**
Color White / **Code 19413**



Dimensions
Description L: 7cm H: 2.6cm
Inner Connector for 3 Circuit Lighting Track
100-240V
Color Black / **Code 19415**
Color White / **Code 19416**



Dimensions
Description L: 17cm H: 3.4cm
Live Connector for 3 Circuit Lighting Track
100-240V
Color Black / **Code 19406**
Color White / **Code 19407**




Dimensions
Description L: 10cm H: 3.4cm
Feeder for 3 Circuit Lighting Track
100-240V
Special Feature Right Feeder / Left Feeder
Color Black-Right / **Code 19402-R**
Color Black-Left / **Code 19402-L**
Color White-Right / **Code 19403-R**
Color White-Left / **Code 19403-L**




Dimensions
Description 200cm
Adjustable Wire for 3 Circuit Lighting Track
100-240V
Material Metal
Color Metallic / **Code 19414**





Power 40W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K / 4000K
 Cri 80
 Dimensions Ø: 11cm H: 24.5cm
 Non Dimmable
 Material Aluminium
 Special Feature 3 Phase Track Light

Code	Kelvin	Lumen	Body Color
18307	3000K	5120Lm	Black
18308	3000K	5120Lm	White
18309	4000K	5280Lm	Black
18310	4000K	5280Lm	White



Power 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K / 4000K
 Cri 80
 Dimensions Ø: 6.5cm H: 21cm
 Non Dimmable
 Material Aluminium
 Special Feature 3 Phase Track Light

Code	Kelvin	Lumen	Body Color
18303	3000K	2400Lm	Black
18304	3000K	2400Lm	White
18305	4000K	2475Lm	Black
18306	4000K	2475Lm	White



Architectural Lighting




Bulb 1xGU10
 Power MAX 35W
 Dimensions Ø: 6cm H: 13cm
 Material Aluminium
 Special Feature 3 Phase Track Light
 Color Black Matt / **Code S059**
 Color White Matt / **Code S058**

Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1000Lm
 Cri 90
 Dimensions Ø: 6cm H: 13cm
 Beam Angle 15° / 24° / 40°
 Material Aluminium
 Special Feature 3 Phase Track Light
 Included LED Driver

Color Black Matt / **Code S059-15**
 Color Black Matt / **Code S059-24**
 Color Black Matt / **Code S059-40**
 Color White Matt / **Code S058-15**
 Color White Matt / **Code S058-24**
 Color White Matt / **Code S058-40**

OSRAM




Bulb 1xGU10
 Power MAX 35W
 Dimensions Ø: 6cm H: 20cm
 Cylinder Ø: 6cm H: 13cm
 Base Ø: 6cm H: 3cm
 Material Aluminium
 Color Black Matt / **Code S055**
 Color White Matt / **Code S054**

Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1000Lm
 Cri 90
 Dimensions Ø: 6cm H: 20cm
 Cylinder Ø: 6cm H: 13cm
 Base Ø: 6cm H: 3cm
 Beam Angle 15° / 24° / 40°
 Material Aluminium
 Special Feature Included LED Driver

Color Black Matt / **Code S055-15**
 Color Black Matt / **Code S055-24**
 Color Black Matt / **Code S055-40**
 Color White Matt / **Code S054-15**
 Color White Matt / **Code S054-24**
 Color White Matt / **Code S054-40**

OSRAM





Bulb 1xGU10
 Power MAX 35W
 Dimensions Ø: 6cm H: 17cm
 Cylinder Ø: 6cm H: 13cm
 Base Ø: 6cm
 Cutting Hole Ø: 5cm
 Material Aluminium
 Special Feature Recessed Track Light
 Color Black Matt / **Code S057**
 Color White Matt / **Code S056**

Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1000Lm
 Cri 90
 Dimensions Ø: 6cm H: 17cm
 Cylinder Ø: 6cm H: 13cm
 Base Ø: 6cm
 Beam Angle 15° / 24° / 40°
 Cutting Hole Ø: 5cm
 Material Aluminium
 Special Feature Recessed Track Light
 Included LED Driver

Color Black Matt / **Code S057-15**
 Color Black Matt / **Code S057-24**
 Color Black Matt / **Code S057-40**
 Color White Matt / **Code S056-15**
 Color White Matt / **Code S056-24**
 Color White Matt / **Code S056-40**


OSRAM






Power 8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 600Lm
 Cri 80
 Dimensions Ø: 7cm L: 4cm H: 10cm
 Beam Angle 36°
 Dimmable Triac
 Material Aluminium
 Special Feature 3 Phase Track Light
 Included Honeycomb


Color Sandy Black / **Code Z65644 T-B**
 Color Sandy White / **Code Z65644 T-W**



Power 20W
 Input 220-240V, 50/60Hz
 Lumen 2000Lm
 Cri 80
 Dimensions Ø: 7cm H: 13.5cm
 Material Aluminium
 Special Feature 3 Phase Track Light
 Driver on Track



Power 38W
 Input 220-240V, 50/60Hz
 Lumen 3648Lm
 Cri 80
 Dimensions Ø: 9cm H: 16.5cm
 Material Aluminium
 Special Feature 3 Phase Track Light
 Driver on Track



Bulb 1xGU10 Led
 Power MAX 10W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 6.8cm H: 10cm
 Material Aluminium
 Special Feature 3 Phase Track Light


Color Brushed Brass / **Code Z65105 NT-BB**
 Color Metal Grey / **Code Z65105 NT-G**

Fill in your code using the following items from the table.

3 Phase Track Light			
Code	Kelvin	Body Color	Beam Angle
S065-	3 = 3000K	W = Sandy White	15 = 15°
S066-	4 = 4000K	B = Sandy Black	24 = 24°
			36 = 36°

Guide to Create your Code by Choosing : Kelvin - Body Color - Beam Angle





Bulb 1xGU10
 Power MAX 35W
 Dimensions Ø: 6cm H: 13cm
 Material Aluminium
 Special Feature 3 Phase Track Light
 Color Black Matt / **Code S062**


Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1000Lm
 Cri 90
 Dimensions Ø: 6cm H: 13cm
 Beam Angle 15° / 24° / 40°
 Material Aluminium
 Special Feature 3 Phase Track Light
 Included LED Driver



Color Black Matt / **Code S062-15**
 Color Black Matt / **Code S062-24**
 Color Black Matt / **Code S062-40**
OSRAM



Material Aluminium
 Color Black / **Code Ring B**

Material Aluminium
 Color Gold / **Code Ring G**




Bulb 1xGU10
 Power MAX 35W
 Dimensions Ø: 6cm H: 9cm
 Material Metal
 Special Feature 3 Phase Track Light
 Color Copper Rusty / **Code S067** 
 Color Brushed Brass / **Code S064** 




Bulb 1xGU10
 Power MAX 40W
 Dimensions Ø: 6cm H: 13cm
 Base Ø: 6cm H: 3cm
 Material Aluminium
 Special Feature 200cm Cable Adjustable
 Color Black Matt / **Code S063**

Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 720Lm
 Cri 90
 Dimensions Ø: 6cm H: 13cm
 Base Ø: 6cm H: 3cm
 Beam Angle 15° / 24° / 40°
 Material Aluminium
 Special Feature 200cm Cable Adjustable
 Included LED Driver

Color White Matt / **Code S063-15**
 Color White Matt / **Code S063-24**
 Color White Matt / **Code S063-40**






Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 500Lm
 Cri 80
 Dimensions Ø: 6cm H: 6.5cm
 Beam Angle 35°
 Dimmable Triac
 Material Aluminium
 Color White Matt / **Code Z12107 K-W**
 Color Black Matt / **Code Z12107 K-B**
***Ring** Black / **Code Z050106-B**
***Ring** Brass / **Code Z050106-BR**
 *Reflector must be ordered seperately



Color Brass / **Code Z050106-BR**
 Material Plastic

Color Black / **Code Z050106-B**
 Material Plastic




Bulb 1xGU10 Led
 Power MAX 10W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 7.5cm H: 13.5cm
 Material Aluminium
 Special Feature GU10 Lampholder Included
 Color Metal Grey / **Code Z12105 M-G**
 Color White / **Code Z12105 M-W**
 Color Brushed Brass / **Code Z12105 M-BB**
***Ring** Black / **Code Z050112-B**
 *Reflector must be ordered seperately



Color Black / **Code Z050112-B**
 Material Plastic




Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 560Lm
 Cri 90
 IP 54
 Dimensions Ø: 6.3cm H: 7.5cm
 Beam Angle 20°
 Non Dimmable
 Material Aluminium - Glass
 Special Feature Included LED Driver
 Color Sandy Black / **Code S112**
 Color Sandy White / **Code S113**



Power 10W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 750Lm
 Cri 80
 Dimensions L: 7.5cm W: 7.5cm H: 9.5cm
 Beam Angle 32°
 Non Dimmable
 Material Aluminium - Glass
 Special Feature Included LED Driver
 Color White - Black Reflector / **Code S068**
 Color Black - Black Reflector / **Code S069**



Color Black / Code Z050112-B
Material Plastic



Bulb
Power
Input
Dimensions
Material
Special Feature

1xGU10 Led
MAX 10W
220-240V, 50/60Hz
Ø: 7.5cm H: 40cm
Aluminium
200cm Trasparent Cable Adjustable
GU10 Lampholder Included



Color
Color
Color
*Ring

Brushed Brass / Code Z63105 MA-BB
Black Matt / Code Z63105 MA-B
White Matt / Code Z63105 MA-W
Black / Code Z050112-B
*Reflector must be ordered seperately



Bulb
Power
Dimensions
Material
Special Feature
Color
Color
Color

1xGU10
MAX 40W
Ø: 6.3cm H: 11.4cm
Aluminium
GU10 Lampholder Included
Black Matt / Code S001
White Matt / Code S002
White Matt - Gold Matt / Code S033



Bulb
Power
Dimensions
Material
Special Feature
Color
Color
Color
Color
Color
Color

1xGU10
MAX 40W
L: 9cm W: 9cm H: 11.5cm
Aluminium
GU10 Lampholder Included
White Matt / Code S039
Black Matt / Code S040
Gold Matt / Code S041
White Matt - Gold Matt / Code S042
Black Matt - Copper Matt / Code S043
Copper Matt / Code S044



White Mat



White Matt
Gold Matt



Gold Matt



Black Matt



Black Matt
Copper Matt




Copper Matt

Architectural Lighting | Led Spot Collection

Power 1x2W COB LED
 Input 2.8V / 350mA
 Color Temperature 3000K
 Lumen 200Lm
 Cri 80
 IP 65
 Dimensions Ø: 3.7cm H: 4.1cm
 Beam Angle 24°
 Cutting Hole Ø: 3.2cm
 Material Aluminium
 Suggested Driver V350 for 1-8 Fixture LSCW350P for 1 Fixture
 Color Sandy White / **Code 180016**



Power 1x5W COB LED
 Input 10V / 500mA
 Color Temperature 3000K
 Lumen 580Lm
 Cri 80
 Dimensions Ø: 5.8cm H: 5cm
 Beam Angle 25°
 Cutting Hole Ø: 5cm
 Material Aluminium
 Suggested Driver V500 for 1-3 Fixture / Series Connection LSCW500P for 1 Fixture
 Color Sandy White / **Code 180012**



Power 1x7W COB LED
 Input 20V / 350mA
 Color Temperature 2700K
 Lumen 630Lm
 Cri 80
 Dimensions Ø: 5cm H: 8.7cm
 Cutting Hole Ø: 4.5cm
 Beam Angle 24°
 Material Aluminium
 Suggested Driver LSCW350P for 1 Fixture
 Color Sandy White / **Code 180013**



Power 1x5W COB LED
 Input 8.5V / 500mA
 Color Temperature 3000K
 Lumen 580Lm
 Cri 80
 Dimensions Ø: 3.5cm H: 6.1cm
 Cutting Hole Ø: 3.5cm
 Beam Angle 36°
 Material Aluminium
 Suggested Driver LSCW500P for 1 Fixture
 Color Sandy White / **Code Z10103 BTR-W**



Power 1x5W COB LED
 Input 8.5V / 500mA
 Color Temperature 3000K
 Lumen 580Lm
 Cri 80
 Dimensions Ø: 3.5cm H: 6.1cm
 Cutting Hole Ø: 3.5cm
 Beam Angle 36°
 Material Aluminium
 Suggested Driver LSCW500P for 1 Fixture
 Color Sandy White - Black / **Code Z10103 BTR-B**




Power 1x7W COB LED
 Input 20V / 350mA
 Color Temperature 3000K
 Lumen 800Lm
 Cri 80
 Dimensions L: 4cm W: 4cm H: 8cm
 Beam Angle 24°
 Cutting Hole 4x4cm
 Material Aluminium
 Suggested Driver LSCW350P for 1 Fixture
 Color Sandy White / **Code 180004**

Power 1x7W COB LED
 Input 20V / 350mA
 Color Temperature 3000K
 Lumen 800Lm
 Cri 80
 Dimensions Ø: 5.8cm H: 7.3cm
 Beam Angle 15°
 Cutting Hole Ø: 5cm
 Material Aluminium
 Suggested Driver LSCW350P for 1 Fixture
 Special Feature Movable
 Color Sandy White / **Code 180010**

Power 1x7W COB LED
 Color Temperature 2700K
 Lumen 630Lm
 Color Sandy White / **Code 180003**


Power 1x7W COB LED
 Color Temperature 2700K
 Lumen 630Lm
 Color Sandy White / **Code 180009**



Power 1x7W COB LED
 Input 20V / 350mA
 Color Temperature 3000K
 Lumen 800Lm
 Cri 80
 Dimensions Ø: 4cm H: 10cm
 Beam Angle 36°
 Cutting Hole Ø: 4.5cm
 Base Ø: 6cm
 Material Aluminium
 Suggested Driver LSCW350P for 1 Fixture
 Special Feature Movable
 Color Sandy White / **Code 180015**
 Color Sandy Black / **Code 180017**




CODE	mA	Watt	V
V350	350	11	2-32
V500	500	16	2-32
V700	700	17	2-25




Power	11W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	990Lm
Cri	80
Dimensions	Ø: 4.5cm H: 9.8cm
Beam Angle	15-30° Adjustable
Cutting Hole	Ø: 5cm
Base	Ø: 5.5cm
Material	Aluminium
Special Feature	Recessed Zoomable Spot Included LED Driver
Color	Sandy White - Black / Code 1928
Color	Sandy Black / Code 1928-B






Power 2x9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1620Lm
 Cri 80
 Dimensions Ø: 14cm H: 11.3cm
 Beam Angle 18°
 Cutting Hole Ø: 12.8cm
 Material Aluminium
 Special Feature Movable
 Included LED Driver


Color Sandy White / **Code 1927**
 Color Sandy Black / **Code 1926**




Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 810Lm
 Cri 80
 Dimensions Ø: 6.6cm H: 10cm
 Beam Angle 18°
 Cutting Hole Ø: 6cm
 Material Aluminium
 Special Feature Included LED Driver

Color Sandy White / **Code 1925**
 Color Sandy Black / **Code 1924**







Power 5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 350Lm
 Cri 90
 Dimensions L: 5.2cm W: 5.2cm H: 5.6cm
 Cutting Hole 4.3 x 4.3cm
 Beam Angle 24°
 Non Dimmable
 Material Aluminium
 Depth Required $\overline{\text{IT}}$: 6cm
 Driver Included (135mA)
 Color Sandy White / **Code S098**




Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 150Lm
 Cri 90
 Dimensions L: 4.5cm W: 4.5cm H: 5cm
 Cutting Hole 3.5 x 3.5cm
 Beam Angle 30°
 Non Dimmable
 Material Aluminium
 Depth Required $\overline{\text{IT}}$: 5.5cm
 Driver Included (700mA)
 Color Sandy White - Black / **Code S084**




Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 630Lm
 Cri 90
 Dimensions L: 12.8cm W: 5.2cm H: 5.6cm
 Cutting Hole 12 x 4.3cm
 Beam Angle 24°
 Non Dimmable
 Material Aluminium
 Depth Required $\overline{\text{IT}}$: 6cm
 Driver Included (250mA)
 Color Sandy White / **Code S100**



Power 5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 350Lm
 Cri 89.6
 Dimensions L: 7.5cm W: 4.5cm H: 5cm
 Cutting Hole 6.5 x 3.5cm
 Beam Angle 30°
 Non Dimmable
 Material Aluminium
 Depth Required $\overline{\text{IT}}$: 5.5cm
 Driver Included (350mA)
 Color Sandy White - Black / **Code S085**




Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 950Lm
 Cri 90
 Dimensions L: 9cm W: 9cm H: 5.6cm
 Cutting Hole 8 x 8cm
 Beam Angle 24°
 Non Dimmable
 Material Aluminium
 Depth Required $\overline{\text{IT}}$: 6cm
 Driver Included (350mA)
 Color Sandy White / **Code S102**




Power 11W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 770Lm
 Cri 90
 Dimensions L: 14.7cm W: 4.5cm H: 5cm
 Cutting Hole 13.5 x 3.5cm
 Beam Angle 30°
 Non Dimmable
 Material Aluminium
 Depth Required $\overline{\text{IT}}$: 5.5cm
 Driver Included (600mA)
 Color Sandy White - Black / **Code S086**






Power 4W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 270Lm
 Cri 90
 Dimensions Ø: 4cm H: 5.8cm
 Cutting Hole Ø: 3.3cm
 Beam Angle 24°
 Non Dimmable ☒
 Material Aluminium
 Depth Required 6.5cm
 Driver Included (700mA)
 Color White Matt - Black Matt / **Code S092**



Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 420Lm
 Cri 90
 Dimensions Ø: 6cm H: 8.2cm
 Cutting Hole Ø: 5.1cm
 Beam Angle 40°
 Non Dimmable ☒
 Material Aluminium
 Depth Required 9cm
 Driver Included (160mA)
 Color White Matt - Black Matt / **Code S093**



Power 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1050Lm
 Cri 90
 Dimensions Ø: 7.5cm H: 10cm
 Cutting Hole Ø: 6.8cm
 Beam Angle 38°
 Non Dimmable ☒
 Material Aluminium
 Depth Required 11cm
 Driver Included (350mA)
 Color White Matt - Black Matt / **Code S094**




S073


S074




S075




Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 90
 Dimensions Ø: 5.5cm H: 9.1cm
 Cutting Hole Ø: 5.2cm
 Beam Angle 24°
 Non Dimmable ☒
 Material Aluminium
 Depth Required 9.5cm
 Driver Included (160mA)
 Color White Matt / **Code S073**



Power 10W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 800Lm
 Cri 90
 Dimensions Ø: 7.5cm H: 9.8cm
 Cutting Hole Ø: 7.2cm
 Beam Angle 31°
 Non Dimmable ☒
 Material Aluminium
 Depth Required 10.5cm
 Driver Included (250mA)
 Color White Matt / **Code S075**



Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 90
 Dimensions Ø: 5.5cm H: 9.1cm
 Cutting Hole Ø: 5.2cm
 Beam Angle 24°
 Non Dimmable ☒
 Material Aluminium
 Depth Required 9.5cm
 Driver Included (160mA)
 Color Black Matt / **Code S074**



Power 10W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 800Lm
 Cri 90
 Dimensions Ø: 7.5cm H: 9.8cm
 Cutting Hole Ø: 7.2cm
 Beam Angle 31°
 Non Dimmable ☒
 Material Aluminium
 Depth Required 10.5cm
 Driver Included (250mA)
 Color Black Matt / **Code S076**



S094

S093


S092




574




575







Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 450Lm
 Cri 90
 Dimensions Ø: 6.2cm W: 10.9cm H: 7.4cm
 Cutting Hole Ø: 6.2cm
 Beam Angle 22°
 Non Dimmable ☒
 Material Aluminium
 Depth Required \perp : 8cm
 Driver Included (135mA)
 Color Sandy White / **Code S095**




Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 675Lm
 Cri 90
 Dimensions Ø: 8.2cm W: 13.5cm H: 10.2cm
 Cutting Hole Ø: 8.2cm
 Beam Angle 36°
 Non Dimmable ☒
 Material Aluminium
 Depth Required \perp : 10.5cm
 Driver Included (200mA)
 Color Sandy White / **Code S096**




Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 450Lm
 Cri 90
 Dimensions Ø: 6.2cm W: 10.9cm H: 7.4cm
 Cutting Hole Ø: 6.2cm
 Beam Angle 22°
 Non Dimmable ☒
 Material Aluminium
 Depth Required \perp : 8cm
 Driver Included (135mA)
 Color Sandy Black / **Code S095-B**
 Copper Matt / **Code S095-C**
 Gold Matt / **Code S095-G**



Power 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1125Lm
 Cri 90
 Dimensions Ø: 8.2cm W: 13.5cm H: 11.8cm
 Cutting Hole Ø: 8.2cm
 Beam Angle 36°
 Non Dimmable ☒
 Material Aluminium
 Depth Required \perp : 12cm
 Driver Included (350mA)
 Color Sandy White / **Code S097**



Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 675Lm
 Cri 90
 Dimensions Ø: 8.2cm W: 13.5cm H: 10.2cm
 Cutting Hole Ø: 8.2cm
 Beam Angle 36°
 Non Dimmable ☒
 Material Aluminium
 Depth Required \perp : 10.5cm
 Driver Included (200mA)
 Color Sandy Black / **Code S096-B**
 Copper Matt / **Code S096-C**
 Gold Matt / **Code S096-G**




Power 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1125Lm
 Cri 90
 Dimensions Ø: 8.2cm W: 13.5cm H: 11.8cm
 Cutting Hole Ø: 8.2cm
 Beam Angle 36°
 Non Dimmable ☒
 Material Aluminium
 Depth Required \perp : 12cm
 Driver Included (350mA)
 Color Sandy Black / **Code S097-B**
 Copper Matt / **Code S097-C**
 Gold Matt / **Code S097-G**







Wall Washer

Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	388Lm
Cri	90
IP	54
Dimensions	L: 14.7cm W: 4.5cm H: 5cm
Cutting Hole	14 x 3.5cm
Beam Angle	20°
Non Dimmable	☒
Material	Aluminium
Depth Required	∏: 5.5cm
Driver	Included (600mA)
Color	White Matt / Code S087




Power	13W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	975Lm
Cri	90
Dimensions	∅: 6.2cm H: 8.3cm
Base	∅: 7.3cm
Cutting Hole	∅: 6.6cm
Beam Angle	33°
Non Dimmable	☒
Material	Aluminium
Depth Required	∏: 3.5cm
Driver	Included (300mA)
Color	White Matt - Black Matt Reflector / Code S079




Wall Washer

Power	8W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	388Lm
Cri	80
IP	54
Dimensions	∅: 10.3cm H: 3.2cm
Cutting Hole	∅: 8.5cm
Beam Angle	20°
Non Dimmable	☒
Material	Aluminium
Depth Required	∏: 3.5cm
Driver	Included (250mA)
Color	White / Code S072




Power	13W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	910Lm
Cri	90
IP	54
Dimensions	∅: 8.3cm H: 8.5cm
Cutting Hole	∅: 7.6cm
Beam Angle	32°
Non Dimmable	☒
Material	Aluminium
Depth Required	∏: 9cm
Driver	Included (300mA)
Color	Black Matt / Code S078
Color	White Matt / Code S077




Power 2x7W
 Input 10V / 700mA
 Color Temperature 3000K
 Lumen 1040Lm
 Cri 90
 Dimensions L: 16.8cm W: 9cm H: 9cm
 Cutting Hole 8.2 x 16.4cm
 Beam Angle 36°
 Material Aluminium
 Depth Required JT: 9cm
 Required Driver V700 / Series Connection
 Special Feature Movable
 Stick Ø: 4cm

Color Sandy White - Black / **Code Z11207-W**
 Color Sandy Black - Gold / **Code Z11207-B**




Power 10W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 750Lm
 Cri 90
 Dimensions Ø: 7cm H: 8.3cm
 Cutting Hole Ø: 6cm
 Beam Angle 38°
 Non Dimmable
 Material Aluminium
 Depth Required JT: 9cm
 Driver Included (250mA)
 Color White Matt - Black Matt Reflector / **Code S070**





Power 7W
 Input 10V / 700mA
 Color Temperature 3000K
 Lumen 520Lm
 Cri 90
 Dimensions Ø: 9.1cm H: 9cm
 Cutting Hole Ø: 8.2cm
 Beam Angle 36°
 Material Aluminium
 Depth Required JT: 9cm
 Required Driver LSCW700P for 1 Fixture
 Special Feature Movable
 Stick Ø: 4cm

Color Sandy White - Black / **Code Z11107-W**
 Color Sandy Black - Gold / **Code Z11107-B**




Power 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1125Lm
 Cri 90
 Dimensions Ø: 8.5cm H: 10.3cm
 Cutting Hole Ø: 7.8cm
 Beam Angle 30°
 Non Dimmable
 Material Aluminium
 Depth Required JT: 11cm
 Driver Included (350mA)
 Color White Matt - Black Matt Reflector / **Code S071**





Down Light
 Dimensions
 Cutting Hole
 Material
 Depth Required
 Color
 Color


Ø: 8.5cm H: 4.2cm
 Ø: 8.5cm
 Aluminium - Plastic Reflector
 10cm
 Sandy White - Black Reflector / **Code S089**
 Sandy White - White Reflector/ **Code S088**



Down Light
 Dimensions
 Cutting Hole
 Material
 Depth Required
 Color
 Color

L: 7.8cm W: 7.8cm H: 4.4cm
 7.8 x 7.8cm
 Aluminium
 10cm
 Sandy White - Black Reflector / **Code S091**
 Sandy White - White Reflector/ **Code S090**

Installation Manual



Trimless Canopy **Code 20144**

Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 6.8cm H: 5.7cm
 Cutting Hole Ø: 6.2cm
 Material Aluminium
 Depth Required $\downarrow\uparrow$: 10cm
 Special Feature GU10 Lampholder Included
 Color Sandy White - Black / **Code Z10105-D9**


Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 6.9cm H: 4.9cm
 Cutting Hole Ø: 6.4cm
 Material Aluminium
 Depth Required $\downarrow\uparrow$: 13cm
 Special Feature GU10 Lampholder Included
 Color Sandy White - Black / **Code Z10105-AD**



Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 12cm H: 11cm
 Cutting Hole Ø: 8.2cm
 Material Aluminium
 Depth Required $\downarrow\uparrow$: 11cm
 Special Feature GU10 Lampholder Included
 Movable
 Color Black / **Code Z11105 TR-B**
 Color White / **Code Z11105 TR-W**

Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 6cm H: 4cm
 Cutting Hole Ø: 6cm
 Material Aluminium
 Depth Required $\downarrow\uparrow$: 12cm
 Special Feature GU10 Lampholder Included
 Color Black / **Code Z10105 TR-B**
 Color White / **Code Z10105 TR-W**





Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 440Lm
 Cri 90
 IP 54
 Dimensions Ø: 8cm H: 4cm
 Cutting Hole Ø: 7.3cm
 Beam Angle 20°
 Non Dimmable ☒
 Material Aluminium - Glass
 Depth Required 4.5cm
 Driver Included
 Color Black / **Code S110**
 White / **Code S111**

Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 IP 65
 Dimensions Ø: 8.5cm H: 4.5cm
 Cutting Hole Ø: 7.5cm
 Material Aluminium
 Depth Required 10.5cm
 Special Feature GU10 Lampholder Included
 Color Black Matt / **Code S046**
 White Matt / **Code S045**



Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 IP 44
 Dimensions Ø: 8.3cm H: 3.7cm
 Cutting Hole Ø: 7cm
 Material Aluminium
 Depth Required 9.7cm
 Special Feature GU10 Lampholder Included
 Color White / **Code S003**

Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 IP 44
 Dimensions L: 8.3cm W: 8.3cm H: 5.7cm
 Cutting Hole Ø: 7cm
 Material Aluminium
 Depth Required 11.7cm
 Special Feature GU10 Lampholder Included
 Color White / **Code S005**

Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 IP 44
 Dimensions Ø: 8.3cm H: 3.7cm
 Cutting Hole Ø: 7cm
 Material Aluminium
 Depth Required 9.7cm
 Special Feature GU10 Lampholder Included
 Color Brushed Chrome Matt / **Code S004**

Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 IP 44
 Dimensions L: 8.3cm W: 8.3cm H: 5.7cm
 Cutting Hole Ø: 7cm
 Material Aluminium
 Depth Required 11.7cm
 Special Feature GU10 Lampholder Included
 Color Brushed Chrome Matt / **Code S006**



Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 9cm H: 4cm
 Cutting Hole Ø: 8cm
 Material Aluminium
 Depth Required JT: 10cm
 Special Feature GU10 Lampholder Included
 Movable
 Color White - Black / **Code S060**

Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 8.4cm W: 8.4cm H: 4cm
 Cutting Hole Ø: 7.6cm
 Material Aluminium
 Depth Required JT: 10cm
 Special Feature GU10 Lampholder Included
 Movable
 Color White - Black / **Code S061**

Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 8.3cm H: 5.5cm
 Cutting Hole Ø: 7.5cm
 Material Aluminium
 Depth Required JT: 10.5cm
 Special Feature GU10 Lampholder Included
 Color Gold / **Code S035**
 Color Black / **Code S007**
 Color White / **Code S008**



Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 8.6cm H: 4cm
 Cutting Hole Ø: 7.5cm
 Material Aluminium
 Depth Required JT: 9cm
 Special Feature GU10 Lampholder Included
 Movable
 Color White / **Code S012**

Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 8.6cm H: 4cm
 Cutting Hole Ø: 7.5cm
 Material Aluminium
 Depth Required JT: 9cm
 Special Feature GU10 Lampholder Included
 Movable
 Color Black / **Code S011**



Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 10cm W: 10cm H: 4cm
 Cutting Hole L: 9.2cm W: 9.2cm
 Material Aluminium
 Depth Required $\text{J}\overline{\text{T}}$: 9.5cm
 Special Feature GU10 Lampholder Included Movable
 Color White / **Code S021**

Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 10cm W: 10cm H: 4cm
 Cutting Hole L: 9.2cm W: 9.2cm
 Material Aluminium
 Depth Required $\text{J}\overline{\text{T}}$: 9.5cm
 Special Feature GU10 Lampholder Included Movable
 Color White - Black / **Code S022**

Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions \varnothing : 10cm H: 4cm
 Cutting Hole \varnothing : 9.2cm
 Material Aluminium
 Depth Required $\text{J}\overline{\text{T}}$: 9.5cm
 Special Feature GU10 Lampholder Included Movable
 Color White / **Code S019**

Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions \varnothing : 10cm H: 4cm
 Cutting Hole \varnothing : 9.2cm
 Material Aluminium
 Depth Required $\text{J}\overline{\text{T}}$: 9.5cm
 Special Feature GU10 Lampholder Included Movable
 Color White - Black / **Code S020**



Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 8.8cm W: 8.8cm H: 7.8cm
 Cutting Hole L: 7.5cm W: 7.5cm
 Material Aluminium
 Depth Required $\text{J}\overline{\text{T}}$: 13.5cm
 Special Feature GU10 Lampholder Included
 Color White / **Code S010**

Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 8.8cm W: 8.8cm H: 7.8cm
 Cutting Hole L: 7.5cm W: 7.5cm
 Material Aluminium
 Depth Required $\text{J}\overline{\text{T}}$: 13.5cm
 Special Feature GU10 Lampholder Included
 Color Black / **Code S009**


Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 8.5cm W: 8.5cm H: 2cm
 Cutting Hole \varnothing : 7.5cm
 Material Aluminium
 Depth Required $\text{J}\overline{\text{T}}$: 7.5cm
 Special Feature GU10 Lampholder Included Movable
 Color White / **Code S013**

Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 8.5cm W: 8.5cm H: 2cm
 Cutting Hole \varnothing : 7.5cm
 Material Aluminium
 Depth Required $\text{J}\overline{\text{T}}$: 7.5cm
 Special Feature GU10 Lampholder Included Movable
 Color Black / **Code S014**






Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 12cm W: 12cm H: 7cm
 Cutting Hole L: 12.2cm W: 12.2cm
 Material Gypsum
 Depth Required JTT: 14cm
 Special Feature GU10 Lampholder Included
 Color Pure White / **Code S030**



Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 8cm W: 8cm H: 6cm
 Cutting Hole L: 8.2cm W: 8.2cm
 Material Gypsum
 Depth Required JTT: 12cm
 Special Feature GU10 Lampholder Included
 Color Pure White / **Code S047**





Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 8cm W: 8cm H: 6cm
 Cutting Hole L: 8.2cm W: 8.2cm
 Material Gypsum
 Depth Required JTT: 12cm
 Special Feature GU10 Lampholder Included
 Color Pure White / **Code S048**



Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 12cm W: 12cm H: 6.1cm
 Cutting Hole L: 12.2cm W: 12.2cm
 Material Gypsum
 Depth Required JTT: 11.5cm
 Special Feature GU10 Lampholder Included
 Color Pure White / **Code S025**



Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 10cm W: 10cm H: 3cm
 Cutting Hole L: 10.2cm W: 10.2cm
 Material Gypsum
 Depth Required JTT: 9cm
 Special Feature GU10 Lampholder Included
 Color Pure White / **Code S027**



Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 12cm W: 12cm H: 6.2cm
 Cutting Hole L: 12.2cm W: 12.2cm
 Material Gypsum
 Depth Required JTT: 11.5cm
 Special Feature GU10 Lampholder Included
 Color Pure White / **Code S029**





Bulb 1xGU10
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 22cm W: 22cm H: 10.5cm
 Cutting Hole L: 22.2cm W: 22.2cm
 Material Gypsum
 Depth Required JTT: 4cm
 Special Feature GU10 Lampholder Included
 Color Pure White / **Code S109**

Bulb 1xGU10
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 19cm W: 19cm H: 7.8cm
 Cutting Hole L: 19.2cm W: 19.2cm
 Material Gypsum
 Depth Required JTT: 10.5cm
 Special Feature GU10 Lampholder Included
 Color Pure White / **Code S108**



Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 10cm H: 3.3cm
 Cutting Hole Ø: 10.2cm
 Material Gypsum
 Depth Required JTT: 8.5cm
 Special Feature GU10 Lampholder Included
 Color Pure White / **Code S026**






Bulb 1xE27
 Power MAX 40W
 Input 220-240V . 50/60Hz
 Dimensions L: 16.6cm W:38.7cm H: 10.9cm
 Material Gypsum - Glass
 Color Pure White / **Code 20273**

Bulb 1xE14
 Power MAX 40W
 Input 220-240V . 50/60Hz
 Dimensions L: 11cm W: 22cm H: 8.5cm
 Material Gypsum
 Color Pure White / **Code 20274**


Power 9.2W
 Input 220-240V . 50/60Hz
 Color Temperature 3000K
 Lumen 460Lm
 Cri 80
 Dimensions Ø: 25cm L: 5.5cm
 Material Gypsum
 Color Pure White / **Code 20272**

Power 7.5W
 Input 220-240V . 50/60Hz
 Color Temperature 3000K
 Lumen 375Lm
 Cri 80
 Dimensions Ø: 15cm L: 4.1cm
 Material Gypsum
 Color Pure White / **Code 20271**







Bulb 1xG9
 Power MAX 25W
 Input 220-240V , 50/60Hz
 Dimensions L: 14.5cm W: 32cm H: 5.5cm
 Material Gypsum
 Color Pure White / **Code 180026**




Bulb 1xG9
 Power MAX 25W
 Input 220-240V , 50/60Hz
 Dimensions L: 10cm W: 20cm H: 6cm
 Material Gypsum
 Color Pure White / **Code 180027**



Bulb 1xG9
 Power MAX 25W
 Input 220-240V , 50/60Hz
 Dimensions L: 8.5cm W: 20cm H: 12cm
 Material Gypsum
 Color Pure White / **Code 180025**



Bulb 1xG9
 Power MAX 25W
 Input 220-240V , 50/60Hz
 Dimensions L: 13cm W: 15cm H: 13cm
 Material Gypsum
 Color Pure White / **Code 180028**





2m Profile + Opal PC Cover, Aluminium

15.2
12
29.4

End Caps Side Hanging End Caps Top Hanging Kit

Profile Set	
20190	2m Aluminium Profile + 2m Opal PC Cover + 2pcs End Caps + 2pcs Side Hanging End Caps
20191	2m Aluminium Profile + 2m Opal PC Cover + 2pcs End Caps + 6pcs Top Hanging Kit

2m Profile + PC Black Diffuser Cover, Aluminium

53
9
15

End Caps

Profile Set	
Z 7901TR	2m Aluminium Profile + 2m PC Black Diffuser Cover Complete with 2pairs End Caps

2m Profile + Opal PC Cover, Aluminium

17.2
12.5
14.4

End Caps Metal Clips

Profile Set	
20193	2m Aluminium Profile + 2m Opal PC Cover
20193-E	2pcs End Caps with Hole, 2pcs End Caps without Hole, 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium

52.2
9.65
13.1

End Caps

Profile Set	
20205	2m Aluminium Profile + 2m Opal PC Cover
20205-E	2pcs End Caps with Hole, 2pcs End Caps without Hole

2m Profile + Opal PC Cover, Aluminium

24.8
12.2
14.4

End Caps Metal Clips

Profile Set	
20194	2m Aluminium Profile + 2m Opal PC Cover
20194-E	2pcs End Caps with Hole, 2pcs End Caps without Hole, 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium

56.6
12.5
10.6

End Caps

Profile Set	
20203	2m Aluminium Profile + 2m Opal PC Cover
20203-E	2pcs End Caps with Hole, 2pcs End Caps without Hole

2m Profile + Opal PC Cover, Aluminium

16
12
16

End Caps Metal Clips

Profile Set	
20197	2m Aluminium Profile + 2m Opal PC Cover
20197-E	2pcs End Caps with Hole, 2pcs End Caps without Hole, 4pcs Metal Clips


2m Profile + Opal PC Cover, Aluminium

61.4
21
14

End Caps


Profile Set	
20204	2m Aluminium Profile + 2m Opal PC Cover
20204-E	2pcs End Caps with Hole, 2pcs End Caps without Hole

2m Profile + Opal PC Cover, Aluminium




Profile Set	
20196	2m Aluminium Profile + 2m Opal PC Cover
20196-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium
2m Profile + Clear PC Cover, Aluminium




Profile Set	
20199	2m Aluminium Profile + 2m Opal PC Cover
20199-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips
20200	2m Aluminium Profile + 2m Clear PC Cover

2m Profile + Opal PC Cover, Aluminium




Profile Set	
20195	2m Aluminium Profile + 2m Opal PC Cover
20195-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium




Profile Set	
20201	2m Aluminium Profile + 2m Opal PC Cover
20201-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium




Profile Set	
20198	2m Aluminium Profile + 2m Opal PC Cover
20198-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium




Profile Set	
20206	2m Aluminium Profile + 2m Opal PC Cover
20206-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium




Profile Set
20325 2m Aluminium Profile + 2m Opal PC Cover + 4pcs Metal Clips

2m Profile + Clear PC Cover Degrees 60°, Aluminium




Profile Set
20325-60D 2m Aluminium Profile + 2m Clear PC Diffuser Cover (Degrees 60°) + 4pcs Metal Clips

2m Profile + PMMA Lens Cover, Aluminium





Profile Set
20325-WG 2m Aluminium Profile + 2m PMMA Lens Cover (Wall Grazer) + 4pcs Metal Clips


2m Profile + PMMA Lens Cover Degrees 30°, Aluminium




Profile Set
20325-30D 2m Aluminium Profile + 2m PMMA Lens Cover (Degrees 30°) + 4pcs Metal Clips



2m Profile for Heat Dissipation, Aluminium / Code 20202





-OSRAM PRODUCT BASIC FLEX 24V 4.6W/m



Code	IP	Kelvin	CRI	Watt	Lm/m
4052899594937	20	2700	85	4.6W/m	437
4052899594951	20	3000	85	4.6W/m	437
4052899594975	20	4000	85	4.6W/m	437
4052899594999	65	2700	85	4.6W/m	437
4052899595019	65	3000	85	4.6W/m	437
4062172020886	65	4000	85	4.6W/m	437


Lumen Efficiency 95Lm/W
 SDCM 3
 Ra 85
 LEDs/m 60
 Voltage DC24V
 Width IP20 8mm , IP65 11.1mm
 Unit cut 100mm
 Life Span 25000H
 Waterproof Rate IP20 + IP65

*5 Years Guarantee when combined with OSRAM drivers



Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618



-OSRAM PRODUCT 24V 8.88W/m



Code	IP	Kelvin	CRI	Watt	Lm/m
4052899595057	20	3000	85	8.88W/m	923
4052899595071	20	4000	85	8.88W/m	923


Lumen Efficiency 104Lm/W
 SDCM 3
 Ra 85
 LEDs/m 70
 Voltage DC24V
 Width 8mm
 Unit cut 100mm
 Life Span 25000H
 Waterproof Rate IP20

*5 Years Guarantee when combined with OSRAM drivers



Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618



-OSRAM PRODUCT BASIC FLEX 24V 10.8W/m



Code	IP	Kelvin	CRI	Watt	Lm/m
4062172148801	20	2700	85	10.8W/m	1026
4062172148825	20	3000	85	10.8W/m	1026
4062172148849	20	4000	85	10.8W/m	1026
4062172148924	65	2700	85	10.8W/m	1026
4062172148948	65	3000	85	10.8W/m	1026
4062172020923	65	4000	85	10.8W/m	1026


Lumen Efficiency 95Lm/W
 SDCM 3
 Ra 85
 LEDs/m 60
 Voltage DC24V
 Width IP20 8mm , IP65 11.1mm
 Unit cut 100mm
 Life Span 25000H
 Waterproof Rate IP20 + IP65

*5 Years Guarantee when combined with OSRAM drivers



Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618



-OSRAM PRODUCT LUMINENT 24V 9.6W/m SHORTPITCH



Code	IP	Kelvin	CRI	Watt	Lm/m
4055462217431	20	3000	85	9.6W/m	1000
4055462217455	20	4000	85	9.6W/m	1000


Lumen Efficiency 105Lm/W
 SDCM 3
 Ra 85
 LEDs/m 240
 Voltage DC24V
 Width 8mm
 Unit cut 25mm
 Life Span 25000H
 Waterproof Rate IP20

*5 Years Guarantee when combined with OSRAM drivers



Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618



-OSRAM PRODUCT TECHFLEX 15.5W/m 2000Lm/m



Code	IP	Kelvin	CRI	Watt	Lm/m
4062172107242	20	3000	85	15.5W/m	2000
4062172107266	20	4000	85	15.5W/m	2060


Lumen Efficiency 129Lm/W
 SDCM 3
 Ra 85
 LEDs/m 140
 Voltage DC24V
 Width 8mm
 Unit cut 100mm
 Life Span 50000H
 Waterproof Rate IP20

*5 Years Guarantee when combined with OSRAM drivers



Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618



-LED STRIP 2400K 12W/m CRI 90

Code	IP	Kelvin	CRI	Watt	Lm/m
LS05	20	2400	90	12W/m	1200


Lumen Efficiency 100Lm/W
 SDCM 3
 Ra 90
 LEDs/m 120
 Voltage DC24V
 Width 10mm
 Unit cut 50mm
 Life Span 20000H
 Waterproof Rate IP20

*5 Years Guarantee when combined with OSRAM drivers



Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618



-LED STRIP TW (2700K-6500K) CRI 90

Code	IP	Kelvin	CRI	Watt	Lm/m
LS06	20	2700	90	12W/m	816
		6500	90	12W/m	1050
		2700+6500	90	24W/m	1866


Lumen Efficiency 78Lm/W
 SDCM 3
 Ra 90
 LEDs/m 120
 Voltage DC24V
 Width 10mm
 Unit cut 100mm
 Life Span 20000H
 Waterproof Rate IP20

*5 Years Guarantee when combined with OSRAM drivers



Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 4 DT8+Switch Dali MCU TW . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Dali ELEMENT Driver 24V +OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620



-LED STRIP DIM TO WARM (2100K-3500K) CRI 90

Code	IP	Kelvin	CRI	Watt	Lm/m
LS07	20	2100-3500	90	12W/m	MAX 1050


Lumen Efficiency 88Lm/W
 Ra 90
 LEDs/m 120
 Voltage DC24V
 Width 10mm
 Unit cut 100mm
 Life Span 20000H
 Waterproof Rate IP20

*5 Years Guarantee when combined with OSRAM drivers



Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618



-LED STRIP COB 5W + 10W CRI 90


Code	IP	Kelvin	CRI	Watt	Lm/m
LS01	20	2700	90	5W/m	510
LS02	20	2700	90	10W/m	950
LS03	20	3000	90	10W/m	1000
LS04	20	4000	90	10W/m	1105

Lumen Efficiency 110Lm/W
 SDCM 3
 Ra 90
 SMD Type COB
 LEDs/m 480
 Voltage DC24V
 Width 10mm
 Unit cut 50mm
 Life Span 20000H
 Waterproof Rate IP20

*5 Years Guarantee when combined with OSRAM drivers

Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618




-LED STRIP 24V 16W/mRGBW

Code	IP	Kelvin	CRI	Watt	Lm/m
LS12	20	3000	80	16W/m	832

Lumen Efficiency 52Lm/W
 SDCM 3
 Ra 80
 LEDs/m 60
 Voltage DC24V
 Width 12mm
 Unit cut 100mm
 Life Span 54000H
 Waterproof Rate IP20

Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 4 DT8+Switch Dali MCU TW . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Dali ELEMENT Driver 24V +OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620



-LED STRIP 24V 18W/m with OPTICS 20° x 45°

Code	IP	Kelvin	CRI	Watt	Lm/m
LS10	67	3000	90	18W/m	1583
LS11	67	4000	90	18W/m	1597

Lumen Efficiency 103Lm/W
 SDCM 3
 Ra 90
 LEDs/m 48
 Voltage DC24V
 Width 18.5mm
 Unit cut 125mm
 Life Span 50000H
 Waterproof Rate IP67

*5 Years Guarantee when combined with OSRAM drivers



Aluminium Profile
Code ALMLS10-11



Angle Mounting Clips
Code CLIPLS10-11

Dimming Options


1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618



-RUBBER LED STRIP 9W/m IP67

Code	IP	Kelvin	CRI	Watt	Lm/m
LS14	67	3000	90	9W/m	468
LS15	67	4000	90	9W/m	495

Lumen Efficiency 55Lm/W
 SDCM 3
 Ra 90
 LEDs/m 112
 Voltage DC24V
 Unit cut 55.5mm
 Life Span 20000H
 Waterproof Rate IP67
 Special Feature UV resistant
 Chemical resistant



Aluminium Profile 1m
Code ALMLS14-15



End Cap
Code ECLS14-15



Flexible Profile
Code FPLS14-15



Feeder Cap
Code FCLS14-15

Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618





-RUBBER LED STRIP 6W/m IP67



Code	IP	Kelvin	CRI	Watt	Lm/m
LS08	67	2700	95	6W/m	240
LS09	67	3000	95	6W/m	256

Lumen Efficiency 42Lm/W
 SDCM 3
 Ra 95
 LEDs/m 480
 Voltage DC24V
 Unit cut 25mm
 Life Span 20000H
 Waterproof Rate IP67
 Special Feature UV resistant
 Chemical resistant



Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618

Power 45W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions W: 4.5cm H: 3.05cm L: 18.7cm
 DALI Dimming PushButton-DALI2
 1 CHANNELS
 Material Plastic
 Special Feature IP 20
 Color White / Code **ACLS4524DA2**




Power 80W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions W: 4.5cm H: 3.05cm L: 16.5cm
 DALI Dimming PushButton-DALI2
 1 CHANNELS
 Material Plastic
 Special Feature IP 20
 Color White / Code **ACLS8024DA2**



Power 150W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions W: 4.5cm H: 3.05cm L: 29cm
 DALI Dimming PushButton-DALI2
 1 CHANNELS
 Material Plastic
 Special Feature IP 20
 Color White / Code **ACLS15024DA2**



Power 100-200W
 Input 100-240V, 50/60Hz
 Output 24V
 Dimensions W: 4.5cm H: 2.1cm L: 4.5cm
 DALI Dimming Dali/Push to Dim to Triac Converter
 Material Plastic
 Special Feature IP 20
 Color White / Code **Z 89104LT**



Power 50W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions W: 3.2cm H: 2.2cm L: 34.5cm
 DALI Dimming DT6-DT8 DALI 1-4 CHANNELS
 Material Plastic
 Special Feature IP 20
 Color White / Code **4062172177900**



Power 160W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions W: 5.1cm H: 3.5cm L: 30cm
 DALI Dimming DT6-DT8 DALI 1-4 CHANNELS
 Material Plastic
 Special Feature IP 20
 Color White / Code **4062172177948**



Power 100W
 Input 220-240V, 0-60Hz
 Output 24V
 Dimensions W: 5cm H: 3.4cm L: 24cm
 1-10 Dimming OPTOTRONIC DIM P
 Material Metal
 Special Feature IP 67
 Color Metal / Code **4052899545861**



Power 250W
 Input 220-240V, 0-60Hz
 Output 24V
 Dimensions W: 6.8cm H: 4cm L: 26.6cm
 1-10 Dimming OPTOTRONIC DIM P
 Material Metal
 Special Feature IP 67
 Color Metal / Code **4052899545908**



Power 30W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions W: 4.1cm H: 2.7cm L: 14.5cm
 Non Dimmable ELEMENT 30/220-240/24 G2
 Material Plastic
 Special Feature IP 20
 Color White / Code **4052899605503**



Power 60W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions W: 4.1cm H: 3.1cm L: 20.1cm
 Non Dimmable ELEMENT 60/220-240/24 G2
 Material Plastic
 Special Feature IP 20
 Color White / Code **4052899605527**




Power 120W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions W: 4.1cm H: 3.1cm L: 26cm
 Non Dimmable ☒
 ELEMENT 120/220-240/24 G2
 Material Plastic
 Special Feature IP 20
 Color White / Code 4052899605541



Power 180W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions W: 4cm H: 3.1cm L: 30cm
 Non Dimmable ☒
 ELEMENT 180/220-240/24 G2
 Material Plastic
 Special Feature IP 20
 Color White / Code 4052899605565



Power 240W
 Input 220-240V, 50/60Hz
 Dimensions W: 4.2cm H: 2cm L: 17.2cm
 Bluetooth Dimming ○
 OT BLE DIM 0-100%
 Material Plastic
 Special Feature IP 20
 Color Whitel / Code 4052899557833



Power 182W
 Input 220-240V, 50/60Hz
 Dimensions W: 4.2cm H: 2cm L: 17.2cm
 DMX Dimming ○
 OT DMX RGBW DIM 0-100%
 Material Plastic
 Special Feature IP 20
 Color Whitel / Code 4052899557949



Power 100W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions W: 5cm H: 3cm L: 23cm
 Dimmable Triac ○
 Material Metal
 Special Feature IP 20
 Color Metal / Code Z89100VND



Power 200W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions W: 5cm H: 3cm L: 28.7cm
 Dimmable Triac ○
 Material Metal
 Special Feature IP 20
 Color Metal / Code Z89200VND



Input 220-240V, 50/60Hz
 Dimensions W: 5cm H: 8cm L: 8cm
 DALI Dimming ○
 DALI MCU Switch
 Material Plastic
 Special Feature IP 20
 Color White / Code 4008321189721





Input 220-240V, 50/60Hz
 Dimensions W: 5cm H: 8cm L: 8cm
 DALI Dimming ○
 DALI MCU Tunable White Switch
 Material Plastic
 Special Feature IP 20
 Color White / Code 4052899465916



Input 220-240V, 50/60Hz
 Dimensions W: 4cm H: 8cm L: 8cm
 1-10 Dimming ○
 DIM MCU Switch
 Material Plastic
 Special Feature IP 20
 Color White / Code 4050300347424



Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 6000K
 Lumen 400Lm
 Cri 80
 Dimensions W: 11cm H: 6.5cm L: 35.2cm
 Not Dimmable ☒
 Material Plastic
 Special Feature Emergency Light / Battery Requires IP 65
 Operation Time 3h
 Color White / Code Z89404



Coins 50					
Code	Description	Kelvin	CRI	Watt	Lumen
4052899583603	PL-CN50-COB-900-927-15D-G1	2700	90	12.90W	1400
4052899583627	PL-CN50-COB-900-927-24D-G1	2700	90	12.90W	1400
4052899583641	PL-CN50-COB-900-927-40D-G1	2700	90	12.90W	1400
4052899541153	PL-CN50-COB-900-930-15D-G1	3000	90	12.90W	1400
4052899541191	PL-CN50-COB-900-930-24D-G1	3000	90	12.90W	1400
4052899541757	PL-CN50-COB-900-930-40D-G1	3000	90	12.90W	1400
4052899541795	PL-CN50-COB-900-940-15D-G1	4000	90	12.90W	1400
4052899541771	PL-CN50-COB-900-940-24D-G1	4000	90	12.90W	1400
4052899541818	PL-CN50-COB-900-940-40D-G1	4000	90	12.90W	1400
4052899605763	PL-CN50-COB-900-D2W-24D-G1	Dim to Warm	90	12.90W	1400
4052899605787	PL-CN50-COB-900-D2W-40D-G1	Dim to Warm	90	12.90W	1400

Life Span : 50000H

*7 Years Guarantee when combined with OSRAM drivers



Constant Current Drivers

Power 10W
 Input 220-240V, 50/60Hz
 Output 500mA
 Forward Voltage 14-28V
 Dimensions W: 3cm H: 2.1cm L: 13.9cm
 Dimmable PhaseCut , 1-10V
 Material Plastic
 Special Feature IP 20
 Color White / Code 87500284



Power 10W
 Input 220-240V, 50/60Hz
 Output 350mA
 Forward Voltage 10-20V
 Dimensions W: 3cm H: 2.1cm L: 13.9cm
 Dimmable PhaseCut , 1-10V
 Material Plastic
 Special Feature IP 20
 Color White / Code 87500283



Power 18W
 Input 220-240V, 50/60Hz
 Output 350mA
 Dimensions W: 5.3cm H: 3cm L: 9.5cm
 PhaseCut Dimming
 OT FIT 18/220-240/350
 Material Plastic
 Special Feature IP 20
 Color White / Code 4062172007559



Power 18W
 Input 220-240V, 50/60Hz
 Output 100-1050mA
 Dimensions W: 5.3cm H: 3cm L: 9.5cm
 DALI Dimming
 OTi DALI 15 NFC
 Material Plastic
 Special Feature IP 20
 Color White / Code 4052899548190



Power 15W
 Input 220-240V, 50/60Hz
 Output 700mA
 Forward Voltage 10-21.5V
 Dimensions W: 3cm H: 2.1cm L: 13.9cm
 PhaseCut Dimming
 Material Plastic
 Special Feature IP 20
 Color White / Code 89800257



Power 7W
 Input 220-240V, 50/60Hz
 Output 350mA
 Forward Voltage 2.7-19.2V
 Dimensions W: 2.6cm H: 2cm L: 3.6cm
 Not Dimmable
 Material Plastic
 Special Feature IP 20
 Color White / Code LSCW350P



Power 10W
 Input 220-240V, 50/60Hz
 Output 150-700mA
 Dimensions W: 3cm H: 2.2cm L: 16.6cm
 DALI Dimming
 OTi DALI 10/220-240/700 NFC I
 Material Plastic
 Special Feature IP 20
 Color White / Code 4062172151252



Power 15W
 Input 220-240V, 50/60Hz
 Output 350mA
 Dimensions W: 4.3cm H: 2.2cm L: 9cm
 Not Dimmable
 On-Off ELEMENT 15/220-240/350S
 Material Plastic
 Special Feature IP 20
 Color White / Code 4052899552906




Power 7W
 Input 220-240V, 50/60Hz
 Output 500mA
 Forward Voltage 2.7-12.8V
 Dimensions W: 2.6cm H: 2cm L: 3.6cm
 Not Dimmable
 Material Plastic
 Special Feature IP 20
 Color White / Code LSCW500P




Power 7W
 Input 220-240V, 50/60Hz
 Output 700mA
 Forward Voltage 2.7-9.6V
 Dimensions W: 2.6cm H: 2cm L: 3.6cm
 Not Dimmable
 Material Plastic
 Special Feature IP 20
 Color White / Code LSCW700P






Outdoor Lighting



Power 5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 375Lm
 Cri 80
 IP 54
 Dimensions L: 18cm W: 18cm H: 22cm
 3 Steps Dimming 10% , 50% , 100%
 Duration 15h , 10h , 7h
 Material Aluminium - Difusser
 Special Feature Portable Table Lamp
 USB Cable & Adaptor Included

Color Black / **Code E218**



Power 2W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 70Lm
 Cri 80
 IP 54
 Dimensions Ø: 10.5cm H: 38cm
 3 Steps Dimming 10% , 50% , 100%
 Material Aluminium - Difusser
 Special Feature Shade Ø: 11cm H: 11cm
 Portable Table Lamp
 USB Cable & Adaptor Included


Color Sandy White / **Code E193**
 Sandy Black / **Code E194**







Power 2W
 Input 220-240V, 50/60Hz
 Color Temperature 2700K
 Lumen 99Lm
 Cri 80
 IP 54
 Dimensions W: 33.8cm H: 111cm
 Base Ø: 24cm
 3 Steps Dimming 25%, 50%, 100%
 Duration 20h, 10h, 5h
 Material Aluminium - PC Difusser
 Special Feature Ball Ø: 18cm
 Portable Floor Lamp
 USB Cable & Adaptor Included

Color Black / Code E232



Power 1.5W
 Input 220-240V, 50/60Hz
 Color Temperature 2700K
 Lumen 99Lm
 Cri 80
 IP 54
 Dimensions W: 19.4cm H: 27.9cm
 Base Ø: 10cm
 3 Steps Dimming 25%, 50%, 100%
 Duration 20h, 10h, 5h
 Material Aluminium - PC Difusser
 Special Feature Ball Ø: 18cm
 Portable Table Lamp
 USB Cable & Adaptor Included


Color Black / Code E233
 White / Code E234




Power 1.5W
 Input 220-240V, 50/60Hz
 Color Temperature 2700K
 Lumen 99Lm
 Cri 80
 IP 44
 Dimensions Ø: 18cm
 3 Steps Dimming 25%, 50%, 100%
 Duration 20h, 10h, 5h
 Material Aluminium - PC Difusser
 Special Feature Portable Table Lamp
 USB Cable & Adaptor Included
 80cm Cable Adjustable

Color Black / Code E231







Power 8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 720Lm
 Cri 80
 IP 54
 Dimensions L: 16cm W: 15cm H: 30cm
 Base L: 23cm W: 21cm
 Material Concrete
 Color Natural Concrete / **Code E191**




Power 8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 720Lm
 Cri 80
 IP 54
 Dimensions L: 16cm W: 15cm H: 70cm
 Base L: 23cm W: 21cm
 Material Concrete
 Color Natural Concrete / **Code E192**




Power 8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 720Lm
 Cri 80
 IP 54
 Dimensions L: 28cm W: 10cm H: 35cm
 Base L: 37cm W: 19cm
 Material Concrete
 Color Natural Concrete / **Code E190**






Power 4W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 380Lm
 Cri 80
 IP 65
 Dimensions L: 9.7cm W: 9.1cm H: 10.5cm
 Beam Angle 36°
 Dimmable Triac
 Material Concrete - Aluminium
 Color Natural Concrete / **Code E253**



Power 2x4W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 720Lm
 Cri 80
 IP 65
 Dimensions L: 9.7cm W: 9.1cm H: 20cm
 Beam Angle 36°
 Dimmable Triac
 Material Concrete - Aluminium
 Color Natural Concrete / **Code E254**





Power 4x2.5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1015Lm
Cri 80
IP 54
Dimensions L: 17cm W: 5.5cm H: 9cm
Optic 38°
Material Aluminium
Color Dark Grey / **Code E250**




Power 4x2.5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1015Lm
Cri 80
IP 54
Dimensions L: 17cm W: 5.5cm H: 9cm
Optic 12°
Material Aluminium
Color Dark Grey / **Code E250-12D**




Wall / Ground Base
Material Aluminium
Color Dark Grey / **Code E251**



Outdoor Led Lighting | Wall - Floor Collection




Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 IP 54
 Dimensions Ø: 15cm L: 5.5cm
 Material Aluminium - PC Diffusser
 Color Graphite / **Code E237**




Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 IP 65
 Dimensions Ø: 15cm H: 100cm
 Material Aluminium - PC Diffusser
 Color Graphite / **Code E249**






Power 2 x 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 80
 IP 65
 Dimensions L: 3.1cm W: 11cm H: 9cm
 Material Aluminium - Tempered Glass
 Special Feature Up - Down Light
 Color Graphite / **Code E238**




Power 2 x 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 IP 65
 Dimensions L: 3.1cm W: 17.5cm H: 9cm
 Material Aluminium - Tempered Glass
 Special Feature Up - Down Light
 Color Graphite / **Code E239**





Power 2 x 10W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1600Lm
 Cri 80
 IP 65
 Dimensions L: 3.1cm W: 30cm H: 9cm
 Material Aluminium - Tempered Glass
 Special Feature Up - Down Light
 Color Graphite / **Code E240**






Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 560Lm
 Cri 80
 IP 44
 Dimensions L: 6.7cm W: 19cm H: 17.5cm
 Material Metal - Diffuser
 Color Graphite / **Code E243**




Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 IP 54
 Dimensions L: 10.5cm W: 24cm H: 5.5cm
 Material Aluminium - PC Diffuser
 Special Feature Up-Down
 Color Graphite / **Code E244**




Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 80
 IP 54
 Dimensions L: 9.2cm W: 22.4cm H: 22.5cm
 Material Aluminium - PC Diffuser
 Color Graphite / **Code E245**






Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 IP 65
 Dimensions L: 12.8cm W: 18.3cm H: 20cm
 Material Aluminium - Glass
 Color Dark Brown / **Code E271**





Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 530Lm
 Cri 80
 IP 65
 Dimensions L: 16.5cm W: 16cm H: 5cm
 Material Aluminium - Tempered Glass
 Special Feature Up - Down Light
 Color Dark Brown / **Code E268**






Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 IP 65
 Dimensions L: 9.6cm W: 30cm H: 12cm
 Material Aluminium - Opal PC Diffuser
 Special Feature Up - Down Light
 Color Dark Grey / **Code E265**
 Color Dark Brown / **Code E266**




Power 16W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1280Lm
 Cri 80
 IP 65
 Dimensions Ø: 18.3cm L: 13cm
 Material Aluminium - Opal PC Diffuser
 Color Dark Brown / **Code E267**



Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 IP 65
 Dimensions L: 12.6cm W: 15cm H: 28cm
 Material Aluminium - Opal PC Diffuser
 Color Dark Brown / **Code E263**






Power 30W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2400Lm
 Cri 80
 IP 65
 Dimensions L: 7.5cm W: 50cm H: 6.5cm
 Material Aluminium - Tempered Glass
 Color Graphite / **Code E227**




Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 IP 54
 Dimensions L: 7.5cm W: 22cm H: 3.2cm
 Material Aluminium - Tempered Glass
 Color Sandy White / **Code E168**






Power 9W LED
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 800Lm
Cri 80
IP 65
Dimensions L: 9cm W: 9.5cm H: 26.5cm
Material Alumunium - PC Diffuser
Color Graphite / **Code E202**





Bulb 1xE27
Power MAX 15W
Input 220-240V, 50/60Hz
IP 65
Dimensions L: 9cm W: 9.5cm H: 26.5cm
Material Alumunium - Clear Diffuser
Color Sandy Black / **Code E201**






Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 810Lm
 Cri 80
 IP 65
 Dimensions L: 7.8cm W: 16cm H: 10-16cm
 Material Aluminium - PC Diffuser
 Special Feature Movable
 Color Graphite / **Code E199**





Power 4,2W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 336Lm
 Cri 80
 IP 65
 Dimensions L: 6cm W: 11cm H: 11cm
 Material Aluminium - Tempered Glass
 Color Graphite / **Code E197**








Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 810Lm
 Cri 80
 IP 65
 Dimensions L: 7.8cm W: 18cm H: 11-18cm
 Material Aluminium - PC Diffuser
 Special Feature Movable
 Color Sandy White / **Code E200**





Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 810Lm
 Cri 80
 IP 65
 Dimensions L: 7.8cm W: 7cm H: 18.8cm
 Material Aluminium - PC Diffuser
 Special Feature Movable
 Color Sandy White / **Code E198**






Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 810Lm
 Cri 80
 IP 65
 Dimensions L: 7.2cm W: 16cm H: 15.5cm
 Material Aluminium - PC Diffuser
 Color Graphite / **Code E195**



Bulb 1xGU10
 Power MAX 35W
 Input 220-240V, 50/60Hz
 IP 44
 Dimensions L: 14.5cm W: 11cm H: 11.5cm
 Material Aluminium - Clear Glass
 Color Sandy Black / **Code E100**







Power 2x3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 80
 IP 54
 Dimensions L: 6.5cm W: 11cm H: 17.5cm
 Material Aluminium - Tempered Glass
 Color Graphite / **Code E135**
 Color Sandy White / **Code E156**



Power 2x3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 80
 IP 54
 Dimensions L: 8.2cm W: 8cm H: 8cm
 Material Aluminium - Tempered Glass
 Special Feature Movable
 Color Graphite / **Code E109**
 Color Sandy White / **Code E159**




Bulb 2xGU10
 Power MAX 15W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions L: 9.2cm W: 6.5cm H: 15cm
 Material Aluminium - Tempered Glass
 Diffuser
 Color Sandy White / **Code E151**




Bulb 1xGU10
 Power MAX 15W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions L: 9.2cm W: 6.5cm H: 9cm
 Material Aluminium - Glass Diffuser
 Color Sandy White / **Code E150**







Bulb 2xGU10
 Power MAX 35W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions L: 9.2cm W: 6.5cm H: 15cm
 Material Aluminium - Glass Diffuser
 Color Graphite / **Code E124**



Bulb 1xGU10
 Power MAX 35W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions L: 9.2cm W: 6.5cm H: 9cm
 Material Aluminium - Glass Diffuser
 Color Graphite / **Code E123**




Bulb 2xGU10
 Power MAX 35W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions L: 9.2cm W: 6.5cm H: 15cm
 Material Aluminium - Glass Diffuser
 Color Graphite / **Code E122**




Bulb 1xGU10
 Power MAX 35W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions L: 9.2cm W: 6.5cm H: 9cm
 Material Aluminium - Glass Diffuser
 Color Graphite / **Code E121**






Power 2x8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1280Lm
 Cri 80
 IP 54
 Dimensions L: 8.1cm W: 6cm H: 24cm
 Material Alumunium - Tempered Glass
 Color Graphite / **Code E176**






Power 1x8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 640Lm
 Cri 80
 IP 54
 Dimensions L: 7.5cm L: 6.9cm H: 13.5cm
 Material Alumunium - Tempered Glass
 Color Graphite / **Code E175**





Power 2x3W
 Input 220-240V, 50/60Hz
 Color Temperatur 3000K
 Lumen 540Lm
 Cri 80
 IP 54
 Dimensions L: 11cm W: 13cm H: 14.8cm
 Material Aluminium - PC Diffuser
 Color Graphite / **Code E114**




Bulb 1xE27
 Power MAX 18W
 Input 220-240V, 50/60Hz
 IP 44
 Dimensions L: 12cm W: 22cm H: 9cm
 Material Aluminium - Tempered Glass
 Color Graphite / **Code E146**




Power 2x13W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2080Lm
 Cri 80
 IP 65
 Dimensions L: 10.6cm W: 22cm H: 9cm
 Material Aluminium - Tempered Glass
 Special Feature Up - Down Lamp
 Color Dark Grey / **Code E261**
 Color Dark Brown / **Code E262**







Power 2x3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 80
 IP 54
 Dimensions L: 7cm W: 8cm H: 14cm
 Material Alumunium
 Color Graphite / **Code E112**




Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 IP 54
 Dimensions L: 7cm W: 8cm H: 8cm
 Material Alumunium
 Color Graphite / **Code E111**



Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 80
 IP 54
 Dimensions L: 8.4cm W: 30cm H: 12.7cm
 Material Alumunium - PC Diffuser
 Color Graphite / **Code E115**




Bulb 1xE27
 Power MAX 18W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions L: 16.5cm W: 16.5cm H: 17.1cm
 Material Alumunium - PC Diffuser
 Color Graphite / **Code E127**




Bulb 1xE27
 Power MAX 18W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions L: 9.8cm W: 30cm H: 18.7cm
 Material Alumunium - PC Diffuser
 Color Graphite / **Code E128**







Bulb 1xE27
 Power MAX 18W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions L: 10.5cm W: 22cm H: 13cm
 Material Aluminium - PC Diffuser
 Color Graphite / **Code E148**




Bulb 1xE27
 Power MAX 18W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions L: 14.5cm W: 29cm H: 14cm
 Material Aluminium - PC Diffuser
 Color Graphite / **Code E147**



Bulb 1xE27
 Power MAX 18W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions L: 7cm W: 24cm H: 14cm
 Material Aluminium - PC Diffuser
 Color Graphite / **Code E149**




Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 80
 IP 54
 Dimensions L: 8cm W: 19cm H: 12cm
 Material Aluminium - PC Diffuser
 Color Graphite / **Code E141**



Power 8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 720Lm
 Cri 80
 IP 54
 Dimensions Ø: 13cm W: 16cm H: 17.3cm
 Material Aluminium - Opal Avrylic
 Color Graphite / **Code E173**







Bulb 1xGU10
 Power MAX 11W
 Input 220-240V, 50/60Hz
 IP 65
 Dimensions Ø: 8cm L: 14.3cm
 Base Ø: 7cm
 Material Aluminium - Tempered Glass
 Color Graphite / **Code E236**




Power 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1200Lm
 Cri 80
 IP 65
 Dimensions Ø: 8cm L: 16.2cm
 Base Ø: 7cm
 Optic 32°
 Material Aluminium - Tempered Glass
 Color Graphite / **Code E235**




Power 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1200Lm
 Cri 80
 IP 65
 Dimensions Ø: 8cm L: 16.2cm
 Base Ø: 7cm
 Optic 12°
 Material Aluminium - Tempered Glass
 Color Graphite / **Code E235-12D**





Power 2.1W
 Color Temperature 2700K
 Lumen 168Lm
 Cri 80
 IP 54
 Dimensions H: 8.5cm
 Beam Angle 10-60°
 Material Aluminium - Stainless Steel
 Special Feature Stick Ø: 3.2cm H: 8cm
 Required Remote Driver 700mA
 Spike Included
 Color Sandy Black / Code E177-A



Power 2.1W
 Input 220-240V, 50/60Hz
 Color Temperature 2700K
 Lumen 168Lm
 Cri 80
 IP 54
 Dimensions H: 8.5cm
 Base Ø: 6.6cm H: 4.2cm
 Beam Angle 10°-60°
 Material Aluminium - Stainless Steel
 Special Feature Stick Ø: 3.2cm H: 8cm
 Spike Included
 Color Sandy Black / Code E177-B






Power 11W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 500Lm
 Cri 80
 IP 65
 Dimensions Ø: 7cm L: 13cm H: 27cm
 Beam Angle 20°-60°
 Material Aluminium
 Special Feature Spike Included
 Color Graphite / **Code Z67482**




Bulb 1xGU10
 Power MAX 5W
 Input 220-240V, 50/60Hz
 IP 65
 Dimensions Ø: 6cm H: 16cm
 Material ABS - PC Diffuser
 Special Feature Movable
 Spike Included
 Color Black / **Code E217**





Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 630Lm
 Cri 80
 IP 65
 Dimensions Ø: 5.6cm H: 15cm
 Optic 36°
 Material Aluminium - Tempered Glass
 Special Feature Movable
 Spike Included


Color Graphite / **Code E152**




Power 5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 450Lm
 Cri 80
 IP 65
 Dimensions Ø: 6.1cm H: 9cm
 Optic 36°
 Material Aluminium - Tempered Glass
 Special Feature Movable
 Spike Included

Color Graphite / **Code E153**






Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 IP 65
 Dimensions L: 5cm W: 10cm H: 60
 Material Aluminium - Pc Diffuser
 Color Graphite / **Code E259**
 Color Rusty Brown / **Code E260**




Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 80
 IP 65
 Dimensions L: 5cm W: 10cm H: 25
 Material Aluminium - Pc Diffuser
 Color Graphite / **Code E255**
 Color Rusty Brown / **Code E256**




Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 720Lm
 Cri 80
 IP 65
 Dimensions L: 5cm W: 10cm H: 25
 Material Aluminium - Pc Diffuser
 Color Graphite / **Code E257**
 Color Rusty Brown / **Code E258**






Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 720Lm
 Cri 80
 IP 65
 Dimensions Ø: 10.7 H: 60cm
 Material Aluminium - Opal PC Diffuser
 Color Dark Brown / **Code E264**





Power 2x3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 540Lm
 Cri 80
 IP 54
 Dimensions Ø: 12cm H: 45cm
 Material Aluminium
 Special Feature Movable
 Color Sandy Black / **Code E222**






Power 13W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1170Lm
 Cri 80
 IP 54
 Dimensions L: 13.2cm W: 18.2cm H: 11.4cm
 Material Aluminium - PC Diffuser
 Color Graphite - Wood / **Code E224**




Power 13W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1170Lm
 Cri 80
 IP 54
 Dimensions L: 22cm W: 12.5cm H: 60cm
 Material Aluminium - PC Diffuser
 Color Graphite - Wood / **Code E225**






Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 80
 IP 54
 Dimensions L: 14cm W: 12cm H: 4.5cm
 Material Aluminium
 Color Graphite / **Code E120**




Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 720Lm
 Cri 80
 IP 54
 Dimensions Ø: 7.8cm H: 75cm
 Material Aluminium - PC Diffuser
 Color Graphite / **Code E134**






Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 560Lm
Cri 80
IP 54
Dimensions L: 12cm W: 7cm H: 65cm
Material Aluminium
Color Graphite / Code E212




Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 560Lm
Cri 80
IP 54
Dimensions L: 12cm W: 7cm H: 25cm
Material Aluminium
Color Graphite / Code E211






Power 2.2W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 165Lm
 Cri 80
 IP 54
 Dimensions L: 14cm W: 14cm H: 50cm
 2 Steps Dimming 15%, 100%
 Duration 24h, 7h
 Material Aluminium
 Special Feature Solar Bollard Lamp
 Color Graphite / **Code E213**




Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 595Lm
 Cri 80
 IP 54
 Dimensions Ø: 15cm H: 50cm
 Material Aluminium - Clear Glass
 Special Feature Movable
 Color Graphite / **Code E210**






Power 10W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 800Lm
 Cri 80
 IP 54
 Dimensions L: 15cm W: 5.5cm H: 78cm
 Material Aluminium - PC Diffuser
 Color Graphite / **Code E208**




Power 10W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 700Lm
 Cri 80
 IP 54
 Dimensions L: 12cm W: 15cm H: 5.5cm
 Material Aluminium - PC Diffuser
 Color Graphite / **Code E207**




Outdoor Led Lighting | Floor - Wall Collection




Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 800Lm
Cri 80
IP 54
Dimensions L: 17cm W: 6cm H: 78cm
Base W: 10cm L: 10cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E206**




Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 800Lm
Cri 80
IP 54
Dimensions L: 19.5cm W: 6cm H: 20.7cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E205**






Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 IP 54
 Dimensions Ø: 11cm H: 25cm
 Material Aluminium
 Color Graphite / **Code E133**





Power 3x5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1200Lm
 Cri 80
 IP 54
 Dimensions Ø: 12cm H: 45cm
 Material Aluminium
 Color Graphite / **Code E132**








Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 630Lm
 Cri 80
 IP 54
 Dimensions L: 18cm W: 18cm H: 23cm
 Material Aluminium
 Color Graphite / Code E203




Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 630Lm
 Cri 80
 IP 54
 Dimensions L: 18cm W: 18cm H: 80cm
 Material Aluminium
 Color Graphite / Code E204






Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1080Lm
 Cri 80
 IP 54
 Dimensions Ø: 20cm L: 30.2cm H: 100cm
 Material Aluminium - PC Diffuser
 Color Graphite / **Code E174**




Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 540Lm
 Cri 80
 Dimensions L: 26.5cm H: 91cm
 Base L: 7.5cm W: 7.5cm
 Material Aluminium
 Special Feature Profile 4.5x4.5cm Movable
 Color Sandy Black - Wood / **Code E221**






Bulb 1xE27
Power MAX 18W
Input 220-240V, 50/60Hz
IP 54
Dimensions L: 14cm W: 12cm H: 21.8cm
Material Aluminium - Clear Glass
Color Graphite / **Code E167**





Bulb 1xE27
Power MAX 18W
Input 220-240V, 50/60Hz
IP 54
Dimensions Ø: 12cm H: 50cm
Material Aluminium - Clear Glass
Color Graphite / **Code E166**






Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 80
 IP 65
 Dimensions L: 3.7cm W: 15cm H: 15cm
 Material Aluminium
 Color Graphite / **Code E241-G**
 Sandy White / **Code E241-W**




Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 80
 IP 65
 Dimensions Ø: 15cm L: 3.7cm
 Material Aluminium
 Color Graphite / **Code E242-G**
 Sandy White / **Code E242-W**







Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 IP 65
 Dimensions L: 14cm W: 7cm H: 4.1cm
 Recessed Mounting Box L: 12.5cm W: 6cm (Included)
 Depth 11: 6cm
 Material Aluminium
 Color Graphite / Code **E247-G**
 Color Sandy White / Code **E247-W**




Power 1W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 80Lm
 Cri 80
 IP 65
 Dimensions L: 9cm W: 9cm H: 4.1cm
 Recessed Mounting Box L: 7.3cm W: 7.3cm (Included)
 Depth 11: 6cm
 Material Aluminium
 Color Graphite / Code **E246-G**
 Color Sandy White / Code **E246-W**






Power 4W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 300Lm
Cri 80
IP 65
Dimensions L: 9cm W: 9cm H: 4.1cm
Recessed Mounting Box L: 7.3cm W: 7.3cm (Included)
Depth 6cm
Material Aluminium - Tempered Glass
Color Graphite / **Code E248**







Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 300Lm
 Cri 80
 IP 54
 Dimensions Ø: 13.5cm L: 3.2cm
 Material ABS
 Color Graphite / **Code E183**
 Color White / **Code E184**




Power 1.5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 120Lm
 Cri 80
 IP 54
 Dimensions L: 3.3cm W: 10cm H: 6cm
 Material ABS
 Color Graphite / **Code E181**
 Color White / **Code E182**







Power 1.5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 120Lm
 Cri 80
 IP 65
 Dimensions L: 2.5cm W: 12.5cm H: 12.5cm
 Material ABS
 Color Graphite / **Code E230**




Power 2W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 160Lm
 Cri 80
 IP 65
 Dimensions L: 2.5cm W: 12.5cm H: 12.5cm
 Material ABS
 Color White / **Code Z67388-B**





Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 220Lm
 Cri 80
 IP 65
 Dimensions L: 2.5cm W: 23cm H: 8cm
 Material ABS
 Color Graphite / **Code E229**




Power 2W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 160Lm
 Cri 80
 IP 65
 Dimensions L: 2.5cm W: 23cm H: 8cm
 Material ABS
 Color White / **Code Z67388-C**







Bulb 1xGU10
 Power MAX 9W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions Ø: 7.6cm L: 9.9cm H: 14.8cm
 Material ABS - PC Diffuser
 Color White / **Code E185**



Bulb 2xGU10
 Power MAX 9W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions Ø: 7.6cm L: 9.9cm H: 18.6cm
 Material ABS - PC Diffuser
 Color White / **Code E186**




Power 1.5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 90Lm
 Cri 80
 IP 65
 Dimensions L: 1.5cm W: 9cm H: 12cm
 Material ABS - PC Diffuser
 Color White / **Code E187**




Power 1W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 60Lm
 Cri 80
 IP 65
 Dimensions L: 1.2cm W: 7cm H: 5cm
 Material ABS - PC Diffuser
 Color Black / **Code E215**
 Color White / **Code E214**






Bulb 1xGU10
 Power MAX 35W
 IP 65
 Dimensions L: 8.5cm W: 8.5cm H: 10cm
 Material Aluminium - Glass
 Color Graphite / **Code E269**
 Color Sandy White / **Code E270**




Power 2x2W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 320Lm
 Cri 80
 IP 65
 Dimensions L: 3cm W: 8.3cm H: 12.3cm
 Material ABS - PC Diffuser
 Color White / **Code E216**






Bulb 1xGU10
 Power MAX 7W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions Ø: 6cm H: 10.5cm
 Material Aluminium - Glass Diffuser
 Color Sandy Black / Code E219
 Color Sandy White / Code E220



Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 560Lm
 Cri 90
 IP 54
 Dimensions Ø: 6.3cm H: 7.5cm
 Beam Angle 20°
 Non Dimmable
 Material Aluminium - Glass
 Special Feature Included LED Driver
 Color Sandy Black / Code S112
 Color Sandy White / Code S113






20.7

13.7

Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions Ø: 13.7cm H: 20.7cm
 Material Aluminium - Glass
 Special Feature 150cm Cable Adjustable
 Color Brown / **Code E172**




32.4

26

32

Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 IP 44
 Dimensions Ø: 26cm L: 32cm H: 32.4cm
 Material Aluminium - PC Diffuser
 Color Graphite / **Code E106**






Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
IP 44
Dimensions Ø: 30cm L: 41cm H: 30.5cm
Base Ø: 11.5cm
Material Aluminium - Glass
Color Graphite / **Code E105**




Surface Installation



Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 300Lm
 Cri 80
 IP 67
 IK 10
 Dimensions Ø: 20cm H: 4.2cm
 Material Aluminium
 Special Feature Surface Ground
 Driver Included

Color Grey / **Code Z69058-A**




Power 2x6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 600Lm
 Cri 80
 IP 67
 IK 10
 Dimensions Ø: 20cm H: 4.2cm
 Material Aluminium
 Special Feature Surface Ground
 Driver Included

Color Grey / **Code Z69058-B**





Power 8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 180Lm
 Cri 80
 IP 67
 IK 8
 Dimensions Ø: 12cm H: 15cm
 Cutting Hole Ø: 11.5cm
 Beam Angle Asimetric
 Material Stainless Steel
 Depth Required 17cm
 Recessed Mounting Box Included
 Special Feature 200cm Cable Available
 Driver Included

Color Stainless Steel / **Code Z69062**




Waterproof Conection Box 1in / 1out , 16A , 450V
 IP 67
 Color Black / **Code Z0800-BA**






Power 3W
 Input 24V
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 IP 65
 IK 8
 Dimensions Ø: 4.5cm H: 9.3cm
 Material Aluminium - Stainless Steel- PC Diffuser
 Recommended Driver D-8-24 (Not Included)
 Color Aluminium / **Code E178**





Power 3W
 Input 24V
 Color Temperature 3000K
 Lumen 210Lm
 Cri 80
 IP 65
 IK 10
 Dimensions Ø: 4.8cm H: 10cm
 Material Aluminium - Stainless Steel- PC Diffuser
 Recommended Driver D-8-24 (Not Included)
 Color Aluminium / **Code E180**



Power 3W
 Input 24V
 Color Temperature 3000K
 Lumen 180Lm
 Cri 80
 IP 65
 IK 10
 Dimensions Ø: 4.8cm H: 10cm
 Material Aluminium - Stainless Steel- PC Diffuser
 Recommended Driver D-8-24 (Not Included)
 Color Aluminium / **Code E179**



Driver D-8-24
 Power 8W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions L: 7.5cm W: 3cm H: 2.3cm
 IP 42




Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 600Lm
 Cri 80
 IP 67
 IK 8
 Dimensions Ø: 10cm H: 9.5cm
 Beam Angle 36°
 Material Aluminium - Stainless Steel- Tempered Glass
 Depth Required 11: 12cm
 Recessed Mounting Box Included
 Special Feature Driver Included
 Color Stainless Steel / **Code E189**



Outdoor Led Lighting | Wall Washers Collection



Code	IP	Kelvin	CRI	Watt	Lumen/M
Z7055A-W	66	3000	80	12W	MAX 850
Z7055A-C	66	4000	80	12W	MAX 870




Power Input 12x1W
 Cri 24V
 CRI 80
 IP 66
 Dimensions L: 50cm W: 3.1cm H: 6cm
 Beam Angle 60° x 20°
 Material Aluminium
 Special Feature 100cm Cable Available
 Driver Not Included
 Connect 10pcs MAX
 Color Grey

Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 . 621
2. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 619
3. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618
4. ON-OFF Dimming : ON-OFF Driver 24V to Page : 619-620



Code	IP	Kelvin	CRI	Watt	Lumen/M
Z7055B-W	66	3000	80	24W	MAX 1700
Z7055B-C	66	4000	80	24W	MAX 1720



Power Input 24x1W
 Cri 24V
 CRI 80
 IP 66
 Dimensions L: 100cm W: 3.1cm H: 6cm
 Beam Angle 60° x 20°
 Material Aluminium
 Special Feature 100cm Cable Available
 Driver Not Included
 Connect 5pcs MAX
 Color Grey

Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 . 621
2. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 619
3. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618
4. ON-OFF Dimming : ON-OFF Driver 24V to Page : 619-620



Code	IP	Kelvin	CRI	Watt	Lumen/M
Z7055B-RGB	66	RGB	80	36W	MAX 1050



Power Input 24x1.5W
 Cri 24V
 CRI 80
 IP 66
 Dimensions L: 100cm W: 4.2cm H: 7cm
 Beam Angle 30°
 Material Aluminium
 Special Feature 100cm Cable Available
 Driver Not Included
 Connect 5pcs MAX
 Color Grey

Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 . 621
2. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 619
3. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620



P&M



design
furniture
interiors